PATENT COOPERATION TREATY
PCT

REC'D	2	4	OCT	2005
WIPO				PGT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 12467550/EJH/DND	FOR FURTHER ACT	rion	See Form PCT/IPEA/416				
International application No. PCT/AU2004/000919	International filing date 8 July 2004	e (day/month/year)	Priority date (day/month/year) 8 July 2003				
International Patent Classification (IPC) or	International Patent Classification (IPC) or national classification and IPC						
Int. Cl. 7 C12N 15/12, C07K 14/47, A	61K 38/17.	•					
Applicant CHEMGENEX PHARMACEUTICALS LIMITED et al							
 This report is the international prelimina Authority under Article 35 and transmit 	ry examination report, eted to the applicant acco	established by this Inte	rnational Preliminary Examining				
2. This REPORT consists of a total of 9	sheets, including this co	ver sheet.					
3. This report is also accompanied by ANI	NEXES, comprising:		·				
a. X (sent to the applicant and to the	: International Bureau) :	a total of 83 sheets,	as follows:				
sheets of the description, of sheets containing rectificated Administrative Instruction	tions authorized by this	which have been amen Authority (see Rule 70	ded and are the basis for this report and/or 0.16 and Section 607 of the				
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.							
a sequence listing and/or table	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or table related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).						
4. This report contains indications relating	g to the following items:						
X Box No. I Basis of the repo	rt		·				
Box No. II Priority							
X Box No. III Non-establishme	nt of opinion with regard	d to novelty, inventive	step and industrial applicability				
X Box No. IV Lack of unity of	invention						
X Box No. V Reasoned statem citations and exp	X Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
Box No. VI Certain documen	•						
Box No. VII Certain defects in	n the international applic	ation					
X Box No. VIII Certain observations on the international application							
Date of submission of the demand Date of completion of the report			the report				
17 November 2004	1	14 October 2005	, ma report				
Name and mailing address of the IPEA/AU		Authorized Officer	· · · · · · · · · · · · · · · · · · ·				
AUSTRALIAN PATENT OFFICE	•						
PO BOX 200, WODEN ACT 2606, AUSTRA E-mail address: pct@ipaustralia.gov.au	LIA	ANITA PREMKU	MAR				
Facsimile No. (02) 6285 3929 .		Telephone No. (02) 6	283 2515				

International application No.

Box I		Basis of the report
1.	With regar otherwise	to the language, this report is based on the international application in the language in which it was filed, unless adicated under this item.
· [This which	eport is based on translations from the original language into the following language is the language of a translation furnished for the purposes of:
		international search (under Rules 12.3 and 23.1 (b))
٠		publication of the international application (under Rule 12.4)
		international preliminary examination (under Rules 55.2 and/or 55.3)
,	filed" and o	I to the elements of the international application, this report is based on (replacement sheets which have been the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally re not annexed to this report): ernational application as originally filed/furnished
		scription:
<u>. </u>		pages 1-179 as originally filed/furnished
		pages* received by this Authority on with the letter of
	X the cla	pages* received by this Authority on with the letter of ims:
	•	pages as originally filed/furnished
		pages* as amended (together with any statement) under Article 19
		pages* 180-262 received by this Authority on 17.11.2004 with the letter of 17.11.2004 pages* received by this Authority on with the letter of
	X the dr	wings:
		pages 1/54-54/54 as originally filed/furnished
	•	pages* received by this Authority on with the letter of pages* received by this Authority on with the letter of
	X a sequ	ence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
3.		nendments have resulted in the cancellation of:
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
	· <u></u>	the sequence listing (specify):
_		any table(s) related to the sequence listing (specify):
4.	This remade, 70.2(c	port has been established as if (some of) the amendments annexed to this report and listed below had not been since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule).
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
*	If item 4 ap	olies, some or all of those sheets may be marked "superseded."

International application No.

Su	Supplemental Box Relating to Sequence Listing						
Ce	Continuation of Box No. I, item 2:						
1.	. With regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed invention, this report was established on the basis of:						
	a. type of material						
	X a sequence listing						
	table(s) related to the sequence listing						
	b. format of material						
	X in written format						
	$\overline{\mathbf{X}}$ in computer readable form						
	c. time of filing/furnishing						
	X contained in the international application as filed						
	X filed together with the international application in computer readable form						
	furnished subsequently to this Authority for the purposes of search and/or examination						
	received by this Authority as an amendment* on						
2.	In addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.						
3.	Additional comments:						
	<u>.</u>						
	·						
*	If item 4 in Box No. I applies, the listing and/or table(s) related thereto, which form part of the basis of the report, may be marked "superseded."						
	•						
	·						

International application No.

Box	No. I	Non-establishment of	opinion with regard to novelty, inventive step and industrial applicability
1.	The q	uestions whether the claimed in trially applicable have not been	exemined in respect of:
•		the entire international applica	tion
	X	claims Nos: 3-7, 10-17, 18 ((in part), 21-24, 27-34, 35 (in part), 42, 43 and 45.
	beca	use:	
		the said international application	on, or the said claims Nos.
		relate to the following subject:	matter which does not require an international preliminary examination (specify):
		•	
			·
			•
		•	·
•			rings (indicate particular elements below) or said claims Nos. ful opinion could be formed (specify):
		are to unclear that no meaning	iai opinion could be torned (spectyy).
			•
		•	
			·
			,
	\Box	the claims, or said claims Nos.	
			by the description that no meaningful opinion could be formed.
	X		nas been established for said claim Nos. 3-7, 10-17, 18 (in part), 21-24, 27-34, 35
		(in part), 42, 43 and 45.	
		the nucleotide and/or amino ac Administrative Instructions in	aid sequence listing does not comply with the standard provided for in Annex C of the that:
	ť	he written form	has not been furnished
	•	:	does not comply with the standard
	ť	he computer readable form	has not been furnished
			does not comply with the standard
		the tables related to the nucleo with the technical requirement	tide and/or amino acid sequence listing, if in computer readable form only, do not comply s provided for in Annex C-bis of the Administrative Instructions.
		See Supplemental Box for furt	her details.
_			

International application No.

Во	x No.	IV	Lack of unity of invention	J1/AU2004/000919
1.	X	In resp	sponse to the invitation to restrict or pay additional fees the applicant has:	· · · · · · · · · · · · · · · · · · ·
			restricted the claims.	•
		X	paid additional fees.	
			paid additional fees under protest.	
			neither restricted nor paid additional fees.	
2.		. This A	Authority found that the requirement of unity of invention is not complied with and clinvite the applicant to restrict or pay additional fees.	nose, according to Rule 68.1,
3.	This .	Authori	ity considers that the requirement of unity of invention in accordance with Rules 13.1	13.2 and 12.2 in
			lied with.	, 13.2 and 13.3 is:
	X	not cor	mplied with for the following reasons:	•
		Note the application a technication a contraction of the contraction o	to one invention or to a group of inventions so linked as to form a single generated that Rule 13.2 states that where a group of inventions is claimed in one and the cation, the requirement of unity of invention referred to in Rule 13.1 shall be finical relationship among those inventions involving one or more of the same itial features. The expression "special technical features" shall mean those technical which each of the claimed inventions, considered as a whole, makes	eral inventive concept. le same international fulfilled only where there is corresponding special
			SA has identified 16 separate inventions.	•
		diabeti healthy mitoch be invo tissues Althou	laims are directed to nucleotide/polypeptide sequences that are differentially enalamus, liver, red gastrocemius muscle and mesentric adipose tissue of lean ic animals or obese diabetic animals. The sequences have been found to be my state, myopathy, obesity, anorexia, weight maintenance, diabetes, disorders nondrial dysfunction, genetic disorders and metabolic energy levels. The sequenced in a large number of diseases (claim 41) and are either under or over executed above in any particular group of animals. In the sequences share the feature that they are differentially expressed it and obese diabetic animals, this does not represent a special technical feature.	animals, obese non- arkers for conditions of associated with lences claimed appear to appressed in the various
		Continu	nued on supplement sheet	
. С		all	, this report has been established in respect of the following parts of the international parts.	
		X the	e parts relating to claims Nos. 1, 2 (in part), 8, 9, 18 (in part), 19, 25, 26 and 35 SEQ ID Nos: 1, 7 and 8.	-46 (in part) and relating

International application No.

PCT/AU2004/000919

Supplemental Box IV

In case the space in any of the preceding boxes is not sufficient.

Continuation of Lack of Unity:

Firstly, this feature cannot be a special technical feature because it is not novel. This feature is disclosed in a number of documents, including:

Korner, J. et al; Endocrinology (2000); 141 (7): 2465-2471. "Effects of Leptin Receptor Mutations on Agrp Gene Expression in Fed and Fasted Lean and Obese (LA/Nfa^f) Rats."

WO 1999/023217 A (International Diabetes Institute) 14 May 1999 which discloses a range of sequences differentially expressed in lean, obese non-diabetic and obese diabetic sand rats.

Secondly, this feature cannot be regarded as a special technical feature because it is not a feature that is representative of a single group of structurally or functionally related peptides or nucleic acids. In particular, the claimed sequences do not appear to represent a single class of genes or to share a significant level of homology.

Furthermore, given the nature of the claims and the invention, it is appropriate to apply the Markush approach. Using the Markush approach to analyse the unity of inventions, although the 16 sequences all have the common property that they are markers for conditions of healthy state, myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and metabolic energy levels, there is no common structure present in all of the sequences; and there is no single recognised class or group of compounds embracing all the sequences claimed. It is contrary to normal classification to group together such diverse sequences. Thus according to Markush, it is appropriate to classify the sequences in terms of the 16 individual groups and thus these groups represent 16 different inventions.

The International Searching Authority will search AGT 711, as indicated by the applicant, for the fee already paid. An additional search fee will be required to search the other 15 sequences. Unless the extra fees are paid, the search and opinion will be established on AGT 711.

International application No.

PCT/AU2004/000919

Box No. V	Reasoned statement under Article 35(2) with r	egard to novelty, inventive step or industrial applicability;
citatio:	ns and explanations supporting such statement	egal a to noverty, inventive step or industrial applicability;
	I Property of the state of the	

1.	Statement					
	Novelty (N)	Claims	1, 2, 8, 9, 18, 19, 25, 26 and 35-46 (in part)	YES		
	,	Claims	NONE	NO		
	Inventive step (IS)	Claims	NONE	YEŞ		
		Claims	1, 2, 8, 9, 18, 19, 25, 26 and 35-46 (in part)	NO		
	Industrial applicability (IA)	Claims	1, 2, 8, 9, 18, 19, 25, 26 and 35-46 (in part)	YES		
		Claims	NONE	NO		

2. Citations and explanations (Rule 70.7)

The following documents identified in the International Search Report have been considered for the purposes of this report:

- D1: GenBank database Accession Number AF461187. Umeda, S.; 02-JAN-2003.
- D2: GenBank database Accession Number AF277093. Zhang, K., et al; 12-JAN-2001.
- D3: GenBank database Accession Number U36188 Tsui, S. K. W., et al; 02-APR-1996.
- D4: GenBank database Accession Number M23674. Thurieau, C., et al; 12-AUG-1994.
- D5: GenBank database Accession Number BC027103. Strausberg, R.; 16-AUG-2002.
- D6: GenBank database Accession Number AK046140. Carninci, P. and Hayashizaki, Y. 05-DEC-2002.
- D7: WO 1999/023217; International Diabetes Institute; 14 MAY 1999.

The invention lies in sequences that have been found to be markers for conditions of healthy state, myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and metabolic energy levels. The sequences claimed appear to be involved in a large number of diseases (claim 41) and are differentially expressed in one or more conditions selected from myopathy, obesity anorexia, diabetes, disorders associated mitochondrial dysfunction, genetic disorders and/or altered metabolic energy levels. The sequences are partial nucleotide sequences of proteins AGT-711 (SEQ ID NO:1, Example 10), ACT-717 (SEQ ID NO:7, Example 23) and AGT-718 (SEQ ID NO:8, Example 26) of Psammomys obesus.

Novelty:

As the claims have been amended to sequences that have at least 95% identity with SEQ ID Nos: 1, 7 and 8, claims 1, 2, 8, 9, 18, 19, 25, 26 and 35-46 (in part, that relate to SEQ ID Nos: 1, 7 and 8) are now novel.

Continued in supplement sheet

International application No.

PCT/AU2004/000919

Supplemental Box V

In case the space in any of the preceding boxes is not sufficient.

Continuation of:

INVENTIVE STEP:

Claims 1, 2, 8, 9, 18, 19, 25, 26 and 35-46 are not inventive in light of D7. The problem addressed by the applicant in the claims are isolated nucleic acid sequences that are differentially expressed in one or more conditions selected from myopathy, obesity anorexia, diabetes, disorders associated mitochondrial dysfunction, genetic disorders and/or altered metabolic energy levels. The claims include nucleotide sequences having SEQ ID NOs: 1, 7 and 8 and proteins encoded by these sequences. Citation D7 is directed to a similar problem and in searching the art a diligent searcher investigating this problem could reasonably be expected to have found the document.

D7 teaches of over expression of a protein — beacon in the hypothalamus of *Psammomys obesus* that is associated with the regulation of energy balance, obesity and diabetes. The citation also teaches of therapeutic molecules that are capable of modulating the expression of beacon, or modulating the activity of beacon (page 2 line 25 to page 27 line 5). Beacon itself is used as method of treatment in myopathy, obesity, anorexia, weight maintenance, diabetes and disorders. The citation also discloses the use of antibodies as a diagnostic tool to detect beacon. Although the citation does not disclose the specific sequences disclosed in the specification, it provides a sign post for looking in the hypothalamus of obese animals for genes/nucleic acid molecules that are over expressed or differentially expressed in the obese animals as compared to lean animals. Further, the citation uses differential display PCR to look for the differential expression of the genes, whereas the invention uses both differential display PCR as well as cDNA microarray techniques. This difference is, however, not reflected in the claims. As such, having read the citation it would clearly have been obvious to the person skilled in the art (PSA) to arrive at the same solution as the claimed invention, therefore claims 1, 2, 8, 9, 18, 19, 25, 26 and 35-46 are not inventive.

International application No.

PCT/AU2004/000919

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

- 1. Claims 42, 43 and 45 are not fully supported by the specification because the claims are not limited to agents that could only have been produced using the applicant's invention. The invention defined in these claims reside in the use of an agent that modulates AGT 711, AGT 717 and AGT 718 in the manufacture of medicament for the treatment of myopathy, obesity, anorexia, weight maintenance, diabetes and disorders. As such, the medicament containing the agent would be a claim to the agent per se. Therefore the claims simply define a compound per se, which is not a product of the applicant's invention, for example a compound isolated or purified using the applicant's invention. Claims must represent subject matter that is a product of the applicant's invention and that could have been routinely obtained using the information disclosed in the specification. Agents that modulate the activity of the peptide or gene of the invention are not products of the applicant's invention. They are simply pre-existing agents whose inherent properties have been further characterised using the invention. Claiming an agent in terms of an inherent property, even if these features have not previously been recognised, does not alter the fact that the claim is still a claim to a agent per se. As such claims 42, 43 and 45 are not fully supported by the specification.
- 2. Claims 1, 2, 8, 9, 18, 19, 25, 26 and 35 are not fully supported by the specification. The claims encompass nucleic acid molecule that hybridise to the disclosed sequences. It is not evident that a nucleic acid molecule that hybridise to the disclosed sequences is sufficient to define a sequence with the function of the applicant's invention. As such, claims 1, 2, 8, 9, 18-20, 26, 27 and 36 are not fully supported by the specification.
- 3. Claim 41 is not fully supported by the specification. The claim includes a method of treating a mammal suffering from a disease, wherein the disease is selected from a vast number of diseases listed in 64 pages. The specification does not provide support to encompass all these diseases as appropriate to the working of the invention. It furthermore does not provide guidance as to how the PSA would determine which diseases can be treated without the exercise of substantial inventive effort and experimentation.
- 4. Claim 18, 19, 25 and 26 are not clear. The claims relate to the use of an isolated molecule comprising a nucleotide sequence. However, the claims do not mention what the nucleotide molecules are being used for. Therefore, it is not clear what exactly is being claimed in these claims.

CLAIMS

- 1. An isolated nucleic acid molecule comprising a sequence of nucleotides encoding or complementary to a sequence encoding a molecule or derivative or homolog thereof wherein said nucleic acid molecule is differentially expressed in one or more conditions selected from myopathy, obesity, anorexia, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or altered metabolic energy levels wherein the nucleic acid molecule is selected from:
 - (i) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:1 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:1 or its complementary form under high stringency conditions;
 - (ii) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:2 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:2 or its complementary form under high stringency conditions;
 - (iii) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:3 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:3 or its complementary form under high stringency conditions;
 - (iv) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:4 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to

- SEQ ID NO:4 or its complementary form under high stringency conditions;
- (v) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:5 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:5 or its complementary form under high stringency conditions;
- (vi) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:6 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:6 or its complementary form under high stringency conditions;
- (vii) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:7 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:7 or its complementary form under high stringency conditions;
- (viii) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:8 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:8 or its complementary form under high stringency conditions;
- (ix) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:9 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to

¢,

- SEQ ID NO:9 or its complementary form under high stringency conditions;
- (x) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:10 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:10 or its complementary form under high stringency conditions;
- (xi) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:11 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:11 or its complementary form under high stringency conditions;
- (xii) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:12 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:12 or its complementary form under high stringency conditions;
- (xiii) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:13 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:13 or its complementary form under high stringency conditions;
- (xiv) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:14 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing

to SEQ ID NO:14 or its complementary form under high stringency conditions;

- (xv) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:15 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:15 or its complementary form under high stringency conditions;
- (xvi) a nucleic acid molecule comprises a nucleotide sequence as set forth in SEQ ID NO:16 or a nucleotide sequence having at least about 95% identity thereto or a nucleotide sequence capable of hybridizing to SEQ ID NO:16 or its complementary form under high stringency conditions.
- 2. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:1.
- 3. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:2.
- 4. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:3.
- 5. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:4.
- 6. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:5.

- 7. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEO ID NO:6.
- 8. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:7.
- 9. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:8.
- 10. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:9.
- 11. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:10.
- 12. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:11.
- 13. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:12.
- 14. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:13.
- 15. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:14.
- 16. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:15.

- 17. The isolated nucleic acid molecule of Claim 1 wherein the nucleic acid molecule comprises the nucleotide sequence set forth in SEQ ID NO:16.
- 18. Use of an isolated molecule comprising a sequence of nucleotides which is differentially expressed in one or more conditions selected from myopathy, obesity, anorexia, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or altered metabolic energy levels wherein the isolated molecule is encoded by a nucleic acid molecule selected from:
 - (i) a nucleic acid molecule as set forth in SEQ ID NO:1 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:1 or a nucleotide sequence capable of hybridizing to SEQ ID NO:1 or its complementary form under high stringency conditions;
 - (ii) a nucleic acid molecule as set forth in SEQ ID NO:2 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:2 or a nucleotide sequence capable of hybridizing to SEQ ID NO:2 or its complementary form under high stringency conditions;
 - (iii) a nucleic acid molecule as set forth in SEQ ID NO:3 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:3 or a nucleotide sequence capable of hybridizing to SEQ ID NO:3 or its complementary form under high stringency conditions;
 - (iv) a nucleic acid molecule as set forth in SEQ ID NO:4 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:4 or a nucleotide sequence capable of hybridizing to SEQ ID NO:4 or its complementary form under high stringency conditions;
 - (v) a nucleic acid molecule as set forth in SEQ ID NO:5 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:5 or a

- nucleotide sequence capable of hybridizing to SEQ ID NO:5 or its complementary form under high stringency conditions;
- (vi) a nucleic acid molecule as set forth in SEQ ID NO:6 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:6 or a nucleotide sequence capable of hybridizing to SEQ ID NO:6 or its complementary form under high stringency conditions;
- (vii) a nucleic acid molecule as set forth in SEQ ID NO:7 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:7 or a nucleotide sequence capable of hybridizing to SEQ ID NO:7 or its complementary form under high stringency conditions;
- (viii) a nucleic acid molecule as set forth in SEQ ID NO:8 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:8 or a nucleotide sequence capable of hybridizing to SEQ ID NO:8 or its complementary form under high stringency conditions;
- (ix) a nucleic acid molecule as set forth in SEQ ID NO:9 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:9 or a nucleotide sequence capable of hybridizing to SEQ ID NO:9 or its complementary form under high stringency conditions;
- (x) a nucleic acid molecule as set forth in SEQ ID NO:10 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:10 or a nucleotide sequence capable of hybridizing to SEQ ID NO:10 or its complementary form under high stringency conditions;
- (xi) a nucleic acid molecule as set forth in SEQ ID NO:11 or a nucleotide sequence having at least about 95% identity to SEQ ID

- NO:11 or a nucleotide sequence capable of hybridizing to SEQ ID NO:11 or its complementary form under high stringency conditions;
- (xii) a nucleic acid molecule as set forth in SEQ ID NO:12 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:12 or a nucleotide sequence capable of hybridizing to SEQ ID NO:12 or its complementary form under high stringency conditions;
- (xiii) a nucleic acid molecule as set forth in SEQ ID NO:13 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:13 or a nucleotide sequence capable of hybridizing to SEQ ID NO:13 or its complementary form under high stringency conditions;
- (xiv) a nucleic acid molecule as set forth in SEQ ID NO:14 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:14 or a nucleotide sequence capable of hybridizing to SEQ ID NO:14 or its complementary form under high stringency conditions;
- (xv) a nucleic acid molecule as set forth in SEQ ID NO:15 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:15 or a nucleotide sequence capable of hybridizing to SEQ ID NO:15 or its complementary form under high stringency conditions; and
- (xvi) a nucleic acid molecule as set forth in SEQ ID NO:16 or a nucleotide sequence having at least about 95% identity to SEQ ID NO:16 or a nucleotide sequence capable of hybridizing to SEQ ID NO:16 or its complementary form under high stringency conditions

in the manufacture of a medicament for the treatment of myopathy, obesity, anorexia, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or altered metabolic energy levels.

19. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:1. 20. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:2. 21. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:3. 22. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:4. 23. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:5. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID 24. NO:6. 25. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:7. 26. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:8. 27. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:9.

- 28. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:10. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID 29. NO:11. 30. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:12. 31. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:13. 32. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:14. 33. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:15. 34. Use of Claim 18 wherein the nucleotide sequence is set forth in SEQ ID NO:16.
- 35. An isolated protein is differentially expressed in one or more conditions selected from myopathy, obesity, anorexia, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or altered metabolic energy levels selected from the list consisting of:-
 - (i) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:1 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;

- (ii) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:2 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (iii) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:3 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (iv) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:4 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (v) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:5 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (vi) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:6 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;

- (vii) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:7 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (viii) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:8 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (ix) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:9 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (x) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:10 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (xi) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:11 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;

- (xii) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:12 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (xiii) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:13 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (xiv) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:14 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (xv) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:15 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;
- (xvi) a protein encoded by a nucleotide sequence substantially as set forth in SEQ ID NO:16 or a derivative, homolog or analog thereof or a sequence encoding an amino acid sequence having at least about 95% similarity to this sequence or a derivative, homolog, analog, chemical equivalent or mimetic of said protein;

- (xvii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:1 or a derivative, homolog or analog thereof under high stringency conditions;
- (xviii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:2 or a derivative, homolog or analog thereof under high stringency conditions;
- (xix) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:3 or a derivative, homolog or analog thereof under high stringency conditions;
- (xx) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:4 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxi) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:5 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:6 or a derivative, homolog or analog thereof under high stringency conditions;

- (xxiii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:7 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxiv) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:8 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxv) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:9 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxvi) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:10 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxvii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:11 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxviii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:12 or a derivative, homolog or analog thereof under high stringency conditions;

- (xxix) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:13 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxx) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:14 or a derivative, homolog or analog thereof under high stringency conditions;
- (xxxi) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:15 or a derivative, homolog or analog thereof under high stringency conditions; and
- (xxxii) a protein encoded by a nucleic acid molecule capable of hybridizing to the nucleotide sequence as set forth in SEQ ID NO:16 or a derivative, homolog or analog thereof under high stringency conditions.
- A method for modulating expression of one or more of AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 in a mammal, said method comprising contacting AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 with an effective amount of a modulator AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 expression for a time and under conditions sufficient to up-regulate or down-regulate or otherwise modulate expression of AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-724, AGT-725 and/or AGT-7272 and/or AGT-725.

- A method of modulating activity of AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 in a mammal, said method comprising administering to said mammal a modulating effective amount of a molecule for a time and under conditions sufficient to increase or decrease AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 activity.
- A method of treating a mammal suffering from a condition characterized by one or more symptoms of *inter alia* a myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or metabolic energy levels, said method comprising administering to said mammal an effective amount of an agent for a time and under conditions sufficient to modulate the expression AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-711, AGT-713, AGT-714, AGT-715, AGT-716, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-717, AGT-722 and/or AGT-725.
- A method of treating a mammal suffering from a disease condition characterized by one or more symptoms of *inter alia* a myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or metabolic energy levels, said method comprising administering to said mammal an effective amount of AGT-105, AGT-111 and/or AGT-112AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-711, AGT-722 and/or AGT-725.

- 40. The method of any one of claims 38 or 39, wherein the disease is selected from the group consisting of Alzheimer's, Parkinson's, diabetes, autism, and the aging process, LIC (Lethal Infantile Cardiomyopathy), Beta-oxidation Defects, COX Deficiency, Mitochondrial Cytopathy, Alpers Disease, Barth syndrome, Carnitine-Acyl-Carnitine Deficiency, Carnitine Deficiency, Co-Enzyme Q10 Deficiency, Complex I Deficiency, Complex IV Deficiency, Complex V Deficiency, Complex IV Deficiency, Complex V Deficiency, CPEO, CPT I Deficiency, Glutaric Aciduria Type II, KSS, lactic acidosis, LCAD, LCHAD, Leigh Disease, LHON, Luft Disease, MAD, MCA, MELAS, MERRF, mitochondrial DNA depletion, Mitochondrial Encephalopath, MNGIE, NARP, Pearson Syndrome, Pyruvate Carboxylase Deficiency, Pyruvate Dehydrogenase Deficiency, SCAD, SCHAD and VLCAD.
- 41. The method of any one of claims 38 or 39, wherein the disease is selected from the group consisting of A-Beta-Lipoproteinemia, A-V, A Beta-2-Microglobulin Amyloidosis, A-T, A1AD, A1AT, Aagenaes, Aarskog syndrome, Aarskog-Scott Syndrome, Aase-smith syndrome, Aase Syndrome, AAT, Abderhalden-Kaufmann-Lignac Syndrome, Abdominal Muscle Deficiency Syndrome, Abdominal Wall Defect, Abdominal Epilepsy, Abdominal Migraine, Abductor Spasmodic Dysphonia, Abductor Spastic Dysphonia, Abercrombie Syndrome, blepharon-Macrostomia Syndrome, ABS, Absence of HPRT, Absence of Corpus Callosum Schinzel Typ, Absence Defect of Limbs Scalp and Skull, Absence of Menstruation Primar, Absence of HGPRT, Absorptive Hyperoxaluriaor Enteric, Abt-Letterer-Siwe Disease, ACADL, ACADM Deficiency, ACADM, ACADS, Acanthocytosis-Neurologic Disorder, Acanthocytosis, Acantholysis Bullosa, Acanthosis Nigricans, Acanthosis Bullosa, Acanthosis Nigricans With Insulin Resistance Type A, Acanthosis Nigricans With Insulin Resistance Type B, Acanthotic Nevus, Acatalasemia, Acatalasia, ACC, Accessory Atrioventricular Pathways, Accessory Atrioventricular Pathways, Acephaly, ACF with Cardiac Defects, Achalasia, Achard-Thiers Syndrome, ACHARD (Marfan variant), Achard's syndrome, Acholuric Jaundice, Achondrogenesis, Achondrogenesis Type IV, Achondrogenesis Type III, Achondroplasia, Achondroplasia Tarda, Achondroplastic Dwarfism, Achoo Syndrome, Achromat, Achromatope, Achromatopic, Achromatopsia, Achromic Nevi, Acid Ceramidase Deficiency, Acid

Maltase Deficiency, Acid Maltase Deficiency, Acid Beta-glucosidase Deficiency, Acidemia Methylmalonic, Acidemia Propionic, Acidemia with Episodic Ataxia and Weakness, Acidosis, Aclasis Tarsoepiphyseal, ACM, Acoustic Neurilemoma, Acoustic Neuroma, ACPS with Leg Hypoplasia, ACPS II, ACPS IV, ACPS III, Acquired Aphasia with Convulsive Disorder, Acquired Brown Syndrome, Acquired Epileptic Aphasia, Acquired Factor XIII Deficiency, Acquired Form of ACC (caused by infection while still in womb), Acquired Hyperoxaluria, Acquired Hypogammaglobulinemia, Acquired Immunodeficiency Syndrome (AIDS), Acquired Iron Overload, Acquired Lipodystrophy, Acquired Partial Lipodystrophy, Acquired Wandering Spleen, ACR, Acral Dysostosis with Facial and Genital Abnormalities, Acro Renal, Acrocallosal Syndrome Schinzel Type, Acrocephalosyndactyly Acrocephalosyndactyly Type I, Acrocephalosyndactyly Type I Subtype I, Acrocephalopolysyndactyly Type II, Acrocephalosyndactyly type II, Acrocephalopolysyndactyly Type III, Acrocephalosyndactyly III. Type Acrocephalopolysyndactyly Type IV, Acrocephalosyndactyly V (ACS5 or ACS V) Subtype I, Acrocephaly Skull Asymmetry and Mild Syndactyly, Acrocephaly, Acrochondrohyperplasia, Acrodermatitis Enteropathica, Acrodysostosis, Acrodystrophic Neuropathy, Acrodystrophic Neuropathy, Acrofacial Dysostosis Nager Type, Acrofacial Dysostosis Nager Type, Acrofacial Dysostosis Postaxial Type, Acrofacial Dysostosis Type Genee-Wiedep, Acrogeria Familial, Acromegaly, Acromelalgia Hereditary. Acromesomelic Dysplasia, Acromesomelic Dwarfism, Acromicric Skeletal Dysplasia, Acromicric Dysplasia, Acroosteolysis with Osteoporosis and Changes in Skull and Mandible, Acroosteolysis, Acroparesthesia, ACS I, ACS Type III, ACS Type III, ACS, ACS3, ACS3, ACTH Deficiency, Action Myoclonus, Acute Brachial Neuritis Syndrome, Acute Brachial Radiculitis Syndrome, Acute Cerebral Gaucher Disease, Acute Cholangitis, Acute Disseminated Encephalomyeloradiculopathy, Acute Disseminated Histiocytosis-X, Acute Hemorrhagic Polioencephalitis, Acute Idiopathic Polyneuritis, Acute Immune-Mediation Polyneuritis, Acute Infantile Pelizaeus-Merzbacher Brain Sclerosis, Acute Intermittant Porphyria, Acute Porphyrias, Acute Sarcoidosis, Acute Shoulder Neuritis, Acute Toxic Epidermolysis, Acyl-CoA Dehydrogenase Deficiency Long-Chain, Acyl-CoA Dehydrogenase Deficiency Short-Chain, Acyl-CoA Dihydroxyacetone Acyltransferase, Acyl-coenzyme A Oxidase Deficiency, ADA, ADA Deficiency, Adam Complex, Adamantiades-Behcet's Syndrome, Adamantinoma, Adams Oliver Syndrome, Adaptive Colitis, ADD combined type, ADD, ADD, Addison Disease with Cerebral Sclerosis, Addison's Anemia, Addison's Disease, Addison's Disease, Addison's Disease, Addison-Biermer Anemia, Addison-Biermer Anemia, Addison-Schilder Disease, Addisonian Pernicious Anemia, Addisonian Pernicious Anemia, Adducted Thumbs-Mental Retardation, Adductor Spasmodic Dysphonia, Adductor Spastic Dysphonia, Adenoma Associated Virilism of Older Women, Adenomatosis of the Colon and Rectum, Adenomatous polyposis of the Colon, Adenomatous Polyposis Familial, Adenosine Deaminase Deficiency, Adenosine Deaminase Deficiency, Adenylosuccinase deficiency, ADHD predominantly hyperactive-impulsive type, ADHD predominantly inattentive type, ADHD, Adhesive Arachnoiditis, Adie Syndrome, Adie's Syndrome, Adie's Tonic Pupil, Adie's Pupil, Adipogenital Retinitis Pigmentosa Polydactyly, Adipogenital-Retinitis Pigmentosa Syndrome, Adiposa Dolorosa, Adiposis Dolorosa, Adiposogenital Dystrophy, Adolescent Cystinosis, ADPKD, Adrenal Cortex Adenoma, Adrenal Disease, Adrenal Hyperfunction resulting from Pituitary ACTH Excess, Adrenal Hypoplasia, Adrenal Insufficiency, Adrenal Neoplasm, Adrenal Virilism, Adrenal Virilism, Adrenal Virilism, Adrenal Virilism, Pigmentosa-Polydactyly Syndrome, Adrenocortical Insufficiency, Adrenocortical Hypofunction, Adrenocorticotropic Hormone Deficiency Isolated, Adrenogenital Syndrome, Adrenogenital Syndrome, Adrenoleukodystrophy, Adrenoleukodystrophy, Adrenomyeloneuropathy, Adrenomyeloneuropathy, Adreno-Retinitis Pigmentosa-Polydactyly Syndrome, Adult Cystinosis, Adult Dermatomyositis, Adult Hypophosphatasia, Adult Macula Lutea Retinae Degeneration, Adult Onset ALD, Adult-Onset Ceroidosis, Adult Onset Medullary Cystic Disease, Adult Onset Pernicious Anemia, Adult Onset Pernicious Anemia, Adult Onset Schindler Disease, Adult-Onset Subacute Necrotizing Encephalomyelopathy, Adult Onset Pernicious Anemia, Adult Polycystic Kidney Disease, Adult Onset Medullary Cystic Disease, Adynlosuccinate Lyase Deficiency, AE, AEC Syndrome, AFD, AFD, Afibrinogenemia, African Siderosis, AGA, Aganglionic Megacolon, Age Related Macular Degeneration, Agenesis of Commissura Magna Cerebri, Agenesis of Corpus Callosum, Agenesis of Corpus Callosum-Infantile Spasms-Ocular Anomalies, Agenesis of Corpus Callosum and Chorioretinal Abnormality, Agenesis of Corpus Callosum-Chorioretinitis Abnormality, Aggressive mastocytosis,

Agnosis Primary, AGR Triad, AGU, Agyria, Agyria-pachygria-band spectrum, AHC, AHD, AHDS, AHF Deficiency, AHG Deficiency, AHO, Ahumada Del Castillo, Aicardi Syndrome, Aicardi Syndrome, AIED, AIMP, AIP, AIS, AIS, Akinetic Seizure, ALA-D Porphyria, Alactasia, Alactasia, Alagille Syndrome, Aland Island Eye Disease (X-Linked), Alaninuria, Albers-Schonberg Disease, Albinism, Albinism, Albinismus, Albinoidism, Albright Hereditary Osteodystrophy, Alcaptonuria, Alcapton Defects, Alcoholic Embryopathy, Ald, ALD, ALD, Aldosterone, Aldosteronism With Normal Blood Pressure, Aldrich Syndrome, Alexander's Disease, Alexanders Disease, Algodystrophy, Algoneurodystrophy, Alkaptonuria, Alkaptonuric Ochronosis, Alkyl DHAP synthase deficiency, Allan-Herndon-Dudley Syndrome, Allan-Herndon Syndrome, Allan-Herndon-Dudley Mental Retardation, Allergic Granulomatous Antitis, Allergic Granulomatous Angiitis of Cronkhite-Canada, Alobar Holoprosencephaly, Alopecia Areata, Alopecia Areata, Alopecia Celsi, Alopecia Cicatrisata, Alopecia Circumscripta, Alopecia-Poliosis-Uveitis-Vitiligo-Deafness-Cutaneous-Uveo-O, Seminuniversalis, Alopecia Totalis, Alopecia Universalis, Alpers Disease, Alpers Disease, Alpers Diffuse Degeneration of Cerebral Gray Matter with Hepatic Cirrhosis, Alpers Progressive Infantile Poliodystrophy, Alpha-1-Antitrypsin Deficiency, Alpha-1 4 Glucosidase Deficiency, Alpha-1 4 Glucosidase Deficiency, Alpha-Galactosidase A Deficiency, Alpha-Galactosidase B Deficiency, Alpha-1 4 Glucosidase Deficiency, Alpha High-Density Lipoprotein Deficieny, Alpha-L-Fucosidase Deficiency Fucosidosis Type 3, Alpha-GalNAc Deficiency Schindler Type, Alpha-1 4 Glucosidase Deficiency, Alpha-L-Fucosidase Deficiency Fucosidosis Type 3, Alphalipoproteinemia, Alpha Mannosidosis, Alpha-N-Acetylgalactosaminidase Deficiency Schindler Type, Alpha-NAGA Deficiency Schindler Type, Alpha-Neuraminidase Deficiency, Alpha-Thalassemia/mental retardation syndorme non-deletion type, Alphalipoproteinemia, Alport Syndrome, ALS, Alstroem's Syndrome, Alstroem, Alstrom Syndrome, Alternating Hemiplegia Syndrome, Alternating Hemiplegia of Childhood, Alzheimer's Disease, Amaurotic Familial Idiocy, Amaurotic Familial Idiocy, Amaurotic Familial Idiocy, Adult, Amaurotic Familial Infantile Idiocy, Amaurotic Familial Infantile Idiocy, Ambiguous Genitalia, AMC, AMD, Ameloblastoma, Amelogenesis Imperfecta, Amenorrhea-Galactorrhea Nonpuerperal, Amenorrhea-Galactorrhea-FSH Decrease Syndrome, Amenorrhea, Amino Acid Disorders,

Aminoaciduria-Osteomalacia-Hyperphosphaturia Syndrome, AMN, AMN, Amniocentesis, Amniocentesis, Amniotic Bands, Amniotic Band Syndrome, Amniotic Band Disruption Complex, Amniotic Band Sequence, Amniotic Rupture Sequence, Amputation Congenital, AMS, Amsterdam Dwarf Syndrome de Lange, Amylo-1 6-Glucosidase Deficiency, Amyloid Arthropathy of Chronic Hemodialysis, Amyloid Corneal Dystrophy, Amyloid Polyneuropathy, Amyloidosis, Amyloidosis of Familial Mediterranean Amylopectinosis, Amyoplasia Congenita, Amyotrophic Lateral Sclerosis, Amyotrophic Lateral Sclerosis, Amyotrophic Lateral Sclerosis-Polyglucosan Bodies, AN, AN 1, AN 2, Anal Atresia, Anal Membrane, Anal Rectal Malformations, Anal Rectal Malformations, Anal Stenosis, Analine 60 Amyloidosis, Analphalipoproteinemia, Analrectal, Analrectal, Analrectal, Anaplastic Astrocytoma, Andersen Disease, Anderson-Fabry Disease, Andersen Glycogenosis, Anderson-Warburg Syndrome, Andre Syndrome, Andre Syndrome Type II, Androgen Insensitivity, Androgen Insensitivity Syndrome Partial, Androgen Insensitivity Syndrome, Androgen Insensitivity Syndrome Partial, Androgenic Steroids, Anemia Autoimmune Hemolytic, Anemia Blackfan Diamond, Anemia, Congenital, Triphalangeal Thumb Syndrome, Anemia Hemolytic Cold Antibody, Anemia Hemolytic Cold Antibody, Anemia Hemolytic with PGK Deficiency, Anemia Pernicious, Anencephaly, Angelman Syndrome, Angio-Osteohypertrophy Syndrome, Angiofollicular Lymph Node Hyperplasia, Angiohemophilia, Angiokeratoma Corporis, Angiokeratoma Corporis Diffusum, Angiokeratoma Diffuse, Angiomatosis Retina, Angiomatous Lymphoid, Angioneurotic Edema Hereditary, Anhidrotic Ectodermal Dysplasia, Anhidrotic X-Linked Ectodermal Dysplasias, Aniridia, Aniridia-Ambiguous Genitalia-Mental Retardation, Aniridia Associated with Mental Retardation, Aniridia-Cerebellar Ataxia-Mental Deficiency, Aniridia Partial-Cerebellar Ataxia-Mental Retardation, Aniridia Partial-Cerebellar Ataxia-Oligophrenia, Aniridia Type I, Aniridia Type II, Aniridia-Wilms' Tumor Association. Aniridia-Wilms' Tumor-Gonadoblastoma, Ankyloblepharon-Ectodermal Defects-Cleft Lip/Palate, Ankylosing Spondylitis, Ankylosing Spondylitis, Annular groves, Anodontia, Anodontia, Anodontia Vera, Anomalous Trichromasy, Anomalous Dysplasia of Dentin, Coronal Dentin Dysplasia, Anomic Aphasia, Anophthalmia, Anorectal, Anorectal Malformations, Anosmia, Anterior Bowing of the Legs with Dwarfism, Anterior Membrane Corneal Dystrophy, Anti-Convulsant Syndrome,

Anti-Epstein-Barr Virus Nuclear Antigen (EBNA) Antibody Deficiency, Antibody Deficiency, Antibody Deficiency with near normal Immunoglobulins, Antihemophilic Factor Deficiency, Antihemophilic Globulin Deficiency, Antiphospholipid Syndrome, Antiphospholipid Syndrome, Antiphospholipid Antibody Syndrome, Antithrombin III Deficiency, Antithrombin III Deficiency Classical (Type I), Antitrypsin Deficiency, Antley-Bixler Syndrome, Antoni's Palsy, Anxietas Tibialis, Aorta Arch Syndrome, Aortic and Mitral Atresia with Hypoplasic Left Heart Syndrome, Aortic Stenosis, Aortic Stenosis, Aparoschisis, APC, APECED Syndrome, Apert Syndrome, Aperts, Aphasia, Aplasia Axialis Extracorticales Congenital, Aplasia Cutis Congenita, Aplasia Cutis Congenita with Terminal Transverse Limb Defects, Aplastic Anemia, Aplastic Anemia with Congenital Anomalies, APLS, Apnea, Appalachian Type Amyloidosis, Apple Peel Syndrome, Apraxia, Apraxia Buccofacial, Apraxia Constructional, Apraxia Ideational, Apraxia Ideokinetic, Apraxia Ideomotor, Apraxia Motor, Apraxia Oculomotor, APS, Arachnitis, Arachnodactyly Contractural Beals Type, Arachnodactyly, Arachnoid Cysts, Arachnoiditis Ossificans, Arachnoiditis, Aran-Duchenne, Aran-Duchenne Muscular Atrophy, Aregenerative Anemia, Arginase Deficiency, Argininemia, Arginino Succinase Argininosuccinase Deficiency, Argininosuccinate Lyase Deficiency. Deficiency. Argininosuccinic Acid Lyase-ASL, Argininosuccinic Acid Synthetase Deficiency, Argininosuccinic Aciduria, Argonz-Del Castillo Syndrome, Arhinencephaly, Armenian Syndrome, Arnold-Chiari Malformation, Arnold-Chiari Syndrome, ARPKD, Arrhythmic Myoclonus, Arrhythmogenic Right Ventricular Dysplasia, Arteriohepatic Dysplasia, Arteriovenous Malformation, Arteriovenous Malformation, Arteriovenous Malformation of the Brain, Arteritis Giant Cell, Arthritis, Arthritis Urethritica, Arthro-Dento-Osteodysplasia, Arthro-Ophthalmopathy, Arthrochalasis Multiplex Congenita. Arthrogryposis Multiplex Congenita, Arthrogryposis Multiplex Congenita, Distal, Type IIA, ARVD, Arylsulfatase-B Deficiency, AS, AS, AS, AS, ASA Deficiency, Ascending Paralysis, ASD, Atrioseptal Defects, ASH, Ashermans Syndrome, Ashkenazi Type Amyloidosis, ASL Deficiency, Aspartylglucosaminuria, Aspartylglycosaminuria, Asperger's Syndrome, Asperger's Type Autism, Asphyxiating Thoracic Dysplasia, Asplenia Syndrome, ASS Deficiency, Asthma, Astrocytoma Grade I (Benign), Astrocytoma Grade II (Benign), Asymmetric Crying Facies with Cardiac Defects, Asymmetrical septal hypertrophy, Asymptomatic Callosal Agenesis, AT, AT III Deficiency, AT III Variant IA, AT III Variant Ib, AT 3, Ataxia, Ataxia Telangiectasia, Ataxia Telangiectasia, Ataxia with Lactic Acidosis Type II, Ataxia Cerebral Palsy, Ataxiadynamia, Ataxiophemia, ATD, Athetoid Cerebral Palsy, Atopic Eczema, Atresia of Esophagus with or without Tracheoesophageal Fistula, Atrial Septal Defects, Atrial Septal Defect Primum, Atrial and Septal and Small Ventricular Septal Defect, Atrial Flutter, Atrial Fibrillation, Atriodigital Dysplasia, Atrioseptal Defects, Atrioventricular Block, Atrioventricular Canal Defect, Atrioventricular Septal Defect, Atrioventricular Septal Defect, Atrophia Bulborum Hereditaria, Atrophic Beriberi, Atrophy Olivopontocerebellar, Attention Deficit Disorder, Attention Deficit Hyperactivity Disorder, Attentuated Adenomatous Polyposis Coli, Atypical Amyloidosis, Atypical Hyperphenylalaninemia, Atypical Hyperphenylalaninemia, Auditory Canal Atresia, Auriculotemporal Syndrome, Autism, Autism Asperger's Type, Autism Dementia Ataxia and Loss of Purposeful Hand Use, Autism Infantile Autism, Autoimmune Addison's Disease, Autoimmune Hemolytic Anemia, Autoimmune Hemolytic Anemia, Autoimmune Hemolytic Anemia, Autoimmune Hemolytic Anemia, Autoimmune Hepatitis, Autoimmune-Polyendocrinopathy-Candidias, Autoimmune Polyglandular Disease Type I, Autosomal Dominant Albinism, Autosomal Dominant Compelling Helioophthalmic Outburst Syndrome, Autosomal Dominant Desmin Distal Myopathy with Late Onset, Autosomal Dominant EDS, Autosomal Dominant Emery-Dreifuss Muscular Dystrophy, Autosomal Dominant Keratoconus, Autosomal Dominant Pelizaeus-Merzbacher Brain Sclerosis, Autosomal Dominant Polycystic Kidney Disease, Autosomal Dominant Spinocerebellar Degeneration, Autosomal Recessive Agammaglobulinemia, Autosomal Recessive Centronuclear Myopathy, Autosomal Recessive Conradi-Hunermann Syndrome, Autosomal Recessive EDS, Autosomal Recessive Emery-Dreifuss Muscular Dystrophy, Autosomal Recessive Forms of Ocular Albinism, Autosomal Recessive Inheritance Agenesis of Corpus Callosum, Autosomal Recessive Keratoconus, Autosomal Recessive Polycystic Kidney Disease, Autosomal Recessive Severe Combined Immunodeficiency, AV, AV, AVM, AVSD, AWTA, Axilla Abscess, Axonal Neuropathy Giant, Azorean Neurologic Disease, B-K Mole Syndrome, Babinski-Froelich Syndrome, BADS, Baillarger's Syndrome, Balkan Disease, Baller-Gerold Syndrome, Ballooning Mitral Valve, Balo Disease Concentric Sclerosis, Baltic Myoclonus Epilepsy, Bannayan-Zonana syndrome (BZS), Bannayan-Riley-Ruvalcaba syndrome, Banti's Disease, Bardet-Biedl Syndrome, Bare Lymphocyte Syndrome, Barlow's syndrome, Barraquer-Simons Disease, Barrett Esophagus, Barrett Ulcer, Barth Syndrome, Barth syndrome, Bartter's Syndrome, Basal Cell Nevus Syndrome, Basedow Disease, Bassen-Kornzweig Syndrome, Batten Disease, Batten-Mayou Syndrome, Batten-Spielmeyer-Vogt's Disease, Batten Turner Syndrome, Batten Turner Type Congenital Myopathy, Batten-Vogt Syndrome, BBB Syndrome, BBB Syndrome (Opitz), BBB Syndrome, BBBG Syndrome, BCKD Deficiency, BD, BDLS, BE, Beals Syndrome, Beals Syndrome, Beals-Hecht Syndrome, Bean Syndrome, BEB, BEB, Bechterew Syndrome, Becker Disease, Becker Muscular Dystrophy, Becker Muscular Dystrophy, Becker Nevus, Beckwith Wiedemann Syndrome, Beckwith-Syndrome, Begnez-Cesar's Syndrome, Behcet's syndrome, Behcet's Disease, Behcet's Disease, Behr 1, Behr 2, Bell's Palsy, Benign Acanthosis Nigricans, Benign Astrocytoma, Benign Cranial Nerve Tumors, Benign Cystinosis, Benign Essential Blepharospasm, Benign Essential Tremor, Benign Familial Hematuria, Benign Focal Amyotrophy, Benign Focal Amyotrophy of ALS, Benign Hydrocephalus, Benign Hypermobility Syndrome, Benign Keratosis Nigricans, Benign Paroxysmal Peritonitis, Benign Recurrent Hematuria, Benign Recurrent Intrahepatic Cholestasis, Benign Spinal Muscular Atrophy with Hypertrophy of the Calves, Benign Symmetrical Lipomatosis, Benign Tumors of the Central Nervous System, Berardinelli-Seip Syndrome, Berger's Disease, Beriberi, Berman Syndrome, Bernard-Horner Syndrome, Bernard-Soulier Syndrome, Besnier Prurigo, Best Disease, Beta-Alanine-Pyruvate Aminotransferase, Beta-Galactosidase Deficiency Morquio Syndrome, Beta-Glucuronidase Deficiency, Beta Oxidation Defects, Beta-oxidation Defects, Beta Thalassemia Major, Beta Thalassemia Minor, Betalipoprotein Deficiency, Bethlem myopathy, Beuren Syndrome, BH4 Deficiency, BH4 Deficiency, Biber-Haab-Dimmer Corneal Dystrophy, Bicuspid Aortic Valve, Bicuspid Aortic Valve, Biedl-Bardet, Bifid Cranium, Bifunctional Enzyme Deficiency, Bilateral Acoustic Neurofibromatosis, Bilateral Acoustic Neuroma, Bilateral Right-Sidedness Sequence, Bilateral Renal Agenesis, Bilateral Temporal Lobe Disorder. Bilious Attacks, Bilirubin Glucuronosyltransferase Deficiency Type I, Binder Syndrome, Binswanger's Disease, Binswanger's Encephalopathy, Biotinidase deficiency, Bird-Headed Dwarfism Seckel

Type, Birth Defects, Birthmark, Bitemporal Forceps Marks Syndrome, Biventricular Fibrosis, Bjornstad Syndrome, B-K Mole Syndrome, Black Locks-Albinism-Deafness of Sensoneural Type (BADS), Blackfan-Diamond Anemia, Blennorrheal Idiopathic Arthritis, Blepharophimosis, Ptosis, Epicanthus Inversus Syndrome. Blepharospasm, Blepharospasm, Blepharospasm Benign Essential, Blepharospasm Oromandibular Dystonia, Blessig Cysts, BLFS, Blindness, Bloch-Siemens Incontinentia Pigmenti Melanoblastosis Cutis Linearis, Bloch-Siemens-Sulzberger Syndrome, Bloch-Sulzberger Syndrome, Blood types, Blood type A, Blood type B, Blood type AB, Blood type O, Bloom Syndrome, Bloom-Torre-Mackacek Syndrome, Blue Rubber Bleb Nevus, Blue Baby, Blue Diaper Syndrome, BMD, BOD, BOFS, Bone Tumor-Epidermoid Cyst-Polyposis, Bonnet-Dechaume-Blanc Syndrome, Bonnevie-Ulrich Syndrome, Book Syndrome, BOR Syndrome, BORJ, Borjeson Syndrome, Borjeson-Forssman-Lehmann Syndrome, Bowen-Syndrome, Bowen-Conradi Syndrome, Bowen-Conradi Hutterite, Bowen-Conradi Type Hutterite Syndrome, Bowman's Layer, BPEI, BPES, Brachial Neuritis, Brachial Neuritis Syndrome, Brachial Plexus Neuritis, Brachial-Plexus-Neuropathy, Brachiocephalic Ischemia, Brachmann-de Lange Syndrome, Brachycephaly, Brachycephaly, Brachymorphic Type Congenital, Bradycardia, Brain Tumors, Brain Benign, Brain Tumors Malignant, Branched Chain Alpha-Ketoacid Dehydrogenase Deficiency, Branched Chain Ketonuria I, Brancher Deficiency, Branchio-Oculo-Facial Syndrome, Branchio-Oto-Renal Dysplasia, Branchio-Oto-Renal Syndrome, Branchiooculofacial Syndrome, Branchiootic Syndrome, Brandt Syndrome, Brandywine Type Dentinogenesis Imperfecta, Brandywine type Dentinogenesis Imperfecta, Breast Cancer, BRIC Syndrome, Brittle Bone Disease, Broad Beta Disease, Broad Thumb Syndrome, Broad Thumbs and Great Toes Characteristic Facies and Mental Retardation, Broad Thumb-Hallux, Broca's Aphasia, Brocq-Duhring Disease, Bronze Diabetes, Bronze Schilder's Disease, Brown Albinism, Brown Enamel Hereditary, Brown-Sequard Syndrome, Brown Syndrome, BRRS, Brueghel Syndrome, Bruton's Agammaglobulinemia Common, BS, BSS, Buchanan's Syndrome, Budd's Syndrome, Budd-Chiari Syndrome, Buerger-Gruetz Syndrome, Bulbospinal Muscular Atrophy-X-linked, Bulldog Syndrome, Bullosa Hereditaria, Bullous CIE, Bullous CIE, Bullous Congenital Ichthyosiform Erythroderma, Bullous Ichthyosis, Bullous Pemphigoid, Burkitt's Lymphoma, Burkitt's

Lymphoma African type, Burkitt's Lymphoma Non-african type, BWS, Byler's Disease, C Syndrome, C1 Esterase Inhibitor Dysfunction Type II Angioedema, C1-INH, C1 Esterase Inhibitor Deficiency Type I Angioedema, C1NH, Cacchi-Ricci Disease, CAD, CADASIL, CAH, CAH, Calcaneal Valgus, Calcaneovalgus, Calcium Pyrophosphate Dihydrate Deposits, Callosal Agenesis and Ocular Abnormalities, Calves-Hypertrophy of Spinal Muscular Atrophy, Campomelic Dysplasia, Campomelic Dwarfism, Campomelic Syndrome, Camptodactyly-Cleft Palate-Clubfoot, Camptodactyly-Limited Jaw Excursion, Camptomelic Dwarfism, Camptomelic Syndrome, Camptomelic Syndrome Long-Limb Type, Camurati-Engelmann Disease, Camurati-Engelmann Disease, Canada-Cronkhite Disease, Canavan disease, Canavan's Disease Included, Canavan's Leukodystrophy, Cancer, Cancer Family Syndrome Lynch Type, Cantrell Syndrome, Cantrell-Haller-Ravich Syndrome, Cantrell Pentalogy, Carbamyl Phosphate Synthetase Deficiency, Carbohydrate Deficient Glycoprotein Syndrome, Carbohydrate-Deficient Glycoprotein Syndrome Type Ia, Carbohydrate-Induced Hyperlipemia, Carbohydrate Intolerance of Glucose Galactose, Carbon Dioxide Acidosis, Carboxylase Deficiency Multiple, Cardiac-Limb Syndrome, Cardio-auditory Syndrome, Cardioauditory Syndrome of Jervell and Lange-Nielsen, Cardiocutaneous Syndrome, Cardio-facial-cutaneous syndrome, Cardiofacial Syndrome Cayler Type, Cardiomegalia Glycogenica Diffusa, Cardiomegalia Glycogenica Diffusa, Cardiomyopathic Lentiginosis, Cardiomyopathy, Cardiomyopathy, Cardiomyopathy Associated with Desmin Storage Myopathy, Cardiomyopathy Due to Desmin Defect, Cardiomyopathy-Neutropenia Syndrome, Cardiomyopathy-Neutropenia Syndrome, Cardiomyopathy-Neutropenia Syndrome Lethal Infantile Cardiomyopathy, Cardiopathic Amyloidosis, Cardiospasm, Cardocardiac Syndrome, Carnitine-Acylcarnitine Translocase Deficiency, Carnitine Deficiency and Disorders, Carnitine Deficiency Primary, Carnitine Deficiency Secondary, Carnitine Deficiency Secondary to MCAD Deficiency, Carnitine Deficiency Syndrome, Carnitine Palmitoyl Transferase I & II (CPT I & II), Carnitine Palmitoyltransferase Deficiency, Carnitine Palmitoyltransferase Deficiency Type 1, Carnitine Palmitoyltransferase Deficiency Type 2 benign classical muscular form included severe infantile form included, Carnitine Transport Defect (Primary Carnitine Deficiency), Carnosinase Deficiency, Carnosinemia, Caroli Disease, Carpenter syndrome, Carpenter's, Cartilage-Hair Hypoplasia, Castleman's Disease, Castleman's

Disease Hyaline Vascular Type, Castleman's Disease Plasma Cell Type, Castleman Tumor, Cat Eye Syndrome, Cat's Cry Syndrome, Catalayse deficiency, Cataract-Dental Syndrome, Cataract X-Linked with Hutchinsonian Teeth, Catecholamine hormones, Catel-Manzke Syndrome, Catel-Manzke Type Palatodigital Syndrome, Caudal Dysplasia, Caudal Dysplasia Sequence, Caudal Regression Syndrome, Causalgia Syndrome Major, Cavernous, Cavernous Angioma, Cavernous Lymphangioma, Cavernous Malformations, Cayler Syndrome, Cazenave's Vitiligo, CBGD, CBGD, CBPS, CBPS, CCA, CCD, CCD, CCHS, CCM Syndrome, CCMS, CCO, CD, CDG1a, CDG1A, CDGS Type Ia, CDGS Type Ia, CDGS, CDI, CdLS, Celiac Disease, Celiac sprue, Celiac Sprue-Dermatitis, Cellelar Immunodeficiency with Purine Nucleoside Phosphorylase Deficiency, Celsus' Vitiligo, Central Apnea, Central Core Disease, Central Core Disease, Central Diabetes Insipidus, Central Form Neurofibromatosis, Central Hypoventilation, Central Sleep Apnea, Centrifugal Lipodystrophy, Centronuclear Myopathy, CEP, Cephalocele, Cephalothoracic Lipodystrophy, Ceramide Trihexosidase Deficiency, Cerebellar Agenesis, Cerebellar Aplasia, Cerebellar Hemiagenesis, Cerebellar Hypoplasia, Cerebellar Vermis Aplasia, Cerebellar Vermis Agenesis-Hypernea-Episodic Eye Moves-Ataxia-Retardation. Cerebellar Syndrome, Cerebellarparenchymal Disorder Cerebellomedullary Malformation Syndrome, Cerebellomedullary Malformation Syndrome, Cerebello-Oculocutaneous Telangiectasia, Cerebelloparenchymal Disorder IV Familial, Cerebellopontine Angle Tumor, Cerebral Arachnoiditis, Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukodystrophy, Cerebral Beriberi, Cerebral Diplegia, Cerebral Gigantism, Cerebral Malformations Vascular, Cerebral Palsy, Cerebro-Oculorenal Dystrophy, Cerebro-Oculo-Facio-Skeletal Syndrome, Cerebrocostomandibular syndrome, Cerebrohepatorenal Syndrome, Cerebromacular Degeneration, Cerebromacular Degeneration, Cerebromuscular Dystrophy Fukuyama Cerebroocular Type, Dysgenesis, Cerebroocular Dysplasia-Muscular Dystrophy Syndrome, Cerebrooculofacioskeletal Syndrome, Cerebroretinal Arteriovenous Aneurysm, Cerebroside Lipidosis, Cerebrosidosis, Cerebrotendinous Xanthomatosis, Cerebrovascular Ferrocalcinosis, Ceroid-Lipofuscinosis Adult form, Cervical Dystonia, Cervical Dystonia, Cervico-Oculo-Acoustic Syndrome, Cervical Spinal Stenosis, Cervical Vertebral Fusion, CES, CF, CFC syndrome, CFIDS, CFND, CGD, CGF, CGF, Chalasodermia Generalized,

Chanarin Dorfman Disease, Chanarin Dorfman Syndrome, Chanarin Dorfman Ichthyosis Syndrome, Charcot-Syndrome, Charcot-Sisses, Charcot-Marie-Tooth, Charcot-Marie-Tooth Disease, Charcot-Marie-Tooth Disease Variant, Charcot-Marie-Tooth-Roussy-Levy Disease, CHARGE Association, Charge Syndrome, CHARGE Syndrome, Chaund's Ectodermal Dysplasias, Chediak-Higashi Syndrome, Chediak-Higashi Syndrome, Chediak-Steinbrinck-Higashi Syndrome, Cheilitis Granulomatosa. Cheiloschisis, Chemke Syndrome, Chency Syndrome, Cherry Red Spot and Myoclonus Syndrome, CHF, CHH, CHH, Chiari's Disease, Chiari Malformation I, Chiari Malformation, Chiari Type I (Chiari Malformation I), Chiari Type II (Chiari Malformation II), Chiari I Syndrome, Chiari-Budd Syndrome, Chiari-Frommel Syndrome, Chiari Malformation II, CHILD Syndrome, CHILD Ichthyosis Syndrome, CHILD Syndrome Ichthyosis, Childhood Adrenoleukodystrophy, Childhood Dermatomyositis, Childhoodonset Dystonia, Childhood Cyclic Vomiting, Childhood Giant Axonal Neuropathy, Childhood Hypophasphatasia, Childhood Muscular Dystrophy, CHN, Cholestasis, Cholestasis Hereditary Norwegian Type, Cholestasis Intrahepatic, Cholestasis Neonatal, Cholestasis of Oral Contraceptive Users, Cholestasis with Peripheral Pulmonary Stenosis, Cholestasis of Pregnancy, Cholesterol Desmolase Deficiency, Cholesterol Desmolase Deficiency, Chondrodysplasia Punctata, Chondrodystrophia Calcificans Congenita, Chondrodystrophia Fetalis, Chondrodystrophic Myotonia, Chondrodystrophy, Chondrodystrophy with Clubfeet, Chondrodystrophy Epiphyseal, Chondrodystrophy Hyperplastic Form, Chondroectodermal Dysplasias, Chondrogenesis Chondrohystrophia, Chondroosteodystrophy, Choreoacanthocytosis, Chorionic Villi Sampling, Chorioretinal Anomalies, Chorioretinal Anomalies with ACC, Chorireninal Coloboma-Joubert Syndrome, Choroidal Sclerosis, Choroideremia, Chotzen Syndrome, Chotzen Syndrome, Christ-Siemens-Touraine Syndrome, Christ-Siemans-Touraine Syndrome, Christmas Disease, Christmas Tree Syndrome, Chromosome 3 Deletion of Distal 3p, Chromosome 3 Distal 3p Monosomy, Chromosome 3-Distal 3q2 Duplication, Chromosome 3-Distal 3q2 Trisomy, Chromosome 3 Monosomy 3p2, Chromosome 3q Partial Duplication Syndrome, Chromosome 3q, Partial Trisomy Syndrome, Chromosome 3-Trisomy 3q2, Chromosome 4 Deletion 4q31-qter Syndrome, Chromosome 4 Deletion 4q32-qter Syndrome, Chromosome 4 Deletion 4q33-qter Syndrome, Chromosome 4 Long

Arm Deletion, Chromosome 4 Long Arm Deletion, Chromosome 4 Monosomy 4q, Chromosome 4-Monosomy 4q, Chromosome 4 Monosomy Distal 4q, Chromosome 4 Partial Deletion 4p, Chromosome 4, Partial Deletion of the Short Arm, Chromosome 4 Partial Monosomy of Distal 4q, Chromosome 4 Partial Monosomy 4p, Chromosome 4 Partial Trisomy 4 (q25-qter), Chromosome 4 Partial Trisomy 4 (q26 or q27-qter), Chromosome 4 Partial Trisomy 4 (q31 or 32-qter), Chromosome 4 Partial Trisomy 4p, Chromosome 4 Partial Trisomies 4q2 and 4q3, Chromosome 4 Partial Trisomy Distal 4, Chromosome 4 Ring, Chromosome 4 4q Terminal Deletion Syndrome, Chromosome 4q-Syndrome, Chromosome 4q- Syndrome, Chromosome 4 Trisomy 4, Chromosome 4 Trisomy 4p, Chromosome 4 XY/47 XXY (Mosiac), Chromosome 5 Monosomy 5p, Chromosome 5, Partial Deletion of the Short Arm Syndrome, Chromosome 5 Trisomy 5p, Chromosome 5 Trisomy 5p Complete (5p11-pter), Chromosome 5 Trisomy 5p Partial (5p13 or 14-pter), Chromosome 5p-Syndrome, Chromosome 6 Partial Trisomy 6q, Chromosome 6 Ring, Chromosome 6 Trisomy 6q2, Chromosome 7 Monosomy 7p2, Chromosome 7 Partial Deletion of Short Arm (7p2-), Chromosome 7 Terminal 7p Deletion [del (7) (p21-p22)], Chromosome 8 Monosomy 8p2, Chromosome 8 Monosomy 8p21-pter, Chromosome 8 Partial Deletion (short arm), Chromosome 8 Partial Monosomy 8p2, Chromosome 9 Complete Trisomy 9P, Chromosome 9 Partial Deletion of Short Arm, Chromosome 9 Partial Monosomy 9p, Chromosome 9 Partial Monosomy 9p22, Chromosome 9 Partial Monosomy 9p22-pter, Chromosome 9 Partial Trisomy 9P Included, Chromosome 9 Ring, Chromosome 9 Tetrasomy 9p, Chromosome 9 Tetrasomy 9p Mosaicism, Chromosome 9 Trisomy 9p (Multiple Variants), Chromosome 9 Trisomy 9 (pter-p21 to q32) Included, Chromosome 9 Trisomy Mosaic, Chromosome 9 Trisomy Mosaic, Chromosome 10 Distal Trisomy 10q, Chromosome 10 Monosomy, Chromosome 10 Monosomy 10p, Chromosome 10, Partial Deletion (short arm), Choromsome 10, 10p-Partial, Chromosome 10 Partial Trisomy 10q24-qter, Chromosome 10 Trisomy 10q2, Partial Monosomy of Long Arm of Chromosome 11, Chromosome 11 Partial Monosomy 11q, Chromosome 11 Partial Trisomy, Chromosome 11 Partial Trisomy 11q13-qter, Chromosome 11 Partial Trisomy 11q21-qter, Chromosome 11 Partial Trisomy 11q23-qter, Chromosome 11q, Partial Trisomy, Chromosome 12 Isochromosome 12p Mosaic, Chromosome 13 Partial Monosomy 13q, Chromosome 13, Partial Monosomy of the Long

Arm, Chromosome 14 Ring, Chromosome 14 Trisomy, Chromosome 15 Distal Trisomy 15q, Chromosome r15, Chromosome 15 Ring, Chromosome 15 Trisomy 15q2, Chromosome 15q, Partial Duplication Syndrome, Chromosome 17 Interstitial Deletion 17p, Chromosome 18 Long Arm Deletion Syndrome, Chromosome 18 Monosomy 18p, Chromosome 18 Monosomy 18Q, Chromosome 18 Ring, Chromosome 18 Tetrasomy 18p, Chromosome 18q- Syndrome, Chromosome 21 Mosaic 21 Syndrome, Chromosome 21 Ring, Chromosome 21 Translocation 21 Syndrome, Chromosome 22 Inverted Duplication (22pter-22q11), Chromosome 22 Partial Trisomy (22pter-22q11), Chromosome 22 Ring, Chromosome 22 Trisomy Mosaic, Chromosome 48 XXXY, Chromosome 48 XXXY, Chromosome r15, Chromosomal Triplication, Chromosome Triplication, Chromosome Triploidy Syndrome, Chromosome X, Chromosome XXY, Chronic Acholuric Jaundice, Chronic Adhesive Arachnoiditis, Chronic Adrenocortical Insufficiency, Chronic Cavernositis, Chronic Congenital Aregenerative Anemia, Chronic Dysphagocytosis, Chronic Familial Granulomatosis, Chronic Familial Icterus, Chronic Fatigue Immune Dysfunction Syndrome (CFIDS), Chronic Granulomatous Disease, Chronic Guillain-Barre Syndrome, Chronic Idiopathic Jaundice, Chronic Idiopathic Polyneuritis (CIP), Chronic Inflammatory Demyelinating Polyneuropathy, Chronic Inflammatory Demyelinating Polyradiculoneuropathy, Chronic Motor Tic, Chronic Mucocutaneous Candidiasis, Chronic Multiple Tics, Chronic Non-Specific Ulcerative Colitis, Chronic Non-Specific Ulcerative Colitis, Chronic Obliterative Cholangitis, Chronic Peptic Ulcer and Esophagitis Syndrome, Chronic Progressive Chorea, Chronic Progressive External Ophthalmoplegia Syndrome, Chronic Progressive External Ophthalmoplegia and Myopathy, Chronic Progressive External Ophthalmoplegia with Ragged Red Fibers, Chronic Relapsing Polyneuropathy, Chronic Sarcoidosis, Chronic Spasmodic Dysphonia, Chronic Vomiting in Childhood, CHS, Churg-Strauss Syndrome, Cicatricial Pemphigoid, CIP, Cirrhosis Congenital Pigmentary, Cirrhosis, Cistinuria, Citrullinemia, CJD, Classic Schindler Disease, Classic Type Pfeiffer Syndrome, Classical Maple Syrup Urine Disease, Classical Hemophilia, Classical Form Cockayne Syndrome Type I (Type A), Classical Leigh's Disease, Classical Phenylketonuria, Classical X-Linked Pelizaeus-Merzbacher Brain Sclerosis, CLE, Cleft Lip/Palate Mucous Cysts Lower Lip PP Digital and Genital Anomalies, Cleft Lip-Palate Blepharophimosis Lagophthalmos and Hypertelorism, Cleft Lip/Palate with Abnormal Thumbs and Microcephaly, Cleft palate-joint contracturesdandy walker malformations, Cleft Palate and Cleft Lip, Cleidocranial Dysplasia w/ Micrognathia, Absent Thumbs, & Distal Aphalangia, Cleidocranial Dysostosis, Cleidocranial Dysplasia, Click murmur syndrome, CLN1, Clonic Spasmodic, Cloustons Syndrome, Clubfoot, CMDI, CMM, CMT, CMTC, CMTX, COA Syndrome, Coarctation of the aorta, Coarctation of the aorta, Coats' Disease, Cobblestone dysplasia, Cochin Jewish Disorder, Cockayne Syndrome, COD-MD Syndrome, COD, Coffin Lowry Syndrome, Coffin Syndrome, Coffin Siris Syndrome, COFS Syndrome, Cogan Corneal Dystrophy, Cogan Reese Syndrome, Cohen Syndrome, Cold Agglutinin Disease, Cold Antibody Disease, Cold Antibody Disease, Cold Antibody Hemolytic Anemia, Cold Agglutinin Disease, Cold Agglutinin Disease, Colitis Ulcerative, Colitis Gravis, Colitis Gravis, Colitis Ulcerative Chronic Non-Specific Ulcerative Colitis, Collodion Baby, Coloboma Heart Defects Atresia of the Choanae Retardation of Growth and Development Genital and Urinary Anomalies and Ear Anomalies, Coloboma, Colonic Neurosis, Color blindness, Color blindness, Colour blindness, Colpocephaly, Columnar-Like Esophagus, Combined Cone-Rod Degeneration, Combined Immunodeficiency with Immunoglobulins, Combined Mesoectodermal Dysplasia, Common Variable Hypogammaglobulinemia, Common Variable Immunodeficiency, Common Ventricle, Communicating Hydrocephalus, Complete Absense of Hypoxanthine-Guanine Phosphoribosyltranferase, Complete Atrioventricular Septal Defect, Complement Component 1 Inhibitor Deficiciency, Complement Component C1 Regulatory Component Deficiency, Complete Heart Block, Complex Carbohydrate Intolerance, Complex Regional Pain Syndrome, Complex V ATP Synthase Deficiency, Complex I, Complex I NADH dehydrogenase deficiency, Complex II, Complex II Succinate dehydrogenase deficiency, Complex III, Complex III Ubiquinone-cytochrome c oxidoreductase deficiency, Complex IV, Complex IV Cytochrome c oxidase deficiency, Complex IV Deficiency, Complex V, Cone-Rod Degeneration, Cone-Rod Degeneration Progressive, Cone Dystrophy, Cone-Rod Dystrophy, Confluent Reticular Papillomatosis, Congenital with low PK Kinetics, Congenital Absence of Abdominal Muscles, Congenital Absence of the Thymus and Parathyroids, Congenital Achromia, Congenital Addison's Disease, Congenital Adrenal Hyperplasia, Congenital Adreneal Hyperplasia, Congenital Afibrinogenemia, Congenital

Alveolar Hypoventilation, Congenital Anemia of Newborn, Congenital Bilateral Persylvian Syndrome, Congenital Brown Syndrome, Congenital Cardiovascular Defects, Congenital Central Hypoventilation Syndrome, Congenital Cerebral Palsy, Congenital Cervical Synostosis, Congenital Clasped Thumb with Mental Retardation, Congenital Contractural Arachnodactyly, Congenital Contractures Multiple with Arachnodactyly, Congenital Cyanosis, Congenital Defect of the Skull and Scalp, Congenital Dilatation of Intrahepatic Bile Duct, Congenital Dysmyelinating Neuropathy. Congenital Dysphagocytosis, Congenital Dysplastic Angiectasia, Congenital Erythropoietic Porphyria, Congenital Erythropoietic Porphyria, Congenital Factor XIII Deficiency, Congenital Failure of Autonomic Control of Respiration, Congenital Familial Nonhemolytic Jaundice Type I, Congenital Familial Protracted Diarrhea, Congenital Form Cockayne Syndrome Type II (Type B), Congenital Generalized Fibromatosis, Congenital German Measles, Congenital Giant Axonal Neuropathy, Congenital Heart Block, Congenital Heart Defects, Congenital Hemidysplasia with Ichthyosis Erythroderma and Limb Defects, Congenital Hemolytic Jaundice, Congenital Hemolytic Anemia, Congenital Hepatic Fibrosis, Congenital Hereditary Corneal Dystrophy, Congenital Hereditary Lymphedema, Congenital Hyperchondroplasia, Congenital Hypomyelinating Polyneuropathy, Congenital Hypomyelination Neuropathy, Congenital Hypomyelination, Congenital Hypomyelination Neuropathy, Congenital Hypomyelination (Onion Bulb) Polyneuropathy, Congenital Ichthyosiform Erythroderma, Congenital Keratoconus, Congenital Lactic Acidosis, Congenital Lactose Intolerance, Congenital Lipodystrophy, Congenital Liver Cirrhosis, Congenital Lobar Emphysema, Congenital Localized Emphysema, Congenital Macroglossia, Congenital Medullary Stenosis, Congenital Megacolon, Congenital Melanocytic Nevus, Congenital Mesodermal Dysmorphodystrophy, Congenital Congenital Microvillus Atrophy, Mesodermal Dystrophy, Congenital Multiple Arthrogryposis, Congenital Myotonic Dystrophy, Congenital Neuropathy caused by Hypomyelination, Congenital Pancytopenia, Congenital Pernicious Anemia, Congenital Pernicious Anemia due to Defect of Intrinsic Factor, Congenital Pernicious Anemia due to Defect of Intrinsic Factor, Congenital Pigmentary Cirrhosis, Congenital Porphyria, Congenital Proximal Myopathy Associated with Desmin Storage Myopathy, Congenital Pulmonary Emphysema, Congenital Pure Red Cell Anemia, Congenital Pure Red Cell

Aplasia, Congenital Retinal Blindness, Congenital Retinal Cyst, Congenital Retinitis Pigmentosa, Congenital Retinoschisis, Congenital Rod Disease, Congenital Rubella Syndrome, Congenital Scalp Defects with Distal Limb Reduction Anomalies, Congenital Sensory Neuropathy, Congenital SMA with arthrogryposis, Congenital Spherocytic Anemia, Congenital Spondyloepiphyseal Dysplasia, Congenital Tethered Cervical Spinal Cord Syndrome, Congenital Tyrosinosis, Congenital Varicella Syndrome, Congenital Vascular Cavernous Malformations, Congenital Vascular Veils in the Retina, Congenital Word Blindness, Congenital Wandering Spleen (Pediatric), Congestive Cardiomyopathy, Conical Cornea, Conjugated Hyperbilirubinemia, Conjunctivitis, Conjunctivitis Ligneous, Conjunctivo-Urethro-Synovial Syndrome, Conn's Syndrome, Connective Tissue Disease, Conradi Disease, Conradi Hunermann Syndrome, Constitutional Aplastic Anemia, Constitutional Erythroid Hypoplasia, Constitutional Eczema, Constitutional Liver Dysfunction, Constitutional Thrombopathy, Constricting Bands Congenital, Constrictive Pericarditis with Dwarfism, Continuous Muscle Fiber Activity Syndrome, Contractural Arachnodactyly, Contractural Arachnodactyly, Contractures of Feet Muscle Atrophy and Oculomotor Apraxia, Convulsions, Cooley's anemia, Copper Transport Disease, Coproporphyria Porphyria Hepatica, Cor Triatriatum, Cor Triatriatum Sinistrum, Cor Triloculare Biatriatum, Cor Biloculare, Cori Disease, Cornea Dystrophy, Corneal Amyloidosis, Corneal Clouding-Cutis Laxa-Mental Retardation, Corneal Dystrophy, Cornelia de Lange Syndrome, Coronal Dentine Dysplasia, Coronary Artery Disease, Coronary Heart Disease, Corpus Callosum Agenesis, Cortical-Basal Ganglionic Degeneration, Corticalis Deformaris, Cortico-Basal Ganglionic Degeneration (CBGD), Corticobasal Degeneration, Corticosterone Methloxidase Deficiency Type Corticosterone Methyloxidase Deficiency Type II, Cortisol, Costello Syndrome, Cot Death, COVESDEM Syndrome, COX, COX Deficiency, COX Deficiency French-Canadian Type, COX Deficiency Infantile Mitochondrial Myopathy de Toni-Fanconi-Debre included, COX Deficiency Type Benign Infantile Mitochondrial Mypoathy, CP, CPEO, CPEO with Myopathy, CPEO with Ragged-Red Fibers, CPPD Familial Form, CPT Deficiency, CPTD, Cranial Arteritis, Cranial Meningoencephalocele, Cranio-Oro-Digital Syndrome, Craniocarpotarsal dystrophy, Craniocele, Craniodigital Syndrome-Mental Retardation Scott Type, Craniofacial Dysostosis, Craniofacial Dysostosis-PD Arteriosus-

Hypertrichosis-Hypoplasia of Labia, Craniofrontonasal Dysplasia, Craniometaphyseal Dysplasia, Cranioorodigital Syndrome, Cranioorodigital Syndrome Type II, Craniostenosis Crouzon Type, Craniostenosis, Craniostenosis, Craniosynostosis-Choanal Atresia-Radial Humeral Synostosis, Craniosynostosis-Hypertrichosis-Facial and Other Anomalies, Craniosynostosis Midfacial Hypoplasia and Foot Abnormalities, Craniosynostosis Primary, Craniosynostosis-Radial Aplasia Syndrome, Craniosynostosis with Radial Defects, Cranium Bifidum, CREST Syndrome, CREST Syndrome, Creutzfeldt Jakob Disease, Cri du Chat Syndrome, Crib Death, Crigler Najjar Syndrome Type I, Crohn's Diseas, Crohn's Disease, Cronkhite-Canada Syndrome, Cross Syndrome, Cross' Syndrome, Cross-McKusick-Breen Syndrome, Crouzon, Crouzon Syndrome, Crouzon Craniofacial Dysostosis, Cryoglobulinemia Essential Mixed, Cryptophthalmos-Syndactyly Syndrome, Cryptorchidism-Dwarfism-Subnormal Mentality, Crystalline Corneal Dystrophy of Schnyder, CS, CSD, CSID, CSO, CST Syndrome, Curly Hair-Ankyloblephanon-Nail Dysplasia, Curschmann-Batten-Steinert Syndrome, Curth Macklin Type Ichthyosis Hystric, Curth-Macklin Type, Cushing's, Cushing Syndrome, Cushing's III, Cutaneous Malignant Melanoma Hereditary, Cutaneous Porphyrias, Cutis Laxa, Cutis Laxa, Cutis Laxa-Growth Deficiency Syndrome, Cutis Marmorata Telangiectatica Congenita, CVI, CVID, CVS, CVS, Cyclic vomiting syndrome, Cystic Disease of the Renal Medulla, Cystic Disease of the Renal Medulla, Cystic Hygroma, Cystic Fibrosis, Cystic Lymphangioma, Cystine-Lysine-Arginine-Ornithinuria, Cystine Storage Disease, Cystinosis, Cystinuria, Cystinuria with Dibasic Aminoaciduria, Cystinuria Type I, Cystinuria Type II, Cystinuria Type III, Cysts of the Renal Medulla Congenital, Cysts of the Renal Medulla Congenital, Cytochrome C Oxidase Deficiency, D.C., Dacryosialoadenopathy, Dacryosialoadenopathia, Dalpro, Dalton, Daltonism, Danbolt-Cross Syndrome, Dancing Eyes-Dancing Feet Syndrome, Dandy-Walker Syndrome, Dandy-Walker Cyst, Dandy-Walker Deformity, Dandy Walker Malformation, Danish Cardiac Type Amyloidosis (Type III), Darier Disease, Davidson's Disease, Davies' Disease, DBA, DBS, DC, DD, De Barsy Syndrome, De Barsy-Moens-Diercks Syndrome, de Lange Syndrome, De Morsier Syndrome, De Santis Cacchione Syndrome, de Toni-Fanconi Syndrome, Deafness Congenital and Functional Heart Disease, Deafness-Dwarfism-Retinal Atrophy, Deafness-Functional Heart Disease, Deafness

Onychodystrophy Osteodystrophyand Mental Retardation, Deafness and Pili Torti Bjornstad Type, Deafness Sensorineural with Imperforate Anus and Hypoplastic Thumbs, Debrancher Deficiency, Deciduous Skin, Defect of Enterocyte Intrinsic Factor Receptor, Defect of Enterocyte Intrinsic Factor Receptor, Defect in Natural Killer Lymphocytes, Defect of Renal Reabsorption of Carnitine, Deficiency of Glycoprotein Neuraminidase, Deficiency of Mitochondrial Respiratory Chain Complex IV, Deficiency of Platelet Glycoprotein Ib, Deficiency of Von Willebrand Factor Receptor, Deficiency of Short-Chain Acyl-CoA Dehydrogenase (ACADS, Deformity with Mesomelic Dwarfism, Degenerative Chorea, Degenerative Lumbar Spinal Stenosis, Degos Disease, Degos-Kohlmeier Disease, Degos Syndrome, DEH, Dejerine-Roussy Syndrome, Dejerine Sottas Disease, Deletion 9p Syndrome Partial, Deletion 11q Syndrome Partial, Deletion 13q Syndrome Partial, Delleman-Oorthuys Syndrome, Delleman Syndrome, Dementia with Lobar Atrophy and Neuronal Cytoplasmic Inclusions, Demyelinating Disease, DeMyer Syndrome, Dentin Dysplasia Coronal, Dentin Dysplasia Radicular, Dentin Dysplasia Type I, Dentin Dysplasia Type II, Dentinogenesis Imperfecta Brandywine type, Dentinogenesis Imperfecta Shields Type, Dentinogenesis Imperfecta Shields Type, Dentinogenesis Imperfecta Type III, Dentinogenesis Imperfecta Type III, Dento-Oculo-Osseous Dysplasia, Dento-Oculo-Osseous Dysplasia, Dentooculocutaneous Syndrome, Denys-Drash Depakene, DepakeneTM Syndrome. exposure, Depakote, Depakote Sprinkle, Depigmentation-Gingival Fibromatosis-Microphthalmia, Dercum Disease, Disease, Dermatitis Atopic, Dermatitis Exfoliativa, Dermatitis Herpetiformis, Dermatitis Multiformis, Dermatochalasia Generalized, Dermatolysis Generalized, Dermatomegaly, Dermatomyositis sine myositis, Dermatomyositis, Dermatosparaxis, Dermatostomatitis Stevens Johnson Type, Desbuquois Syndrome, Desmin Storage Myopathy, Desquamation of Newborn, Deuteranomaly, Developmental Reading Disorder, Developmental Gerstmann Syndrome, Devergie Disease, Devic Disease, Devic Syndrome, Dextrocardia-Bronchiectasis and Sinusitis, Dextrocardia with Situs Inversus, DGS, DGSX Golabi-Rosen Syndrome Included, DH, DHAP alkyl transferase deficiency, DHBS Deficiency, DHBS Deficiency, DHPR Deficiency, DHPR Deficiency, Diabetes Insipidus, Diabetes Insipidus Diabetes Mellitus Optic Atrophy and Deafness, Diabetes Insipidus Neurohypophyseal, Diabetes Insulin Dependent, Diabetes Mellitus, Diabetes

Mellitus Addison's Disease Myxedema, Diabetic Acidosis, Diabetic Bearded Woman Syndrome, Diamond-Blackfan Anemia, Diaphragmatic Apnea, Diaphyseal Aclasis, Diastrophic Dwarfism, Diastrophic Dysplasia, Diastrophic Nanism Syndrome, Dicarboxylic Aminoaciduria, Dicarboxylicaciduria Caused by Defect in Beta-Oxidation of Fatty Acids, Dicarboxylicaciduria due to Defect in Beta-Oxidation of Fatty Acids, Dicarboxylicaciduria due to MCADH Deficiency, Dichromasy, Dicker-Opitz, DIDMOAD, Diencephalic Syndrome of Childhood, Diencephalic Syndrome of Emaciation, Dienoyl-CoA Reductase Deficiency, Diffuse Cerebral Degeneration in Infancy, Diffuse Degenerative Cerebral Disease, Diffuse Idiopathic Skeletal Hyperostosis, Diffusum-Glycopeptiduria, DiGeorge Syndrome, DiGeorge Syndrome, Digital-Oro-Cranio Syndrome, Digito-Oto-Palatal Syndrome Type I, Digito-Oto-Palatal Syndrome Type II, Dihydrobiopterin Synthetase Deficiency, Dihydrobiopterin Synthetase Deficiency, Dihydropteridine Reductase Deficiency, Dihydropteridine Reductase Deficiency, Dihydroxyacetonephosphate synthase, Dilated (Congestive) Cardiomyopathy, Dimitri Disease, Diplegia of Cerebral Palsy, Diplo-Y Syndrome, Disaccharidase Deficiency, Disaccharide Intolerance I, Discoid Lupus, Discoid Lupus Erythematosus, DISH, Disorder of Cornification, Disorder of Cornification Type I, Disorder of Cornification 4, Disorder of Cornification 6, Disorder of Cornification 8, Disorder of Cornification 9 Netherton's Type, Disorder of Cornification 11 Phytanic Acid Type, Disorder of Cornification 12 (Neutral Lipid Storage Type), Disorder of Conification 13, Disorder of Cornification 14, Disorder of Cornification 14 Trichothiodystrophy Type, Disorder of Cornification 15 (Keratitis Deafness Type), Disorder of Cornification 16, Disorder of Cornification 18 Erythrokeratodermia Variabilis Type, Disorder of Cornification 19, Disorder of Cornification 20, Disorder of Cornification 24, Displaced Spleen, Disseminated Lupus Erythematosus, Disseminated Neurodermatitis, Disseminated Sclerosis, Distal 11q Monosomy, Distal 11q- Syndrome, Distal Arthrogryposis Multiplex Congenita Type IIA, Distal Arthrogryposis Multiplex Congenita Type IIA, Distal Arthrogryposis Type IIA, Distal Arthrogryposis Type 2A, Distal Duplication 6q, Distal Duplication 10q, Dup(10q) Syndrome, Distal Duplication 15q, Distal Monosomy 9p, Distal Trisomy 6q, Distal Trisomy 10q Syndrome, Distal Trisomy 11q, Divalproex, DJS, DKC, DLE, DLPIII, DM, DMC Syndrome, DMC Disease, DMD, DNS Hereditary, DOC

I, DOC 2, DOC 4, DOC 6 (Harlequin Type), DOC 8 Curth-Macklin Type, DOC 11 Phytanic Acid Type, DOC 12 (Neutral Lipid Storage Type), DOC 13, DOC 14, DOC 14 Trichothiodystrophy Type, DOC 15 (Keratitis Deafness Type), DOC 16, DOC 16 Unilateral Hemidysplasia Type, DOC 18, DOC 19, DOC 20, DOC 24, Dohle's Bodies-Dolichospondylic Dysplasia, Dolichostenomelia, Myelopathy, Dolichostenomelia Syndrome, Dominant Type Kenny-Caffe Syndrome, Dominant Type Myotonia Congenita, Donahue Syndrome, Donath-Landsteiner Hemolytic Anemia, Donath-Landsteiner Syndrome, DOOR Syndrome, DOORS Syndrome, Dopa-responsive Dystonia (DRD), Dorfman Chanarin Syndrome, Dowling-Meara Syndrome, Down Syndrome, DR Syndrome, Drash Syndrome, DRD, Dreifuss-Emery Type Muscular Dystrophy with Contractures, Dressler Syndrome, Drifting Spleen, Drug-induced Acanthosis Nigricans, Drug-induced Lupus Erythematosus, Drug-related Adrenal Insufficiency, Drummond's Syndrome, Dry Beriberi, Dry Eye, DTD, Duane's Retraction Syndrome, Duane Syndrome, Duane Syndrome Type IA 1B and 1C, Duane Syndrome Type 2A 2B and 2C, Duane Syndrome Type 3A 3B and 3C, Dubin Johnson Syndrome, Dubowitz Syndrome, Duchenne, Duchenne Muscular Dystrophy, Duchenne's Paralysis, Duhring's Disease, Duncan Disease, Duncan's Disease, Duodenal Atresia, Duodenal Stenosis, Duodenitis, Duplication 4p Syndrome, Duplication 6q Partial, Dupuy's Syndrome, Dupuytren's Contracture, Dutch-Kennedy Syndrome, Dwarfism, Dwarfism Campomelic, Dwarfism Cortical Thickening of the Tubular Bones & Transient Hypocalcemia, Dwarfism Levi's Type, Dwarfism Metatropic. Dwarfism-Onychodysplasia, Dwarfism-Pericarditis, Dwarfism with Renal Atrophy and Deafness, Dwarfism with Rickets, DWM, Dyggve Melchior Clausen Syndrome, Dysautonomia Familial, Dysbetalipoproteinemia Familial, Dyschondrodysplasia with Hemangiomas, Dyschondrosteosis, Dyschromatosis Universalis Hereditaria, Dysencephalia Splanchnocystica, Dyskeratosis Congenita, Dyskeratosis Congenita Autosomal Recessive, Dyskeratosis Congenita Scoggins Type, Dyskeratosis Congenita Syndrome, Dyskeratosis Follicularis Vegetans, Dyslexia, Dysmyelogenic Leukodystrophy, Dysmyelogenic Leukodystrophy-Megalobare, Dysphonia Spastica, Dysplasia Epiphysialis Punctata, Dysplasia Epiphyseal Hemimelica, Dysplasia of Nails With Hypodontia, Dysplasia Cleidocranial, Dysplasia Fibrous, Dysplasia Gigantism SyndromeX-Linked, Dysplasia Osteodental, Dysplastic Nevus Syndrome, Dysplastic Nevus Syndrome, Dysplastic Nevus Type, Dyssynergia Cerebellaris Myoclonica, Dyssynergia Esophagus, Dystonia, Dystopia Canthorum, Dystopia Canthorum, Dystrophia Adiposogenitalis, Dystrophia Endothelialis Cornea, Dystrophia Mesodermalis, Dystrophic Epidermolysis Bullosa, Dystrophic Epidermolysis Bullosa, Dystrophy, Asphyxiating Thoracic, Dystrophy Myotonic, E-D Syndrome, Eagle-Barrett Syndrome, Eales Retinopathy, Eales Disease, Ear Anomalies-Contractures-Dysplasia of Bone with Kyphoscoliosis, Ear Patella Short Stature Syndrome, Early Constraint Defects, Early Hypercalcemia Syndrome with Elfin Facie, Early-onset Dystonia, Eaton Lambert Syndrome, EB, Ebstein's anomaly, EBV Susceptibility (EBVS), EBVS, ECD, ECPSG, Ectodermal Dysplasias, Ectodermal Dysplasia Anhidrotic with Cleft Lip and Cleft Palate, Ectodermal Dysplasia-Exocrine Pancreatic Insufficiency, Ectodermal Dysplasia Rapp-Hodgkin type, Ectodermal and Mesodermal Dysplasia Congenital, Ectodermal and Mesodermal Dysplasia with Osseous Involvement, Ectodermosis Erosiva Pluriorificialis, Ectopia Lentis, Ectopia Vesicae, Ectopic ACTH Syndrome, Ectopic Adrenocorticotropic Hormone Syndrome, Ectopic Anus, Ectrodactilia of the Hand, Ectrodactyly, Ectrodactyly-Ectodermal Dysplasia-Clefting Syndrome, Ectrodactyly Ectodermal Dysplasias Clefting Syndrome, Ectrodactyly Ectodermal Dysplasia Cleft Lip/Cleft Palate, Eczema, Eczema-Thrombocytopenia-Immunodeficiency Syndrome, EDA, EDMD, EDS, EDS Arterial-**EDS** Arthrochalasia. EDS Classic Ecchymotic Type, Severe Form. EDS Dysfibronectinemic, EDS Gravis Type, EDS Hypermobility, EDS Kyphoscoliotic, EDS Kyphoscoliosis, EDS Mitis Type, EDS Ocular-Scoliotic, EDS Progeroid, EDS Periodontosis, EDS Vascular, EEC Syndrome, EFE, EHBA, EHK, Ehlers Danlos Syndrome, Ehlers-Danlos syndrome, Ehlers Danlos IX, Eisenmenger Complex, Eisenmenger's complex, Eisenmenger Disease, Eisenmenger Reaction, Eisenmenger Syndrome, Eisenmenger Syndrome, Ekbom Syndrome, Ekman-Lobstein Disease, Ektrodactyly of the Hand, Ektrodactyly of the Hand, EKV, Elastin fiber disorders, Elastorrhexis Generalized, Elastosis Dystrophica Syndrome, Elective Mutism (obsolete), Elective Mutism, Electrocardiogram (ECG or EKG), Electron Transfer Flavoprotein (ETF) Dehydrogenase Deficiency: (GAII & MADD), Electrophysiologic study (EPS), Elephant Nails From Birth, Elephantiasis Congenita Angiomatosa, Hemangiectatic Hypertrophy, Elfin Facies with Hypercalcemia, Ellis-van Creveld Syndrome, Ellis Van Creveld

Syndrome, Embryoma Kidney, Embryonal Adenomyosarcoma Kidney, Embryonal Carcinosarcoma Kidney, Embryonal Mixed Tumor Kidney, EMC, Emery Dreyfus Muscular Dystrophy, Emery-Dreifuss Muscular Dystrophy, Emery-Dreifuss Syndrome, EMF, EMG Syndrome, Empty Sella Syndrome, Encephalitis Periaxialis Diffusa, Encephalitis Periaxialis Concentrica, Encephalocele, Encephalofacial Angiomatosis, Encephalopathy, Encephalotrigeminal Angiomatosis, Enchondromatosis with Multiple Cavernous Hemangiomas, Endemic Polyneuritis, Endocardial Cushion Defect, Endocardial Cushion Defect, Endocardial Cushion Defects, Endocardial Dysplasia, Endocardial Fibroelastosis (EFE), Endogenous Hypertriglyceridemia, Endolymphatic Hydrops, Endometrial Growths, Endometriosis, Endomyocardial Fibrosis, Endothelial Corneal Dystrophy Congenital, Endothelial Epithelial Corneal Dystrophy, Endothelium, Engelmann Disease, Enlarged Tongue, Enterocolitis, Enterocyte Malabsorption, Eosinophia Syndrome, Eosinophilic Cellulitis, Eosinophilic Fasciitis, Eosinophilic Granuloma, Eosinophilic Syndrome, Epidermal Nevus Syndrome, Epidermolysis bullosa, Epidermolysis Bullosa, Epidermolysis Bullosa Acquisita, Epidermolysis Bullosa Hereditaria, Epidermolysis Bullosa Letalias, Epidermolysis Hereditaria Tarda, Epidermolytic Hyperkeratosis, Epidermolytic Hyperkeratosis (Bullous CIE), Epilepsia Procursiva, Epilepsy, Epinephrine, Epiphyseal Changes and High Myopia, Epiphyseal Osteochondroma Benign, Epiphysealis Hemimelica Dysplasia, Episodic-Abnormal Eye Movement, Epithelial Basement Membrane Corneal Dystrophy, Epithelial Corneal Dystrophy of Meesmann Juvenile, Epitheliomatosis Multiplex with Nevus, Epithelium, Epival, EPS, Epstein-Barr Virus-Induced Lymphoproliferative Disease in Males, Erb-Goldflam syndrome, Erdheim Chester Disease, Erythema Multiforme Exudativum, Erythema Polymorphe Stevens Johnson Type, Erythroblastophthisis, Erythroblastosis Fetalis, Erythroblastosis Neonatorum, Erythroblastotic Anemia of Childhood, Erythrocyte Phosphoglycerate Kinase Deficiency, Erythrogenesis Imperfecta, Erythrokeratodermia Progressiva Symmetrica, Erythrokeratodermia Progressiva Symmetrica Ichthyosis, Erythrokeratodermia Variabilis, Erythrokeratodermia Variabilis, Erythrokeratodermia Variabilis Type, Erythrokeratolysis Hiemalis, Erythrokeratolysis Erythrokeratolysis Hiemalis, Erythropoietic Porphyrias, Hiemalis, Erythropoietic Porphyria, Escobar Syndrome, Esophageal Atresia, Esophageal Aperistalsis, EsophagitisPeptic Ulcer, Esophagus Atresia and/or Tracheoesophageal Fistula, Essential Familial Hyperlipemia, Essential Fructosuria, Essential Hematuria, Essential Hemorrhagic Thrombocythemia, Essential Hemorrhagic Thrombocythemia, Essential Cryoglobulinemia, Essential Moschowitz Disease, Essential Thrombocythemia, Essential Thrombocythemia, Essential Thrombocytosis, Essential Thrombocytosis, Essential Tremor, Esterase Inhibitor Deficiency, Estren-Dameshek variant of Fanconi Anemia, Estrogen-related Cholestasis, ET, ET, ETF, Ethylmalonic Adipicaciduria, Eulenburg Disease, pc, EVCS, Exaggerated Startle Reaction, Exencephaly, Hypertriglyceridemia, Exomphalos-Macroglossia-Gigantism Syndrom. Exophthalmic Goiter, Expanded Rubella Syndrome, Exstrophy of the Bladder, EXT, External Chondromatosis Syndrome, Extrahepatic Biliary Atresia, Extramedullary Plasmacytoma, Exudative Retinitis, Eye Retraction Syndrome, FA1, FAA, Fabry Disease, FAC, FACB, FACD, FACE, FACF, FACG, FACH, Facial Nerve Palsy, Facial Paralysis, Facial Ectodermal Dysplasias, Facial Ectodermal Dysplasia, Facio-Scapulo-Humeral Dystrophy, Facio-Auriculo-Vertebral Spectrum, Facio-cardio-cutaneous syndrome, Facio-Fronto-Nasal Dysplasia, Faciocutaneoskeletal Syndrome, Faciodigitogenital syndrome, Faciogenital dysplasia, Faciogenitopopliteal Syndrome, Faciopalatoosseous Syndrome, Faciopalatoosseous Syndrome Type II, Facioscapulohumeral muscular dystrophy, Factitious Hypoglycemia, Factor VIII Deficiency, Factor IX Deficiency, Factor IX Deficiency, Factor XI Deficiency, Factor XIII Deficiency, Fahr Disease, Fahr's Disease, Failure of Secretion Gastric Intrinsic Factor, Fairbank Disease, Fallot's Tetralogy, Familial Acrogeria, Familial Acrogeria, Familial Acromicria, Familial Acromicria, Familial Adenomatous Colon Polyposis, Familial Adenomatous Polyposis with Extraintestinal Manifestations, Familial Alobar Holoprosencephaly, Familial Alpha-Lipoprotein Deficiency, Familial Amyotrophic Chorea with Acanthocytosis, Familial Arrhythmic Myoclonus, Familial Articular Chondrocalcinosis, Familial Atypical Mole-Malignant Melanoma Syndrome, Familial Broad Beta Disease, Familial Calcium Gout, Familial Calcium Pyrophosphate Arthropathy, Familial Chronic Obstructive Lung Disease, Continuous Skin Peeling, Familial Cutaneous Amyloidosis, Familial Familial Dysproteinemia, Familial Emphysema, Familial Enteropathy Microvillus, Familial Foveal Retinoschisis, Familial Hibernation Syndrome, Familial High Cholesterol, Familial

Hemochromatosis, Familial High Blood Cholesterol, Familial High-Density Lipoprotein Deficiency, Familial High Serum Cholesterol, Familial Hyperlipidema, Familial Hypoproteinemia with Lymphangietatic Enteropathy, Familial Jaundice, Familial Juvenile Nephronophtisis-Associated Ocular Anomaly, Familial Lichen Amyloidosis (Type IX), Familial Lumbar Stenosis, Familial Lymphedema Praecox, Familial Mediterranean Fever, Familial Multiple Polyposis, Familial Nuchal Bleb, Familial Paroxysmal Polyserositis, Familial Polyposis Coli, Familial Primary Pulmonary Hypertension, Familial Renal Glycosuria, Familial Splenic Anemia, Familial Startle Disease, Familial Visceral Amyloidosis (Type VIII), FAMMM, FANCA, FANCB, FANCC, FANCD, FANCE, Fanconi Panmyelopathy, Fanconi Pancytopenia, Fanconi II, Fanconi's Anemia, Fanconi's Anemia Type I, Fanconi's Anemia Complementation Group, Fanconi's Anemia Complementation Group A, Fanconi's Anemia Complementation Group B, Fanconi's Anemia Complementation Group C, Fanconi's Anemia Complementation Group D, Fanconi's Anemia Complementation Group E, Fanconi's Anemia Complementation Group G, Fanconi's Anemia Complementation Group H, Fanconi's Anemia Estren-Dameshek Variant, FANF. FANG, FANH, FAP, FAPG, Farber's Disease. Farber's Lipogranulomatosis, FAS, Fasting Hypoglycemia, Fat-Induced Hyperlipemia, Fatal Granulomatous Disease of Childhood, Fatty Oxidation Disorders, Fatty Liver with Encephalopathy, FAV, FCH, FCMD, FCS Syndrome, FD, FDH, Febrile Mucocutaneous Syndrome Stevens Johnson Type, Febrile Neutrophilic Dermatosis Acute, Febrile Seizures, Feinberg's syndrome, Feissinger-Leroy-Reiter Syndrome, Female Pseudo-Turner Syndrome, Femoral Dysgenesis Bilateral-Robin Anomaly, Femoral Dysgenesis Bilateral, Femoral Facial Syndrome, Femoral Hypoplasia-Unusual Facies Syndrome, Fetal Alcohol Syndrome, Fetal Anti-Convulsant Syndrome, Fetal Cystic Hygroma, Fetal Effects of Alcohol, Fetal Effects of Chickenpox, Fetal Effects of Thalidomide, Fetal Effects of Varicella Zoster Virus, Fetal Endomyocardial Fibrosis, Fetal Face Syndrome, Fetal Iritis Syndrome, Fetal Transfusion Syndrome, Fetal Valproate Syndrome, Fetal Valproic Acid Exposure Syndrome, Fetal Varicella Infection, Fetal Varicella Zoster Syndrome, FFDD Type II, FG Syndrome, FGDY, FHS, Fibrin Stabilizing Factor Deficiency, Fibrinase Deficiency, Fibrinoid Degeneration of Astrocytes, Fibrinoid Leukodystrophy, Fibrinoligase Deficiency, Fibroblastoma Perineural, Fibrocystic Disease of Pancreas,

Fibrodysplasia Ossificans Progressiva, Fibroelastic Endocarditis, Fibromyalgia. Fibromyalgia-Fibromyositis, Fibrositis, Fi Ankylosis of Multiple Joints, Fibrous Cavernositis, Fibrous Dysplasia, Fibrous Plaques of the Penis, Fibrous Sclerosis of the Penis, Fickler-Winkler Type, Fiedler Disease, Fifth Digit Syndrome, Filippi Syndrome, Finnish Type Amyloidosis (Type V), First Degree Congenital Heart Block, First and Second Branchial Arch Syndrome, Fischer's Syndrome, Fish Odor Syndrome, Fissured Tongue, Flat Adenoma Syndrome, Flatau-Schilder Disease, Flavin Containing Monooxygenase 2, Floating Beta Disease, Floating-Harbor Syndrome, Floating Spleen, Floppy Infant Syndrome, Floppy Valve Syndrome, Fluent aphasia, FMD, FMF, FMO Adult Liver Form, FMO2, FND, Focal Dermal Dysplasia Syndrome, Focal Dermal Hypoplasia, Focal Dermato-Phalangeal Dysplasia, Focal Dystonia, Focal Epilepsy, Focal Facial Dermal Dysplasia Type II, Focal Neuromyotonia, FODH, Folling Syndrome, Fong Disease, FOP, Forbes Disease, Forbes-Albright Syndrome, Forestier's Disease, Forsius-Eriksson Syndrome (X-Linked), Fothergill Disease, Fountain Syndrome, Foveal Dystrophy Progressive, FPO Syndrome Type II, FPO, Fraccaro Type Achondrogenesis (Type IB), Fragile X syndrome, Franceschetti-Zwalen-Klein Syndrome, Francois Dyscephaly Syndrome, Francois-Neetens Speckled Dystrophy, Flecked Corneal Dystrophy, Fraser Syndrome, FRAXA, FRDA, Fredrickson Type I Hyperlipoproteinemia, Freeman-Sheldon Syndrome, Freire-Maia Syndrome, Frey's Syndrome, Friedreich's Ataxia, Friedreich's Ataxia, Friedreich's Disease, Friedreich's Tabes, FRNS, Froelich's Syndrome, Frommel-Chiari Syndrome, Frommel-Chiari Syndrome Lactation-Uterus Frontodigital Syndrome, Frontofacionasal Dysostosis, Frontofacionasal Dysplasia, Frontonasal Dysplasia with Coronal Craniosynostosis, Fructose-1-Phosphate Aldolase Deficiency, Fructosemia, Fructosuria, Fryns Syndrome, FSH, FSHD, FSS, Fuchs Dystrophy, Fucosidosis Type 1, Fucosidosis Type 2, Fucosidosis Type 3, Fukuhara Syndrome, Fukuyama Disease, Fukuyama Type Muscular Dystrophy, Fukuyama Type Muscular Dystrophy, Fumarylacetoacetase deficiency, Furrowed Tongue, G Syndrome, G6PD Deficiency, G6PD, GA I, GA IIB, GA IIA, GA II, GAII & MADD, Galactorrhea-Amenorrhea Syndrome Nonpuerperal, Galactorrhea-Amenorrhea without Pregnancy, Galactosamine-6-Sulfatase Deficiency, Galactose-1-Phosphate Transferase Deficiency, Galactosemia, GALB Deficiency, Galloway-Mowat Syndrome, Galloway Syndrome, GALT Deficiency, Gammaglobulin Deficiency, GAN, Ganglioside Neuraminidase Deficiency, Ganglioside Sialidase Deficiency, Gangliosidosis GM1 Type 1. Gangliosidosis GM2 Type 2, Gangliosidosis Beta Hexosaminidase B Defeciency, Gardner Syndrome, Gardner Syndrome, Gargoylism, Garies-Mason Syndrome, Gasser Syndrome, Gastric Intrinsic Factor Failure of Secretion, Enterocyte Cobalamin, Gastrinoma, Gastritis, Gastroesophageal Laceration-Hemorrhage, Gastrointestinal Polyposis and Ectodermal Changes, Gastroschisis, Gaucher Disease, Gaucher-Schlagenhaufer, Gayet-Wernicke Syndrome, GBS, GCA, GCM Syndrome, GCPS, Gee-Herter Disease, Gee-Thaysen Disease, Gehrig's Disease, Gelineau's Syndrome, Genee-Wiedemann Syndrome, Generalized Dystonia, Generalized Familial Neuromyotonia, Generalized Fibromatosis, Generalized Flexion Epilepsy, Generalized Glycogenosis, Generalized Glycogenosis, Generalized Hyperhidrosis, Generalized Lipofuscinosis, Generalized Myasthenia Gravis, Generalized Myotonia, Generalized Neuromytonia, Genetic Disorders, Genital Defects, Genital and Urinary Tract Defects, Genital and Urinary Tract Defects, Gerstmann Syndrome, Gerstmann Tetrad, GHBP, GHD, GHR, Giant Axonal Disease, Giant Axonal Neuropathy, Giant Benign Lymphoma, Giant Cell Glioblastoma Astrocytoma, Giant Cell Arteritis, Giant Cell Disease of the Liver, Giant Cell Hepatitis, Giant Cell of Newborns Cirrhosis, Giant Cyst of the Retina, Giant Lymph Node Hyperplasia, Giant Platelet Syndrome Hereditary, Giant Tongue, gic Macular Dystrophy, Gilbert's Disease, Gilbert Syndrome, Gilbert-Dreyfus Syndrome, Gilbert-Dreyfus Syndrome, Gilbert-Lereboullet Syndrome, Gilford Syndrome, Gilles de la Tourette's syndrome, Gillespie Syndrome, Gingival Fibromatosis-Abnormal Fingers Nails Nose Ear Splenomegaly, GLA Deficiency, GLA, GLB1, Glioma Retina, Global aphasia, Globoid Leukodystrophy, Glossoptosis Micrognathia and Cleft Palate, Glucocerebrosidase deficiency, Glucocerebrosidosis, Glucose-6-Phosphate Dehydrogenase Deficiency, Glucose-6-Phosphate Transport Defect, Glucose-6-Phospate Translocase Deficiency, Glucose-G-Phosphatase Deficiency, Glucose-Galactose Malabsorption, Glucose-Galactose Malabsorption, Glucosyl Ceramide Lipidosis, Glutaric Aciduria I, Glutaric Acidemia I, Glutaric Acidemia II, Glutaric Aciduria II, Glutaric Aciduria Type II, Glutaric Aciduria Type III, Glutaricacidemia I, Glutaricacidemia II, Glutaricaciduria I, Glutaricaciduria II, Glutaricaciduria Type IIA, Glutaricaciduria Type IIB, Glutaryl-CoA Dehydrogenase

Deficiency, Glutaurate-Aspartate Transport Defect, Gluten-Sensitive Enteropathy, Glycogen Disease of Muscle Type VII, Glycogen Storage Disease I, Glycogen Storage Disease III, Glycogen Storage Disease IV, Glycogen Storage Disease Type V, Glycogen Storage Disease VI, Glycogen Storage Disease VII, Glycogen Storage Disease VIII, Glycogen Storage Disease Type II, Glycogen Storage Disease-Type II, Glycogenosis, Glycogenosis Type I, Glycogenosis Type IA, Glycogenosis Type IB, Glycogenosis Type II, Glycogenosis Type II, Glycogenosis Type IV, Glycogenosis Type V, Glycogenosis Type VI, Glycogenosis Type VIII, Glycogenosis Type VIII, Glycolic Aciduria, Glycolic Aciduria, Glycolipid Lipidosis, GM2 Gangliosidosis Type 1, GM2 Gangliosidosis Type 1, GNPTA, Goitrous Autoimmune Thyroiditis, Goldenhar Syndrome, Goldenhar-Gorlin Syndrome, Goldscheider's Disease, Goltz Syndrome, Goltz-Gorlin Syndrome, Gonadal Dysgenesis 45 X, Gonadal Dysgenesis XO, Goniodysgenesis-Hypodontia, Goodman Syndrome, Goodman, Goodpasture Syndrome, Gordon Syndrome, Gorlin's Syndrome, Gorlin-Chaudhry-Moss Syndrome, Gottron Erythrokeratodermia Congenitalis Progressiva Symmetrica, Gottron's Syndrome, Gougerot-Carteaud Syndrome, Grand Mal Epilepsy, Granular Type Corneal Dystrophy, Granulomatous Arteritis, Granulomatous Colitis, Granulomatous Dermatitis with Eosinophilia, Granulomatous Ileitis, Graves Disease, Graves' Hyperthyroidism, Graves' Disease, Greig Cephalopolysyndactyly Syndrome, Groenouw Type I Corneal Dystrophy, Groenouw Type II Corneal Dystrophy, Gronblad-Strandberg Syndrome, Grotton Syndrome, Growth Hormone Receptor Deficiency, Growth Hormone Binding Protein Deficiency, Growth Hormone Deficiency, Growth-Mental Deficiency Syndrome of Myhre, Growth Retardation-Rieger Anomaly, GRS, Gruber Syndrome, GS, GSD6, GSD8, GTS, Guanosine Triphosphate-Cyclohydrolase Deficiency, Guanosine Triphosphate-Cyclohydrolase Deficiency, Guenther Porphyria, Guerin-Stern Syndrome, Guillain-Barré, Guillain-Barre Syndrome, Gunther Disease, H. Disease, H. Gottron's Syndrome, H. Gottron's Syndrome, Habit Spasms, HAE, Hageman Factor Deficiency, Hageman factor, Haim-Munk Syndrome, Hajdu-Cheney Syndrome, Hajdu Cheney, HAL Deficiency, Hall-Pallister Syndrome, Hallermann-Streiff-Francois syndrome, Hallermann-Streiff Syndrome, Hallervorden-Spatz Disease, Hallervorden-Spatz Syndrome, Hallopeau-Siemens Disease, Hallux Duplication Postaxial Polydactyly and Absence of Corpus Callosum, HalushiBehcet's Syndrome, Hamartoma of the Lymphatics, Hand-Schueller-Christian Syndrome, HANE, Hanhart Syndrome, Happy Puppet Syndrome, Harada Syndrome, HARD +/-E Syndrome, HARD Syndrome, Hare Lip, Harlequin Fetus, Harlequin Type DOC 6, Harlequin Type Ichthyosis, Harlequin Type Ichthyosis, Harley Syndrome, Harrington Syndrome, Hart Syndrome, Hartnup Disease, Hartnup Disorder, Hartnup Syndrome, Hashimoto's Disease, Hashimoto-Pritzker Syndrome, Hashimoto's Syndrome, Hashimoto's Thyroiditis, Hashimoto's Thyroiditis, Hashimoto-Pritzker Syndrome, Hay Well's Syndrome, Hay-Wells Syndrome of Ectodermal Dysplasia, HCMM, HCP, HCTD, HD, Heart-Hand Syndrome (Holt-Oram Type), Heart Disease, Hecht Syndrome, HED, Heerferdt-Waldenstrom and Lofgren's Syndromes, Hegglin's Disease, Heinrichsbauer Syndrome, Hemangiomas, Hemangioma Familial, Hemangioma-Thrombocytopenia Syndrome, Hemangiomatosis Chondrodystrophica, Hemangiomatous Branchial Clefts-Lip Pseudocleft Syndrome, Hemifacial Microsomia, Hemimegalencephaly, Hemiparesis of Cerebral Palsy, Hemiplegia of Cerebral Palsy, Hemisection of the Spinal Cord, Hemochromatosis, Hemochromatosis Syndrome, Hemodialysis-Related Amyloidosis, Hemoglobin Lepore Syndromes, Hemolytic Anemia of Newborn, Hemolytic Cold Antibody Anemia, Hemolytic Disease of Newborn, Hemolytic-Uremic Syndrome, Hemolytic-Uremic Syndrome, Hemophilia, Hemophilia A, Hemophilia B, Hemophilia B Factor IX, Hemophilia C, Hemorrhagica Dystrophic Thrombocytopenia, Hemorrhagica Aleukia, Hemosiderosis, Hepatic Fructokinase Deficiency, Hepatic Phosphorylase Kinase Deficiency, Hepatic Porphyrias, Hepatic Porphyrias, Hepatic Veno-Occlusive Diseas, Hepato-Renal Syndrome, Hepatolenticular Degeneration, Hepatophosphorylase Deficiency, Hepatorenal Glycogenosis, Hepatorenal Syndrome, Hepatorenal Tyrosinemia, Hereditary Acromelalgia, Hereditary Alkaptonuria, Hereditary Amyloidosis, Hereditary Angioedema, Hereditary Areflexic Dystasia, Heredopathia Atactica Polyneuritiformis, Hereditary Ataxia, Hereditary Ataxia, Hereditary Ataxia Friedrich's Type, Hereditary Benign Acanthosis Nigricans, Hereditary Cerebellar Ataxia, Hereditary Chorea, Hereditary Chronic Progressive Chorea, Hereditary Connective Tissue Disorders, Hereditary Coproporphyria, Hereditary Coproporphyria, Hereditary Cutaneous Malignant Melanoma, Hereditary Deafness-Retinitis Pigmentosa, Heritable Disorder of Zinc Deficiency, Hereditary DNS, Hereditary Dystopic Lipidosis, Hereditary Emphysema, Hereditary Fructose Intolerance, Hereditary Hemorrhagic Telangiectasia, Hereditary Hemorrhagic Telangiectasia Type I, Hereditary Hemorrhagic Telangiectasia Type II, Hereditary Hemorrhagic Telangiectasia Type III, Hereditary Hyperuricemia and Choreoathetosis Syndrome, Hereditary Leptocytosis Major, Hereditary Leptocytosis Minor, Hereditary Lymphedema, Hereditary Lymphedema Tarda. Hereditary Lymphedema Type I, Hereditary Lymphedema Type II, Hereditary Motor Sensory Neuropathy, Hereditary Motor Sensory Neuropathy I, Hereditary Motor Sensory Neuropathy Type III, Hereditary Nephritis, Hereditary Nephritis and Nerve Deafness, Hereditary Nephropathic Amyloidosis, Hereditary Nephropathy and Deafness, Hereditary Nonpolyposis Colorectal Cancer, Hereditary Nonpolyposis Colorectal Carcinoma, Hereditary Nonspherocytic Hemolytic Anemia, Hereditary Onychoosteodysplasia, Hereditary Optic Neuroretinopathy, Hereditary Polyposis Coli, Hereditary Sensory and Autonomic Neuropathy Type I, Hereditary Sensory and Autonomic Neuropathy Type II, Hereditary Sensory and Autonomic Neuropathy Type III, Hereditary Sensory Motor Neuropathy, Hereditary Sensory Neuropathy type I, Hereditary Sensory Neuropathy Type I, Hereditary Sensory Neuropathy Type II, Hereditary Sensory Neuropathy Type III, Hereditary Sensory Radicular Neuropathy Type I, Hereditary Sensory Radicular Neuropathy Type I, Hereditary Sensory Radicular Neuropathy Type II, Hereditary Site Specific Cancer, Hereditary Spherocytic Hemolytic Anemia, Hereditary Spherocytosis, Hereditary Tyrosinemia Type 1, Heritable Connective Tissue Disorders, Herlitz Syndrome, Hermans-Herzberg Phakomatosis, Hermansky-Pudlak Syndrome, Hermansky-Pudlak Syndrome, Hermaphroditism, Herpes Zoster, Herpes Iris Stevens-Johnson Type, Hers Disease, Heterozygous Beta Thalassemia, Hexoaminidase Alpha-Subunit Deficiency (Variant B), Hexoaminidase Alpha-Subunit Deficiency (Variant B), HFA, HFM, HGPS, HH, HHHO, HHRH, HHT, Hiatal Hernia-Microcephaly-Nephrosis Galloway Type, Hidradenitis Suppurativa, Hidrosadenitis Axillaris, Hidrosadenitis Suppurativa, Hidrotic Ectodermal Dysplasias, HIE Syndrome, High Imperforate Anus, High Potassium, High Scapula, HIM, Hirschsprung's Disease, Hirschsprung's Disease Acquired, Hirschsprung Disease Polydactyly of Ulnar & Big Toe and VSD, Hirschsprung Disease with Type D Brachydactyly, Hirsutism, HIS Deficiency, Histidine Ammonia-Lyase (HAL) Deficiency, Histidase Deficiency, Histidinemia, Histidinemia, Histiocytosis, Histiocytosis X, HLHS,

HLP Type II, HMG, HMI, HMSN I, HNHA, HOCM, Hodgkin Disease, Hodgkin's Disease, Hodgkin's Lymphoma, Hollaender-Simons Disease, Holmes-Adie Syndrome, Holocarboxylase Synthetase Deficiency, Holoprosencephaly, Holoprosencephaly Malformation Complex, Holoprosencephaly Sequence, Holt-Oram Syndrome, Holt-Oram Type Heart-Hand Syndrome, Homocystinemia, Homocystinuria, Homogentisic Acid Oxidase Deficiency, Homogentisic Acidura, Homozygous Alpha-1-Antitrypsin Deficiency, HOOD, Horner Syndrome, Horton's disease, HOS, HOS1, Houston-Harris Type Achrondrogenesis (Type IA), HPS, HRS, HS, HS, HS, HS, HS, HSAN Type I, HSAN Type II, HSAN-III, HSMN, HSMN Type III, HSN I, HSN-III, Huebner-Herter Disease, Hunner's Patch, Hunner's Ulcer, Hunter Syndrome, Hunter Syndrome, Hunter-Thompson Type Acromesomelic Dysplasia, Huntington's Chorea, Huntington's Disease, Hurler Disease, Hurler Disease, Hurler Syndrome, Hurler-Scheie Syndrome, HUS, HUS, Hutchinson-Gilford Progeria Syndrome, Hutchinson-Gilford Syndrome, Hutchinson-Weber-Peutz Syndrome, Hutchinson-Weber-Peutz Syndrome, Hutterite Syndrome Bowen-Conradi Type, Hyaline Panneuropathy, Hydranencephaly, Hydrocephalus, Hydrocephalus Agyria and Retinal Dysplasia, Hydrocephalus Internal Dandy-Walker Type, Hydrocephalus Noncommunicating Dandy-Walker Type, Hydrocephaly, Hydronephrosis With Peculiar Facial Expression, Hydroxylase Deficiency, Hygroma Colli, Hyper-IgE Syndrome, Hyper-IgM Syndrome, Hyper IgM Syndrome, Hyperaldosteronism, Hyperaldosteronism With Hypokalemic Alkatosis. Hyperaldosteronism Without Hypertension, Hyperammonemia, Hyperammonemia Due to Carbamylphosphate Synthetase Deficiency, Hyperammonemia Due to Ornithine Transcarbamylase Deficiency, Hyperammonemia Type II, Hyper-Beta Carnosinemia, Hyperbilirubinemia I, Hyperbilirubinemia II, Hypercalcemia Familial Nephrocalcinosis and Indicanuria. Hypercalcemia-Supravalvar Aortic Stenosis, Hypercalciuric Rickets, Hypercapnic acidosis, Hypercatabolic Protein-Losing Enteropathy, Hyperchloremic acidosis, Hypercholesterolemia, Hypercholesterolemia Hyperchylomicronemia, Hypercystinuria, Hyperekplexia, Hyperextensible ioints. Hyperglobulinemic Purpura, Hyperglycinemia with Ketoacidosis and Lactic Acidosis Propionic Type, Hyperglycinemia Nonketotic, Hypergonadotropic Hypogonadism. Hyperimmunoglobulin E Syndrome, Hyperimmunoglobulin E-Recurrent Infection Syndrome, Hyperimmunoglobulinemia E-Staphylococcal, Hyperkalemia, Hyperkinetic Syndrome, Hyperlipemic Retinitis. Hyperlipidemia I, Hyperlipidemia IV. Hyperlipoproteinemia Type I, Hyperlipoproteinemia Type III, Hyperlipoproteinemia Type IV, Hyperoxaluria, Hyperphalangy-Clinodactyly of Index Finger with Pierre Robin Syndrome, Hyperphenylalanemia, Hyperplastic Epidermolysis Bullosa, Hyperpnea, Hyperpotassemia, Hyperprebeta-Lipoproteinemia, Hyperprolinemia Type I, Hyperprolinemia Type II, Hypersplenism, Hypertelorism with Esophageal Abnormalities and Hypospadias, Hypertelorism-Hypospadias Syndrome, Hypertrophic Cardiomyopathy, Hypertrophic Interstitial Neuropathy, Hypertrophic Interstitial Neuritis, Hypertrophic Interstitial Radiculoneuropathy, Hypertrophic Neuropathy of Refsum, Hypertrophic Obstructive Cardiomyopathy, Hyperuricemia Choreoathetosis Self-multilation Syndrome, Hyperuricemia-Oligophrenia, Hypervalinemia, Hypocalcified (Hypomineralized) Type, Hypochondrogenesis, Hypochrondroplasia, Hypogammaglobulinemia, Hypogammaglobulinemia Transient of Infancy, Hypogenital Dystrophy with Diabetic Tendency, Hypoglossia-Hypodactylia Syndrome, Hypoglycemia, Hypoglycemia, Exogenous Hypoglycemia, Hypoglycemia with Macroglossia, Hypoglycosylation Syndrome Type 1a, Hypoglycosylation Syndrome Type 1a, Hypogonadism with Anosmia, Hypogonadotropic Hypogonadism and Anosmia, Hypohidrotic Ectodermal Dysplasia, Hypohidrotic Ectodermal Dysplasia Autosomal Dominant type, Hypohidrotic Ectodermal Dysplasias Autorecessive, Hypokalemia, Hypokalemic Alkalosis with Hypercalciuria, Hypokalemic Syndrome, Hypolactasia, Hypomaturation Type (Snow-Capped Teeth), Hypomelanosis of Ito, Hypomelia-Hypotrichosis-Facial Hemangioma Syndrome, Hypomyelination Neuropathy, Hypoparathyroidism, Hypophosphatasia, Hypophosphatemic Rickets with Hypercalcemia, Hypopigmentation, Hypopigmentation, Hypopigmented macular lesion, Hypoplasia of the Depressor Anguli Oris Muscle with Cardiac Defects, Hypoplastic Anemia, Hypoplastic Congenital Anemia, Hypoplastic Chondrodystrophy, Hypoplastic Enamel-Onycholysis-Hypohidrosis, Hypoplastic (Hypoplastic-Explastic) Type, Hypoplastic Left Heart Syndrome, Hypoplastic Left Heart Syndrome, Hypoplastic-Triphalangeal Thumbs, Hypopotassemia Syndrome, Hypospadias-Dysphagia Syndrome, Hyposmia, Hypothalamic Hamartoblastoma Hypopituitarism Imperforate Anus Polydactyly, Hypothalamic Infantilism-Obesity, Hypothyroidism,

Hypotonia-Hypomentia-Hypogonadism-Obesity Syndrome, Hypoxanthine-Guanine Phosphoribosyltranferase Defect (Complete Absense of), I-Cell Disease, Iatrogenic Hypoglycemia, IBGC, IBIDS Syndrome, IBM, IBS, IC, I-Cell Disease, ICD, ICE Syndrome Cogan-Reese Type, Icelandic Type Amyloidosis (Type VI), I-Cell Disease, Ichthyosiform Erythroderma Corneal Involvement and Deafness, Ichthyosiform Erythroderma Hair Abnormality Growth and Men, Ichthyosiform Erythroderma with Leukocyte Vacuolation, Ichthyosis, Ichthyosis Congenita, Ichthyosis Congenital with Trichothiodystrophy, Ichthyosis Hystrix, Ichthyosis Hystrix Gravior, Ichthyosis Linearis Circumflexa, Ichthyosis Simplex, Ichthyosis Tay Syndrome, Ichthyosis Vulgaris, Ichthyosis Vulgaris, Ichthyotic Neutral Lipid Storage Disease, Icteric Leptospirosis, Icterohemorrhagic Leptospirosis, Icterus (Chronic Familial), Icterus Gravis Neonatorum, Icterus Intermittens Juvenalis, Idiopathic Alveolar Hypoventilation, Amyloidosis, Idiopathic Arteritis of Takayasu, Idiopathic Basal Ganglia Calcification (IBGC), Idiopathic Brachial Plexus Neuropathy, Idiopathic Cervical Dystonia, Idiopathic Dilatation of the Pulmonary Artery, Idiopathic Dilatation of the Pulmonary Artery, Idiopathic Facial Palsy, Idiopathic Familial Hyperlipemia, Idiopathic Hypertrophic Subaortic Stenosis, Idiopathic Hypoproteinemia, Idiopathic Immunoglobulin Deficiency, Idiopathic Neonatal Hepatitis, Idiopathic Non-Specific Ulcerative Colitis, Idiopathic Non-Specific Ulcerative Colitis, Idiopathic Peripheral Periphlebitis, Idiopathic Pulmonary Fibrosis, Idiopathic Refractory Sideroblastic Anemia, Idiopathic Refractory Sideroblastic Anemia, Idiopathic Renal Hematuria, Idiopathic Steatorrhea, Idiopathic Thrombocythemia, Idiopathic Thrombocythemia, Idiopathic Thrombocytopenic Purpura, Thrombocytopenia Purpura (ITP), IDPA, IDPA, IgA Nephropathy, IgA Nephropathy, IHSS, Ileitis, Ileocolitis, Illinois Type Amyloidosis, ILS, IM, IMD2, IMD5, IMD5, Immune Defect due to Absence of Thymus, Immune Hemolytic Anemia Paroxysmal Cold. Immunodeficiency with Ataxia Telangiectasia, Immunodeficiency Cellular with Abnormal Immunoglobulin Synthesis, Immunodeficiency Common Variable Unclassifiable, Immunodeficiency with Hyper-IgM, Immunodeficiency with Leukopenia, Immunodeficiency-2, Immunodeficiency-5 (IMD5),Immunoglobulin Deficiency. Imperforate Anus, Imperforate Anus with Hand Foot and Ear Anomalies, Imperforate Nasolacrimal Duct and Premature Aging Syndrome, Impotent Neutrophil Syndrome, Inability To Open Mouth Completely And Short Finger-Flexor, INAD, INAD, Inborn Error of Urea Synthesis Arginase Type, Inborn Error of Urea Synthesis Arginino Succinic Type, Inborn Errors of Urea Synthesis Carbamyl Phosphate Type, Inborn Error of Urea Synthesis Citrullinemia Type, Inborn Errors of Urea Synthesis Glutamate Synthetase Type, INCL, Inclusion body myositis, Incomplete Atrioventricular Septal Defect, Incomplete Testicular Feminization, Incomplete Testicular Feminization, Incontinentia Pigmenti, Incontinentia Pigmenti, Incontinenti Pigmenti Achromians, Index Finger Anomaly with Pierre Robin Syndrome, Indiana Type Amyloidosis (Type II), Indolent systemic mastocytosis, Infantile Acquired Aphasia, Infantile Autosomal Recessive Polycystic Kidney Disease, Infantile Beriberi, Infantile Cerebral Ganglioside, Infantile Cerebral Ganglioside, Infantile Cerebral Paralysis, Infantile Cystinosis, Infantile Epileptic, Infantile Fanconi Syndrome with Cystinosis, Infantile Finnish Type Neuronal Ceroid Lipofuscinosis, Infantile Gaucher Disease, Infantile Infantile Hypoglycemia, Hypophasphatasia, Infantile Lobar Emphysema, Infantile Myoclonic Encephalopathy, Infantile Myoclonic Encephalopathy and Polymyoclonia, Infantile Myofibromatosis, Infantile Necrotizing Encephalopathy, Infantile Neuronal Ceroid Lipofuscinosis, Infantile Neuroaxonal Dystrophy, Infantile Onset Schindler Disease, Infantile Phytanic Acid Storage Disease, Infantile Refsum Disease (IRD), Infantile Sipoidosis GM-2 Gangliosideosis (Type S), Infantile Sipoidosis GM-2 Gangliosideosis (Type S, Infantile Sleep Apnea, Infantile Spasms, Infantile Spinal Muscular Atrophy (all types), Infantile Spinal Muscular Atrophy ALS, Infantile Spinal Muscular Atrophy Type I, Infantile Type Neuronal Ceroid Lipofuscinosis, Infectious Jaundice, Inflammatory Breast Cancer, Inflammatory Linear Nevus Sebaceous Syndrome, Iniencephaly, Insulin Resistant Acanthosis Nigricans, Insulin Lipodystrophy, Insulin dependent Diabetes, Intention Myoclonus, Intermediate Cystinosis, Intermediate Maple Syrup Urine Disease, Intermittent Ataxia with Pyruvate Dehydrogenase Deficiency, Intermittent Ataxia with Pyruvate Dehydrogenase Deficiency, Intermittent Maple Syrup Urine Disease. Hydrocephalus, Interstitial Cystitis, Interstitial Deletion of 4q Included, Interstitial Deletion of 4q- Included, Intestinal Lipodystrophy, Intestinal Lipophagic Granulomatosis, Intestinal Lymphangiectasia, Intestinal Polyposis I, Intestinal Polyposis II, Intestinal Polyposis II, Intestinal Polyposis III, Intestinal Polyposis-Cutaneous Pigmentation

Syndrome, Intestinal Polyposis-Cutaneous Pigmentation Syndrome, Intestinal Pseudoobstruction with External Ophthalmoplegia, Intracranial Neoplasm, Intracranial Tumors, Intracranial Vascular Malformations, Intrauterine Dwarfism, Intrauterine Synechiae, Inverted Smile And Occult Neuropathic Bladder, Iowa Type Amyloidosis (Type IV), IP, IPA, Iridocorneal Endothelial Syndrome, Iridocorneal Endothelial (ICE) Syndrome Cogan-Resse Type, Iridogoniodysgenesis With Somatic Anomalies, Iris Atrophy with Corneal Edema and Glaucoma, Iris Nevus Syndrome, Iron Overload Anemia, Iron Overload Anemia, Iron Overload Disease, Irritable Bowel Syndrome, Irritable Colon Syndrome, Isaacs Syndrome, Isaacs-Merten Syndrome, Ischemic Cardiomyopathy, Isolated Lissencephaly Sequence, Isoleucine 33 Amyloidosis, Isovaleric Acid CoA Dehydrogenase Deficiency, Isovaleric Acidaemia, Isovalericacidemia, Isovaleryl CoA Carboxylase Deficiency, ITO Hypomelanosis, ITO, ITP, ITP, IVA, Ivemark Syndrome, **Iwanoff** Cysts, Jackknife Convulsion, Jackson-Weiss Craniosynostosis, Jackson-Weiss Syndrome, Jacksonian Epilepsy, Jacobsen Syndrome, Jadassohn-Lewandowsky Syndrome, Jaffe-Lichenstein Disease, Jakob's Disease, Jakob-Creutzfeldt Disease, Janeway I, Janeway Dysgammaglobulinemia, Jansen Metaphyseal Dysostosis, Jansen Type Metaphyseal Chondrodysplasia, Jarcho-Levin Syndrome, Jaw-Winking, JBS, JBS, JDMS, Jegher's Syndrome, Jegher's Syndrome, Jejunal Atresia, Jeiunitis, Jeiunoileitis, Jervell and Lange-Nielsen Syndrome, Jeune Syndrome, JMS, Job Syndrome, Job-Buckley Syndrome, Johnson-Blizzard Syndrome, John Dalton, Johnson-Stevens Disease, Jonston's Alopecia, Joseph's Disease, Joseph's Disease Type I, Joseph's Disease Type II, Joseph's Disease Type III, Joubert Syndrome, Joubert-Bolthauser Syndrome, JRA, JRA, Juberg Hayward Syndrome, Juberg-Marsidi Syndrome, Juberg-Marsidi Mental Retardation Syndrome, Jumping Frenchmen, Jumping Frenchmen of Maine, Juvenile Arthritis, Juvenile Arthritis, Juvenile Autosomal Recessive Polycystic Kidney Disease, Juvenile Cystinosis, Juvenile (Childhood) Dermatomyositis (JDMS), Juvenile Diabetes, Juvenile Gaucher Disease, Juvenile Gout Choreoathetosis and Mental Retardation Syndrome, Juvenile Intestinal Malabsorption of Vit B12, Juvenile Intestinal Malabsorption of Vitamin B12, Juvenile Macular Degeneration, Juvenile Pernicious Anemia, Juvenile Retinoschisis, Juvenile Rheumatoid Arthritis, Juvenile Rheumatoid Arthritis, Juvenile Spinal Muscular Atrophy Included, Juvenile Spinal Muscular Atrophy ALS Included, Juvenile Spinal Muscular Atrophy Type III, Juxta-Articular Adiposis Dolorosa, Juxta-Articular Adiposis Dolorosa, Juxtaglomerular Hyperplasia, Kabuki Make-Up Syndrome, Kahler Disease, Kallmann Syndrome, Kanner Syndrome, Kanzaki Disease, Kaposi Disease (not Kaposi Sarcoma), Kappa Light Chain Deficiency, Karsch-Neugebauer Syndrome, Karsch-Neugebauer Syndrome, Kartagener Syndrome-Chronic Sinobronchial Disease and Dextrocardia, Kartagener Triad, Kasabach-Merritt Syndrome, Kast Syndrome, Kawasaki Disease, Kawasaki Syndrome, KBG Syndrome, KD, Kearns-Sayre Disease, Kearns-Sayre Syndrome, Kennedy Disease, Kennedy Syndrome, Kennedy Type Spinal and Bulbar Muscular Atrophy, Kennedy-Stefanis Disease, Kenny Disease, Kenny Syndrome, Kenny Type Tubular Stenosis, Kenny-Caffe Syndrome, Kera. Palmoplant. Con. Pes Planus Ony. Periodon. Arach., Keratitis Ichthyosis Deafness Syndrome, Keratoconus, Keratoconus, Keratoconus Posticus Circumscriptus, Keratolysis, Keratolysis Exfoliativa Congenita, Keratolytic Winter Erythema, Keratomalacia, Keratosis Follicularis, Keratosis Follicularis Spinulosa Decalvans, Keratosis Follicularis Spinulosa Decalvans Ichthyosis, Keratosis Nigricans, Keratosis Palmoplantaris with Periodontopathia and Onychogryposis, Keratosis Palmoplantaris Congenital Pes Planus Onychogryposis Periodontosis Arachnodactyly, Keratosis Palmoplantaris Congenital, Pes Planus, Onychogryphosis, Periodontosis, Arachnodactyly, Acroosteolysis, Keratosis Rubra Figurata, Keratosis Seborrheica, Ketoacid Decarboxylase Deficiency, Ketoaciduria, Ketotic Glycinemia, Ketotic Glycinemia, KFS, KID Syndrome, Kidney Agenesis, Kidneys Cystic-Retinal Aplasia Joubert Syndrome, Killian Syndrome, Killian/Teschler-Nicola Syndrome, Kiloh-Nevin syndrome III, Kinky Hair Disease, Kinsbourne Syndrome, Kleeblattschadel Deformity, Kleine-Levin Syndrome, Kleine-Levin Hibernation Syndrome, Klinefelter, Klippel-Feil Syndrome, Klippel-Feil Syndrome Type I, Klippel-Feil Syndrome Type II, Klippel-Feil Syndrome Type III, Klippel Trenaunay Syndrome, Klippel-Trenaunay-Weber Syndrome, Kluver-Bucy Syndrome, KMS, Kniest Dysplasia, Kniest Syndrome, Kobner's Disease, Koebberling-Dunnigan Syndrome, Kohlmeier-Degos Disease, Kok Disease, Korsakoff Psychosis, Korsakoff's Syndrome, Krabbe's Disease Included, Krabbe's Leukodystrophy, Kramer Syndrome, KSS, KSS, KTS, KTW Syndrome, Kufs Disease, Kugelberg-Welander Disease, Kugelberg-Welander Disease, Kugelberg-Welander Syndrome, Kugelberg-Welander Syndrome, Kugelberg-Welander Syndrome, Kussmaul-Landry Paralysis, KWS, L-3-Hydroxy-Acyl-CoA Dehydrogenase (LCHAD) Deficiency, Laband Syndrome, Labhart-Willi Syndrome, Labyrinthine Syndrome, Labyrinthine Hydrops, Lacrimo-Auriculo-Dento-Digital Syndrome, Lactase Isolated Intolerance, Lactase Deficiency, Lactation-Uterus Atrophy, Lactic Acidosis Leber Hereditary Optic Neuropathy, Lactic and Pyruvate Acidemia with Carbohydrate Sensitivity, Lactic and Pyruvate Acidemia with Episodic Ataxia and Weakness, Lactic and Pyruvate Acidemia with Carbohydrate Sensitivity, Lactic and Pyruvate, Lactic acidosis, Lactose Intolerance of Adulthood, Lactose Intolerance, Lactose Intolerance of Childhood, Lactose Intolerance, LADD Syndrome, LADD, Lafora Disease Included, Lafora Body Disease, Laki-Lorand Factor Deficiency, LAM, Lambert Type Ichthyosis, Lambert-Eaton Syndrome, Lambert-Eaton Myasthenic Syndrome, Lamellar Recessive Ichthyosis, Lamellar Recessive Ichthyosis, Lamellar Ichthyosis, Lamellar Recessive Ichthyosis, Lancereaux-Mathieu-Weil Spirochetosis, Landau-Kleffner Syndrome, Landouzy Dejerine Muscular Dystrophy, Landry Ascending Paralysis, Langer-Salidino Type Achondrogensis (Type II), Langer Giedion Syndrome, Langerhans-Cell Granulomatosis, Langerhans-Cell Histiocytosis (LCH), Large Atrial and Ventricular Defect, Laron Dwarfism, Laron Type Pituitary Dwarfism, Larsen Syndrome, Laryngeal Dystonia, Latah (Observed in Malaysia), Late Infantile Neuroaxonal Dystrophy, Late Infantile Neuroaxonal Dystrophy, Late Onset Cockayne Syndrome Type III (Type C), Late-Onset Dystonia, Late-Onset Immunoglobulin Deficiency, Late-Onset Immunoglobulin Deficiency, Late Onset Pelizaeus-Merzbacher Brain Sclerosis, Lattice Corneal Dystrophy, Lattice Dystrophy, Launois-Bensaude, Launois-Cleret Syndrome, Laurence Syndrome, Laurence-Moon Syndrome, Laurence-Moon/Bardet-Biedl, Lawrence-Seip Syndrome, LCA, LCAD Deficiency, LCAD, LCAD, LCAD, LCADH Deficiency, LCH, LCHAD, LCHAD, LCPD, Le Jeune Syndrome, Leband Syndrome, Leber's Amaurosis, Leber's Congenital Amaurosis, Congenital Absence of the Rods and Cones, Leber's Congenital Tapetoretinal Degeneration, Leber's Congenital Tapetoretinal Dysplasia, Leber's Disease, Leber's Optic Atrophy, Leber's Optic Neuropathy, Left Ventricular Fibrosis, Leg Ulcer, Legg-Calve-Perthes Disease, Leigh's Disease, Leigh's Syndrome, Leigh's Syndrome (Subacute Necrotizing Encephalomyelopathy), Leigh Necrotizing Encephalopathy, Lennox-Gastaut Syndrome, Lentigio-Polypose-Digestive Syndrome, Lenzigio-Polypose-Digestive Syndrome, Lenz Dysmorphogenetic Syndrome, Lenz Dysplasia, Lenz Microphthalmia Syndrome, Lenz Syndrome, LEOPARD Syndrome, Leprechaunism, Leprechaunism, Leptomeningeal Angiomatosis, Leptospiral Jaundice, Leri-Weill Disease, Leri-Weil Dyschondrosteosis, Leri-Weil Syndrome, Lermoyez Syndrome, Leroy Disease, Lesch Nyhan Syndrome, Lethal Infantile Cardiomyopathy, Lethal Neonatal Dwarfism, Lethal Osteochondrodysplasia, Letterer-Siwe Disease, Leukocytic Anomaly Albinism, Leukocytic Inclusions with Platelet Abnormality, Leukodystrophy, Leukodystrophy with Rosenthal Fibers, Leukoencephalitis Periaxialis Concentric, Levine-Critchley Syndrome, Levulosuria, Levy-Hollister Syndrome, LGMD, LGS, LHON, LHON, LIC, Lichen Ruber Acuminatus, Lichen Acuminatus, Lichen Amyloidosis, Lichen Planus, Lichen Psoriasis, Lignac-Debre-Fanconi Syndrome, Lignac-Fanconi Syndrome, Ligneous Conjunctivitis, Limb-Girdle Muscular Dystrophy, Limb Girdle Muscular Dystrophy, Malformations-Dento-Digital Limit Syndrome, Dextrinosis. Linear Nevoid Hypermelanosis, Linear Nevus Sebacous Syndrome, Linear Scleroderma, Linear Sebaceous Nevus Sequence, Linear Sebaceous Nevus Syndrome, Lingua Fissurata, Lingua Plicata, Lingua Scrotalis, Linguofacial Dyskinesia, Lip Pseudocleft-hemangiomatous Branchial Cyst Syndrome, Lipid Granulomatosis, Lipid Histiocytosis, Lipid Kerasin Type, Lipid Storage Disease, Lipid-Storage Myopathy Associated with SCAD Deficiency, Lipidosis Ganglioside Infantile, Lipidosis Ganglioside Infantile, Lipoatrophic Diabetes Lipodystrophy, Lipoid Corneal Dystrophy, Lipoid Hyperplasia-Male Pseudohermaphroditism, Lipoid Hyperplasia-Male Pseudohermaphroditism, Lipomatosis of Pancreas Congenital, Lipomucopolysaccharidosis Type I, Lipomyelomeningocele, Lipoprotein Lipase Deficiency Familial, LIS, LIS1, Lissencephaly 1, Lissencephaly Type I, Lissencephaly variants with agenesis of the corpus callosum cerebellar hypoplasia or other anomalies, Little Disease, Liver Phosphorylase Deficiency, LKS, LM Syndrome, Lobar Atrophy, Lobar Atrophy of the Brain, Lobar Holoprosencephaly, Lobar Tension Emphysema in Infancy, Lobstein Disease (Type I), Lobster Claw Deformity, Lobster Claw Deformity, Localized Epidermolysis Bullosa, Localized Lipodystrophy, Localized Neuritis of the Shoulder Girdle, Loeffler's Disease, Loeffler Endomyocardial Fibrosis with Eosinophilia, Loeffler Fibroplastic Parietal Endocarditis, Loken Syndrome, Loken-Senior Syndrome, Long-Chain 3-hydroxyacyl-CoA Dehydrogenase (LCHAD), Long Chain Acyl CoA Dehydrogenase Deficiency, Long-Chain Acyl-CoA Dehydrogenase (ACADL), Long-Chain Acyl-CoA Dehydrogenase Deficiency, Long QT Syndrome without Deafness, Lou Gehrig's Disease, Lou Gehrig's Disease Included, Louis-Bar Syndrome, Low Blood Sugar, Low-Density Beta Lipoprotein Deficiency, Low Imperforate Anus, Low Potassium Syndrome, Lowe syndrome, Lowe-Bickel Syndrome, Lowe-Terry-MacLachlan Syndrome, LS, LS, LTD, Lubs Syndrome, Lubs Syndrome, Luft Disease, Lumbar Canal Stenosis, Lumbar Spinal Stenosis, Lumbosacral Spinal Stenosis, Lundborg-Unverricht Disease, Lundborg-Unverricht Disease Included, Lupus, Lupus, Lupus Erythematosus, Luschka-Magendie Foramina Atresia, Lyell Syndrome, Lyelles Syndrome, Lymphadenoid Goiter, Lymphangiectatic Protein-Losing Enteropathy, Lymphangioleiomatosis, Lymphangioleimyomatosis, Lymphangiomas, Lymphatic Malformations, Lynch Syndromes, Lynch Syndrome I, Lynch Syndrome II, Lysosomal Alpha-N-Acetylgalactosaminidase Deficiency Schindler Type, Lysosomal Glycoaminoacid Storage Disease-Angiokeratoma Corporis Diffusum, Lysosomal Glucosidase Deficiency, Lysosomal Glucosidase Deficiency, MAA, Machado Disease, Machado-Joseph Disease, Macrencephaly, Macrocephaly, Macrocephaly Hemihypertrophy, Macrocephaly with Multiple Lipomas and Hemangiomata, Macrocephaly with Pseudopapilledema and Multiple Hemangiomata, Macroglobulinemia, Macroglossia, Macroglossia-Omphalocele-Visceromegaly Syndrome, Macrostomia Ablepheron Syndrome, Macrothrombocytopenia Familial Bernard-Soulier Type, Macula Lutea degeneration, Macular Amyloidosis, Macular Degeneration, Macular Degeneration Disciform, Macular Degeneration Senile, Macular Dystrophy, Macular Type Corneal Dystrophy, MAD, MAD, Madelung's Disease, Maffucci Syndrome, Major Epilepsy, Malabsorption, Malabsorption-Ectodermal Dysplasia-Nasal Alar Hypoplasia, Maladie de Roger, Maladie de Tics, Male Malformation of Limbs and Kidneys, Male Turner Syndrome, Malignant Acanthosis, Malignant Acanthosis Nigricans, Malignant Astrocytoma, Malignant Atrophic Papulosis, Malignant Fever. Malignant Hyperphenylalaninemia, Malignant Hyperphenylalaninemia, Malignant Hyperpyrexia, Malignant Hyperthermia, Malignant Melanoma, Malignant Tumors of the Central Nervous System, Mallory-Weiss Laceration, Mallory-Weiss Tear, Mallory-Weiss Syndrome, Mammary Paget's Disease, Mandibular Ameloblastoma, Mandibulofacial Dysostosis, Mannosidosis, Map-Dot-Fingerprint Type Corneal Dystrophy, Maple Syrup Urine Disease, Maple Syrup Urine Disease, Marble Bones, Marchiafava-Micheli Syndrome, Marcus Gunn Jaw-Winking Syndrome, Marcus Gunn Phenomenon, Marcus Gunn Ptosis with jawwinking, Marcus Gunn Syndrome, Marcus Gunn (Jaw-Winking) Syndrome, Marcus Gunn Ptosis (with jaw-winking), Marden-Walker Syndrome, Marden-Walker Type Connective Tissue Disorder, Marfan's Abiotrophy, Marfan-Achard syndrome, Marfan Syndrome, Marfan Syndrome, Marfan's Syndrome I, Marfan's Variant, Marfan-Achard syndrome, Marfanoid Hypermobility Syndrome, Marginal Corneal Dystrophy, Marie's Ataxia, Marie's Ataxia, Marie Disease, Marie-Sainton Disease, Marie Strumpell Disease, Marie-Strumpell Marinesco-Sjogren Syndrome, Marinesco-Sjogren-Gorland Spondylitis, Syndrome, Marker X Syndrome, Maroteaux Lamy Syndrome, Maroteaux Type Acromesomelic Dysplasia, Marshall's Ectodermal Dysplasias With Ocular and Hearing Defects, Marshall-Smith Syndrome, Marshall Type Deafness-Myopia-Cataract-Saddle Nose, Martin-Albright Syndrome, Martin-Bell Syndrome, Martorell Syndrome, MASA Syndrome, Massive Myoclonia, Mast Cell Leukemia, Mastocytosis, Mastocytosis With an Associated Hematologic Disorder, Maumenee Corneal Dystrophy, Maxillary Ameloblastoma, Maxillofacial Dysostosis, Maxillonasal Dysplasia, Maxillonasal Dysplasia Binder Type, Maxillopalpebral Synkinesis, May-Hegglin Anomaly, MCAD Deficiency, MCAD, MCAD, MCAD, McArdle Disease, McCune-Albright, MCD, McKusick Type Metaphyseal Chondrodysplasia, McKusick Type Metaphyseal Chondrodysplasia, MCR, MCTD, Meckel Syndrome, Meckel-Gruber Syndrome, Median Cleft Face Syndrome, Mediterranean Anemia, Medium-Chain Acyl-CoA dehydrogenase (ACADM), Medium Chain Acyl-CoA Dehydrogenase (MCAD) Deficiency, Medium-Chain Acyl-CoA Dehydrogenase Deficiency, Medium Chain Acyl CoA Dehydrogenase Deficiency, Medullary Cystic Disease, Medullary Cystic Disease, Medullary Sponge Kidney, MEF, Megaesophagus, Megalencephaly, Megalencephaly with Hyaline Inclusion, Megalencephaly with Hyaline Panneuropathy, Megaloblastic Anemia, Megaloblastic Anemia of Pregnancy, Megalocornea-Mental Retardation Syndrome, Meier-Gorlin Syndrome. Meige's Lymphedema, Meige's Syndrome, Melanodermic Leukodystrophy, Melanoplakia-Intestinal Polyposis, Melanoplakia-Intestinal Polyposis, MELAS Syndrome, MELAS, Melkersson Syndrome, Melnick-Fraser Syndrome, MelnickNeedles Osteodysplasty, Melnick-Needles Syndrome, Membranous Lipodystrophy, Mendes Da Costa Syndrome, Meniere Disease, Ménière's Disease, Meningeal Capillary Angiomatosis, Menkes Disease, Menke's Syndrome I, Mental Retardation Aphasia Shuffling Gait Adducted Thumbs (MASA), Mental Retardation-Deafness-Skeletal Abnormalities-Coarse Face with Full Lips, Mental Retardation with Hypoplastic 5th Fingernails and Toenails, Mental Retardation with Osteocartilaginous Abnormalities, Mental Retradation-X-linked with Growth Delay-Deafness-Microgenitalism, Menzel Type OPCA, Mermaid Syndrome, MERRF, MERRF Syndrome, MERRF, Merten-Singleton Syndrome, MES, Mesangial IGA Nephropathy, Mesenteric Lipodystrophy, Mesiodens-Cataract Syndrome, Mesodermal Dysmorphodystrophy, Mesomelic Dwarfism-Madelung Deformity, Metabolic Acidosis, Metachromatic Leukodystrophy, Metatarsus Varus, Metatropic Dwarfism Syndrome, Metatropic Dysplasia, Metatropic Dysplasia I, Metatropic Dysplasia II, Methylmalonic Acidemia, Methylmalonic Meulengracht's Disease, MFD1, MG, MH, MHA, Micrencephaly, Microcephalic Primordial Dwarfism I, Microcephaly, Microcephaly-Hiatal Hernia-Nephrosis Galloway Type, Microcephaly-Hiatal Hernia-Nephrotic Syndrome, Microcystic Corneal Dystrophy, Microcythemia, Microlissencephaly, Microphthalmia, Microphthalmia or Anophthalmos with Associated Anomalies, Micropolygyria With Muscular Dystrophy, Microtia Absent Patellae Micrognathia Syndrome, Microvillus Inclusion Disease, MID, Midsystolic-click-late systolic murmur syndrome, Miescher's Type I Syndrome, Mikulicz Syndrome, Mikulicz-Radecki Syndrome, Mikulicz-Sjogren Syndrome, Mild Autosomal Recessive, Mild Intermediate Maple Syrup Urine Disease, Mild Maple Syrup Urine Disease, Miller Syndrome, Miller-Dieker Syndrome, Miller-Fisher Syndrome, Milroy Disease, Minkowski-Chauffard Syndrome, Minor Epilepsy, Minot-Von Willebrand Disease, Mirror-Image Dextrocardia, Mitochondrial Beta-Oxidation Disorders. Mitrochondrial and Cytosolic, Mitochondrial Cytopathy, Mitochondrial Cytopathy, Kearn-Sayre Type, Mitochondrial Encephalopathy, Mitochondrial Encephalomyopathy Lactic Acidosis and Strokelike Episodes, Mitochondrial Myopathy, Mitochondrial Myopathy Encephalopathy Lactic Acidosis Stroke-Like Episode, Mitochondrial PEPCK Deficiency, Mitral-valve prolapse, Mixed Apnea, Mixed Connective Tissue Disease, Mixed Connective Tissue Disease, Mixed Hepatic Porphyria, Mixed Non-Fluent Aphasia, Mixed

Sleep Apnea, Mixed Tonic and Clonic Torticollis, MJD, MKS, ML I, ML II, ML II, ML III, ML IV, ML Disorder Type I, ML Disorder Type III, ML Disorder Type III, ML Disorder Type IV, MLNS, MMR Syndrome, MND, MNGIE, MNS, Mobitz I, Mobitz II, Mobius Syndrome, Moesius Syndrome, Moersch-Woltmann Syndrome, Mohr Syndrome, Monilethrix, Monomodal Visual Amnesia, Mononeuritis Multiplex, Mononeuritis Peripheral, Monosomy 3p2, Monosomy 9p Partial, Monosomy 11q Partial, Monosomy 13q Partial, Monosomy 18q Syndrome, Monosomy X, Monostotic Fibrous Dysplasia, Morgagni-Turner-Albright Syndrome, Morphea, Morquio Disease, Morquio Syndrome A, Morquio Syndrome B, Morquio-Brailsford Syndrome, Morvan Disease, Mosaic Tetrasomy 9p, Motor Neuron Disease, Motor Neuron Disease, Motor Neuron Syndrome, Motor Neurone Disease, Motoneuron Disease, Motoneurone Disease, Motor System Disease (Focal and Slow), Moya-moya Disease, Moyamoya Disease, MPS, MPS I, MPS I H, MPS 1 H/S Hurler/Scheie Syndrome, MPS I S Scheie Syndrome, MPS II, MPS IIA, MPS IIB, MPS II-AR Autosomal Recessive Hunter Syndrome, MPS II-XR, MPS II-XR Severe Autosomal Recessive, MPS III, MPS III A B C and D Sanfiloppo A, MPS IV, MPS IV A and B Morquio A, MPS V, MPS VI, MPS VI Severe Intermediate Mild Maroteaux-Lamy, MPS VII, MPS VII Sly Syndrome, MPS VIII, MPS Disorder, MPS Disorder II, MPS Disorder II, MPS Disorder III, MPS Disorder VI, MPS Disorder Type VII, MRS, MSA, MSD, MSL, MSS, MSUD, MSUD, MSUD Type Ib, MSUD Type II, Mucocutaneous Lymph Node Syndrome, Mucolipidosis I, Mucolipidosis II, Mucolipidosis III, Mucolipidosis IV, Mucopolysaccharidosis, Mucopolysaccharidosis I-H, Mucopolysaccharidosis I-S, Mucopolysaccharidosis II, Mucopolysaccharidosis III, Mucopolysaccharidosis IV, Mucopolysaccharidosis VII, Mucopolysaccharidosis VII, Mucopolysaccharidosis Type I, Mucopolysaccharidosis Type II, Mucopolysaccharidosis Type III, Mucopolysaccharidosis Type VII, Mucosis, Mucosulfatidosis, Mucous Colitis, Mucoviscidosis, Mulibrey Dwarfism, Mulibrey Nanism Syndrome, Mullerian Duct Aplasia-Renal Aplasia-Cervicothoracic Somite Dysplasia, Mullerian Duct-Renal-Cervicothoracic-Upper Limb Defects, Mullerian Duct and Renal Agenesis with Upper Limb and Rib Anomalies, Mullerian-Renal-Cervicothoracic Somite Abnormalities, Multi-Infarct Dementia Binswanger's Type, Multicentric Castleman's Disease, Multifocal Eosinophilic Granuloma, Multiple Acyl-CoA Dehydrogenase Deficiency, Multiple Acyl-CoA Dehydrogenase Deficiency, Multiple Acyl-CoA Dehydrogenase Deficiency / Glutaric Aciduria Type II, Multiple Angiomas and Endochondromas, Multiple Carboxylase Deficiency, Multiple Cartilaginous Enchondroses, Multiple Cartilaginous Exostoses, Multiple Enchondromatosis, Multiple Endocrine Deficiency Syndrome Type II, Multiple Epiphyseal Dysplasia, Multiple Exostoses, Multiple Exostoses Syndrome, Multiple Familial Polyposis, Multiple Lentigines Syndrome, Multiple Myeloma, Multiple Neuritis of the Shoulder Girdle, Multiple Osteochondromatosis, Multiple Peripheral Neuritis, Multiple Polyposis of the Colon, Multiple Pterygium Syndrome, Multiple Sclerosis, Multiple Sclerosis, Multiple Sulfatase Deficiency, Multiple Symmetric Lipomatosis, Multiple System Atrophy, Multisynostotic Osteodysgenesis, Multisynostotic Osteodysgenesis with Long Bone Fractures, Mulvihill-Smith Syndrome, MURCS Association, Murk Jansen Type Metaphyseal Chondrodysplasia, Muscle Carnitine Deficiency, Muscle Core Disease, Muscle Phosphofructokinase Deficiency, Muscular Central Core Disease, Muscular Dystrophy, Muscular Dystrophy Classic X-linked Recessive, Muscular Dystrophy Congenital With Central Nervous System Involvement, Muscular Dystrophy Congenital Progressive with Mental Retardation, Muscular Dystrophy Facioscapulohumeral, Muscular Rheumatism, Muscular Rigidity - Progressive Spasm, Musculoskeletal Pain Syndrome, Mutilating Acropathy, Mutilating Acropathy, Mutism, mvp, MVP, MWS, Myasthenia Gravis, Myasthenia Gravis, Myasthenia Gravis Pseudoparalytica, Myasthenic Syndrome of Lambert-Eaton, Myelinoclastic Diffuse Sclerosis, Myelomatosis, Myhre Syndrome, Myoclonic Astatic Petit Mal Epilepsy, Myoclonic Dystonia, Myoclonic Encephalopathy of Infants, Myoclonic Epilepsy, Myoclonic Epilepsy Hartung Type, Myoclonus Epilepsy Associated with Ragged Red Fibers, Myoclonic Epilepsy and Ragged-Red Fiber Disease, Myoclonic Progressive Familial Epilepsy, Myoclonic Progressice Familial Epilepsy, Myoclonic Seizure, Myoclonus, Myoclonus Epilepsy, Myoencephalopathy Ragged-Red Fiber Disease, Myofibromatosis, Myofibromatosis Congenital, Myogenic Facio-Scapulo-Peroneal Myoneurogastointestinal Disorder and Encephalopathy, Syndrome, Myopathic Arthrogryposis Multiplex Congenita, Myopathic Carnitine Deficiency, Myopathy Central Fibrillar, Myopathy Congenital Nonprogressive, Myopathy Congenital Nonprogressive with Central Axis, Myopathy with Deficiency of Carnitine Palmitoyltransferase, Myopathy-Marinesco-Sjogren Syndrome, Myopathy-Metabolic Carnitine Palmitoyltransderase Deficiency, Myopathy Mitochondrial-Encephalopathy-Lactic Acidosis-Stroke, Myopathy with Sarcoplasmic Bodies and Intermediate Filaments, Myophosphorylase Deficiency, Myositis Ossificans Progressiv, Myotonia Atrophica. Myotonia Congenita, Myotonia Congenita Intermittens, Myotonic Dystrophy, Myotonic Myopathy Dwarfism Chondrodystrophy Ocular and Facial Anomalies, Myotubular Myopathy, Myotubular Myopathy X-linked, Myproic Acid, Myriachit (Observed in Siberia), Myxedema, N-Acetylglucosamine-1-Phosphotransferase Deficiency, N-Acetyl Glutamate Synthetase Deficiency, NADH-CoQ reductasedeficiency, Naegeli Ectodermal Dysplasias, Nager Syndrome, Nager Acrofacial Dysostosis Syndrome, Nager Acrofacial Dysostosis Syndrome, Nager Syndrome, NAGS Deficiency, Nail Dystrophy-Deafness Syndrome, Nail Dysgenesis and Hypodontia, Nail-Patella Syndrome, Nance-Horan Nanocephalic Dwarfism, Nanocephaly, Nanophthalmia, Syndrome, Narcoleptic syndrome, NARP, Nasal-fronto-faciodysplasia, Nasal Alar Hypoplasia Hypothyroidism Pancreatic Achylia Congenital Deafness, Nasomaxillary Hypoplasia, Nasu Lipodystrophy, NBIA1, ND, NDI, NDP, Necrotizing Encephalomyelopathy of Leigh's, Necrotizing Respiratory Granulomatosis, Neill-Dingwall Syndrome, Nelson Nemaline Syndrome, Myopathy, Neonatal Adrenoleukodystrophy, Neonatal Adrenoleukodystrophy (NALD), Neonatal Adrenoleukodystrophy (ALD), Neonatal Autosomal Recessive Polycystic Kidney Disease, Neonatal Dwarfism, Neonatal Hepatitis, Neonatal Hypoglycemia, Neonatal Lactose Intolerance, Neonatal Lymphedema due to Exudative Enteropathy, Neonatal Progeroid Syndrome, Neonatal Pseudo-Hydrocephalic Syndrome of Wiedemann-Rautenstrauch, Neoplastic Arachnoiditis, Nephroblastom, Nephrogenic Diabetes Insipidus, Nephronophthesis Familial Juvenile, Nephronophthesis Familial Juvenile, Nephropathic Cystinosis, Nephropathy-Pseudohermaphroditism-Wilms Tumor, Nephrosis-Microcephaly Syndrome, Nephrosis-Neuronal Dysmigration Syndrome, Nephrotic-Glycosuric-Dwarfism-Rickets-Hypophosphatemic Syndrome, Netherton Disease, Netherton Syndrome, Netherton Syndrome Ichthyosis, Nettleship Falls Syndrome (X-Linked), Neu-Laxova Syndrome. Neuhauser Syndrome, Neural-tube defects, Neuralgic Amyotrophy, Neuralgic Amyotrophy, Neuraminidase Deficiency, Neuraocutaneous melanosis, Neurinoma of the Acoustic Nerve, Neurinoma, Neuroacanthocytosis, Neuroaxonal Dystrophy Schindler Type, Neurodegeneration with brain iron accumulation type 1 (NBIA1), Neurofibroma of the Acoustic Nerve, Neurogenic Arthrogryposis Multiplex Congenita, Neuromyelitis Optica, Neuromyotonia, Neuromyotonia, Focal, Neuromyotonia, Generalized, Familial, Neuromytonia, Generalized, Sporadic, Neuronal Axonal Dystrophy Schindler Type, Neuronal Ceroid Lipofuscinosis Adult Type, Neuronal Ceroid Lipofuscinosis Juvenile Type, Neuronal Ceroid Lipofuscinosis Type 1, Neuronopathic Acute Gaucher Disease, Neuropathic Amyloidosis, Neuropathic Beriberi, Neuropathy Ataxia and Retinitis Pigmentosa, Neuropathy of Brachialpelxus Syndrome, Neuropathy Hereditary Sensory Type I, Neuropathy Hereditary Sensory Type II, Neutral Lipid Storage Disease, Nevii, Nevoid Basal Cell Carcinoma Syndrome, Nevus, Nevus Cavernosus, Nevus Comedonicus, Nevus Depigmentosus, Nevus Sebaceous of Jadassohn, Nezelof's Syndrome, Nezelof's Thymic Aplasia, Nezelof Type Severe Combined Immunodeficiency, NF, NF1, NF2, NF-1, NF-2, NHS, Niemann Pick Disease, Nieman Pick disease Type A (acute neuronopathic form), Nieman Pick disease Type B, Nieman Pick Disease Type C (chronic neuronopathic form), Nieman Pick disease Type D (Nova Scotia variant), Nieman Pick disease Type E, Nieman Pick disease Type F (sea-blue histiocyte disease), Night Blindness, Nigrospinodentatal Degeneration, Niikawakuroki Syndrome, NLS, NM, Noack Syndrome Type I, Nocturnal Myoclonus Hereditary Essential Myoclonus, Nodular Cornea Degeneration, Non-Bullous CIE, Non-Bullous Congenital Ichthyosiform Erythroderma, Non-Communicating Hydrocephalus, Non-Deletion Type Alpha-Thalassemia / Mental Retardation syndrome, Non-Ketonic Hyperglycinemia Type I (NKHI), Non-Ketotic Hyperglycinemia, Non-Lipid Reticuloendotheliosis, Non-Neuronopathic Chronic Adult Gaucher Disease, Non-Scarring Epidermolysis Bullosa, Nonarteriosclerotic Cerebral Calcifications, Nonarticular Rheumatism, Noncerebral, Juvenile Gaucher Disease, Nondiabetic Glycosuria, Nonischemic Cardiomyopathy, Nonketotic Hypoglycemia and Carnitine Deficiency due to MCAD Deficiency, Nonketotic Hypoglycemia Caused by Deficiency of Acyl-CoA Dehydrogenase, Nonketotic Glycinemia, Nonne's Syndrome, Nonne-Milroy-Meige Syndrome, Nonopalescent Opalescent Dentine, Nonpuerperal Galactorrhea-Amenorrhea, Nonsecretory Myeloma, Nonspherocytic Hemolytic Anemia,

Nontropical Sprue, Noonan Syndrome, Norepinephrine, Normal Pressure Hydrocephalus, Norman-Roberts Syndrome, Norrbottnian Gaucher Disease, Norrie Disease, Norwegian Type Hereditary Cholestasis, NPD, NPS, NS, NSA, Nuchal Dystonia Dementia Syndrome, Nutritional Neuropathy, Nyhan Syndrome, OAV Spectrum, Obstructive Apnea, Obstructive Hydrocephalus, Obstructive Sleep Apnea, OCC Syndrome, Occlusive Thromboaortopathy, OCCS, Occult Intracranial Vascular Malformations, Occult Spinal Dysraphism Sequence, Ochoa Syndrome, Ochronosis, Ochronotic Arthritis, OCR, OCRL, Octocephaly, Ocular Albinism, Ocular Herpes, Ocular Myasthenia Gravis, Oculo-Auriculo-Vertebral Dysplasia, Oculo-Auriculo-Vertebral Spectrum, Oculo-Bucco-Genital Syndrome, Oculocerebral Syndrome with Hypopigmentation, Oculocerebrocutaneous Oculo-Cerebro-Renal, Oculocerebrorenal Dystrophy, Oculocerebrorenal Syndrome. Oculocraniosomatic Syndrome (obsolete), Syndrome, Oculocutaneous Albinism, Oculocutaneous Albinism Chediak-Higashi Type, Oculo-Dento-Digital Dysplasia, Oculo-Dento-Digital Dysplasia, Oculodentodigital Syndrome, Oculo-Dento-Osseous Dysplasia, Oculo-Dento-Osseous Dysplasia, Oculo Gastrointestinal Muscular Dystrophy, Oculo Gastrointestinal Muscular Dystrophy, Oculogastrointestinal Muscular Dystrophy, Oculomandibulodyscephaly with hypotrichosis. Oculomandibulofacial Syndrome. Oculomotor with Congenital Contractures and Muscle Atrophy, Oculosympathetic Palsy, ODD Syndrome, ODD Syndrome, ODOD, Odontogenic ODOD. Tumor, Odontotrichomelic Syndrome, OFD, OFD Syndrome, Ohio Type Amyloidosis (Type VII), OI, OI Congenita, OI Tarda, Oldfield Syndrome, Oligohydramnios Sequence, Oligophrenia Microphthalmos, Oligophrenic Polydystrophy, Olivopontocerebellar Atrophy, Olivopontocerebellar Atrophy, Olivopontocerebellar Atrophy with Dementia and Extrapyramidal Signs, Olivopontocerebellar Atrophy with Retinal Degeneration, Olivopontocerebellar Atrophy I, Olivopontocerebellar Atrophy II, Olivopontocerebellar Atrophy III, Olivopontocerebellar Atrophy IV, Olivopontocerebellar Atrophy V, Ollier Disease, Ollier Osteochondromatosis, Omphalocele-Visceromegaly-Macroglossia Syndrome, Ondine's Curse, Onion-Bulb Neuropathy, Onion Bulb Polyneuropathy, Onychoosteodysplasia, Onychotrichodysplasia with Neutropenia, OPCA, OPCA I, OPCA II, OPCA III, OPCA IV, OPCA V, OPD Syndrome, OPD Syndrome Type I, OPD Syndrome Type II, OPD I Syndrome, OPD II Syndrome, Ophthalmoarthropathy,

Ophthalmoplegia-Intestinal Pseudoobstruction, Ophthalmoplegia, **Pigmentary** Degeneration of the Retina and Cadiomyopathy, Ophthalmoplegia Plus Syndrome, Ophthalmoplegia Syndrome, Opitz BBB Syndrome, Opitz BBB/G Compound Syndrome, Opitz BBBG Syndrome, Opitz-Frias Syndrome, Opitz G Syndrome, Opitz G/BBB Syndrome, Opitz Hypertelorism-Hypospadias Syndrome, Opitz-Kaveggia Syndrome, Opitz Oculogenitolaryngeal Syndrome, Opitz Trigonocephaly Syndrome, Opitz Syndrome, Opsoclonus, Opsoclonus-Myoclonus, Opthalmoneuromyelitis, Optic Atrophy Polyneuropathy and Deafness, Optic Neuroencephalomyelopathy, Optic Neuromyelitis, Opticomyelitis, Optochiasmatic Arachnoiditis, Oral-Facial Clefts, Oral-facial Dyskinesia, Oral Facial Dystonia, Oral-Facial-Digital Syndrome, Oral-Facial-Digital Syndrome Type I, Oral-Facial-Digital Syndrome I, Oral-Facial-Digital Syndrome II, Oral-Facial-Digital Syndrome III, Oral-Facial-Digital Syndrome IV, Orbital Cyst with Cerebral and Focal Dermal Malformations, Ornithine Carbamyl Transferase Deficiency, Transcarbamylase Deficiency, Orocraniodigital Syndrome, Orofaciodigital Syndrome, Oromandibular Dystonia, Orthostatic Hypotension, Osler-Weber-Rendu disease, Osseous-Oculo-Dento Dysplasia, Osseous-Oculo-Dento Dysplasia, Osteitis deformans, Osteochondrodystrophy Deformans, Osteochondroplasia, Osteodysplasty of Melnick and Needles, Osteogenesis Imperfect, Osteogenesis Imperfecta, Osteogenesis Imperfecta Congenita, Osteogenesis Imperfecta Tarda, Osteohypertrophic Nevus Flammeus, Osteopathia Hyperostotica Scleroticans Multiplex Infantalis, Osteopathia Hyperostotica Scleroticans Multiplex Infantalis, Osteopathyrosis, Osteopetrosis, Osteopetrosis Autosomal Dominant Adult Type, Osteopetrosis Autosomal Recessive Malignant Infantile Type, Osteopetrosis Mild Autosomal Recessive Intermediate Typ, Osteosclerosis Fragilis Generalisata, Osteosclerotic Myeloma, Ostium Primum Defect (endocardial cushion defects included), Ostium Secundum Defect, OTC Deficiency, Oto Palato Digital Syndrome, Oto-Palato-Digital Syndrome Type I, Oto-Palatal-Digital Syndrome Type II, Otodental Dysplasia, Otopalatodigital Syndrome, Otopalataldigital Syndrome Type II. Oudtshoorn Skin, Ovarian Dwarfism Turner Type, Ovary Aplasia Turner Type, OWR, Oxalosis, Oxidase deficiency, Oxycephaly, Oxycephaly, Oxycephaly, P-V, PA, PAC, Pachyonychia Ichtyosiforme, Pachyonychia Congenita with Natal Teeth, Pachyonychia Congenita, Pachyonychia Congenita Keratosis Disseminata Circumscripta (follicularis), Pachyonychia Congenita Jadassohn-Lewandowsky Type, PAF with MSA, Paget's Disease, Paget's Disease of Bone, Paget's Disease of the Breast, Paget's Disease of the Nipple, Paget's Disease of the Nipple and Areola, Pagon Syndrome, Painful Ophthalmoplegia, PAIS, Palatal Myoclonus, Palato-Oto-Digital Syndrome, Palatal-Oto-Digital Syndrome Type I, Palatal-Oto-Digital SyndromeType II, Pallister Syndrome, Pallister-Hall Syndrome, Pallister-Killian Mosaic Syndrome, Pallister Mosaic Aneuploidy, Pallister Mosaic Syndrome, Pallister Mosaic Syndrome Tetrasomy 12p, Pallister-W Syndrome, Palmoplantar Hyperkeratosis and Alopecia, Palsy, Pancreatic Fibrosis. Pancreatic Insufficiency and Bone Marrow Dysfunction, Pancreatic Ulcerogenic Tumor Panmyelophthisis, Panmyelopathy, Pantothenate kinase associated neurodegeneration (PKAN), Papillon-Lefevre Syndrome, Papillotonic Psuedotabes, Paralysis Periodica Paramyotonica, Paralytic Beriberi, Paralytic Brachial Neuritis, Paramedian Lower Lip Pits-Popliteal Pyerygium Syndrome, Paramedian Diencephalic Syndrome, Paramyeloidosis, Paramyoclonus Multiple, Paramyotonia Congenita, Paramyotonia Congenita of Von Eulenburg, Parkinson's disease, Paroxysmal Atrial Tachycardia, Paroxysmal Cold Hemoglobinuria, Paroxysmal Dystonia, Paroxysmal Dystonia Choreathetosis, Paroxysmal Kinesigenic Dystonia, Paroxysmal Nocturnal Hemoglobinuria, Paroxysmal Normal Hemoglobinuria, Paroxysmal Sleep, Parrot Syndrome, Parry Disease, Parry-Romberg Syndrome, Parsonage-Turner Syndrome, Partial Androgen Insensitivity Syndrome, Partial Deletion of the Short Arm of Chromosome 4, Partial Deletion of the Short Arm of Chromosome 5 Syndrome, Partial Deletion of Short Arm of Chromosome 9, Partial Duplication 3q Syndrome, Partial Duplication 15q Syndrome, Partial Facial Palsy With Urinary Abnormalities, Partial Gigantism of Hands Nevi-Hemihypertrophy-Macrocephaly, Partial Lipodystrophy, Monosomy of Long Arm of Chromosome 11, Partial Monosomy of the Long Arm of Chromosome 13, Partial Spinal Sensory Syndrome, Partial Trisomy 11q, Partington Syndrome, PAT, Patent Ductus Arteriosus, Pathological Myoclonus, Pauciarticular-Onset Juvenile Arthritis, Pauciarticular-Onset Juvenile Arthritis, Paulitis, PBC, PBS, PC Deficiency, PC Deficiency Group A, PC Deficiency Group B, PC, Eulenburg Disease, PCC Deficiency, PCH, PCLD, PCT, PD, PDA, PDH Deficiency, PDH Deficiency, Pearson Syndrome Pyruvate Carboxylase Deficiency, Pediatric Obstructive Sleep Apnea, Peeling Skin Syndrome, Pelizaeus-Merzbacher Disease, Pelizaeus-Merzbacher Brain Sclerosis, Pelizaeus-Merzbacher Brain Sclerosis, Pellagra-Cerebellar Ataxia-Renal Aminoaciduria Syndrome, Pelvic Pain Syndrome, Pemphigus Vulgaris, Pena Shokeir II Syndrome, Pena Shokeir Syndrome Type II, Penile Fibromatosis, Penile Fibrosis, Penile Induration, Penta X Syndrome, Pentalogy of Cantrell, Pentalogy Syndrome, Pentasomy X, PEPCK Deficiency, Pepper Syndrome, Perheentupa Syndrome, Periarticular Fibrositis, Pericardial Constriction with Growth Failure, Pericollagen Amyloidosis, Perinatal Polycystic Kidney Diseases, Perineal Anus, Periodic Amyloid Syndrome, Periodic Peritonitis Syndrome, Periodic Somnolence and Morbid Hunger, Periodic Syndrome, Peripheral Cystoid Degeneration of the Retina, Peripheral Dysostosis-Nasal Hypoplasia-Mental Retardation, Peripheral Neuritis, Peripheral Neuropathy, Peritoneopericardial Diaphragmatic Hernia, Pernicious Anemia, Pernicious Anemia, Pernicious Anemia, Peromelia with Micrognathia, Peroneal Muscular Atrophy, Peroneal Nerve Palsy, Peroutka Sneeze, Peroxisomal Acyl-CoA Oxidase, Peroxisomal Beta-Oxidation Disorders, Peroxisomal Bifunctional Enzyme, Peroxisomal Thiolase, Peroxisomal Thiolase Deficiency, Persistent Truncus Arteriosus, Perthes Disease, Petit Mal Epilepsy, Petit Mal Variant, Peutz-Jeghers Syndrome, Peutz-Jeghers Syndrome, Peutz-Touraine Syndrome, Peutz-Touraine Syndrome, Peyronie Disease, Pfeiffer, Pfeiffer Syndrome Type I, PGA II, PGA II, PGA III, PGK, PH Type I, PH Type I, Pharyngeal Pouch Syndrome, PHD Short-Chain Acyl-CoA Dehydrogenase Deficiency, Phenylalanine Hydroxylase Deficiency, Phenylalaninemia, Phenylketonuria, Phenylpyruvic Oligophrenia, Phocomelia, Phocomelia Phosphoenolpyruvate Carboxykinase Deficiency, Phosphofructokinase Deficiency, Phosphoglycerate Kinase Deficiency, Phosphoglycerokinase, Phosphorylase 6 Kinase Deficiency, Phosphorylase Deficiency Glycogen Storage Disease, Phosphorylase Kinase Deficiency of Liver, Photic Sneeze Reflex, Photic Sneezing, Phototherapeutic keratectomy, PHS, Physicist John Dalton, Phytanic Acid Storage Disease, Pi Phenotype ZZ, PI, Pick Disease of the Brain, Pick's Disease, Pick's Disease, Pickwickian Syndrome, Pierre Robin Anomalad, Pierre Robin Complex, Pierre Robin Sequence, Pierre Robin Syndrome, Pierre Robin Syndrome with Hyperphalangy and Clinodactyly, Pierre-Marie's Disease, Pigmentary Degeneration of Globus Pallidus Substantia Nigra Red Nucleus, Pili Torti and Nerve Deafness, Pili Torti-Sensorineural Hearing Loss, Pituitary Dwarfism II,

Pituitary Tumor after Adrenalectomy, Pityriasis Pilaris, Pityriasis Rubra Pilaris, PJS, PJS, PKAN, PKD, PKD1, PKD2, PKD3, PKU, PKU, PKU1, Plagiocephaly, Plagiocephaly, Plasma Cell Myeloma, Plasma Cell Leukemia, Plasma Thromboplastin Component Deficiency, Plasma Transglutaminase Deficiency, Plastic Induration Corpora Cavernosa, Plastic Induration of the Penis, PLD, Plicated Tongue, PLS, PMD, Pneumorenal Syndrome, PNH, PNM, PNP Deficiency, POD, POH, Poikiloderma Atrophicans and Cataract, Poikiloderma Congenitale, Poland Anomaly, Poland Sequence, Poland Syndactyly, Poland Syndrome, Poliodystrophia Cerebri Progressiva, Polyarthritis Enterica, Polyarteritis Nodosa, Polyarticular-Onset Juvenile Arthritis Type I, Polyarticular-Onset Juvenile Arthritis Type II, Polyarticular-Onset Juvenile Arthritis Types I and II, Polychondritis, Polycystic Kidney Disease, Polycystic Kidney Disease Medullary Type, Polycystic Kidney Disease Medullary Type, Polycystic Liver Disease, Polycystic Ovary Disease, Polycystic Renal Diseases, Polydactyly-Joubert Polydysplastic Epidermolysis Bullosa, Polydystrophia Oligophrenia, Polydystrophic Dwarfism, Polyglandular Autoimmune Syndrome Type III, Polyglandular Autoimmune Syndrome Type II, Polyglandular Autoimmune Syndrome Type I, Polyglandular Autoimmune Syndrome Type II, Polyglandular Deficiency Syndrome Type II, Polyglandular Syndromes, Polymorphic Macula Lutea Degeneration, Polymorphic Macular Degeneration, Polymorphism of Platelet Glycoprotien Ib, Polymorphous Corneal Dystrophy Hereditary, Polymyalgia Rheumatica, Polymyalgia Rheumatica, Polymyositis and Dermatomyositis, Primary Agammag-lobulinemi, Polyneuritis Peripheral. Polyneuropathy-Deafness-Optic Atrophy, Polyneuropathy Peripheral, Polyneuropathy and Polyradiculoneuropathy, Polyostotic Fibrous Dysplasia, Polyostotic Sclerosing Histiocytosis, Polyposis Familial, Polyposis Gardner Type, Polyposis Hamartomatous Intestinal, Polyposis Hamartomatous Intestinal, Polyposis-Osteomatosis-Epidermoid Cyst Syndrome, Polyposis Skin Pigmentation Alopecia and Fingernail Changes, Polyps and Spots Syndrome, Polyps and Spots Syndrome, Polyserositis Recurrent, Polysomy Y, Polysyndactyly with Peculiar Skull Shape, Polysyndactyly-Dysmorphic Craniofacies Greig Type, Pompe Disease, Pompe Disease, Popliteal Pterygium Syndrome, Porcupine Man, Porencephaly, Porencephaly, Porphobilinogen deaminase (PBG-D), Porphyria, Porphyria Acute Intermittant, Porphyria Acute Intermittent, Porphyria ALA-D, Porphyria Cutanea Tarda, Porphyria Cutanea Tarda, Porphyria Cutanea Tarda Hereditaria, Porphyria Cutanea Tarda Symptomatica, Porphyria Hepatica Variegate, Porphyria Swedish Type, Porphyria Variegate, Porphyriam Acute Intermittent, Porphyrins, Porrigo Decalvans, Port Wine Stains, Portuguese Type Amyloidosis, Post-Infective Polyneuritis, Postanoxic Intention Myoclonus, Postaxial Acrofacial Dysostosis, Postaxial Polydactyly, Postencephalitic Intention Myoclonus, Posterior Corneal Dystrophy Hereditary, Posterior Thalamic Syndrome, Postmyelographic Arachnoiditis, Postnatal Cerebral Palsy, Postoperative Cholestasis, Postpartum Galactorrhea-Amenorrhea Syndrome, Postpartum Hypopituitarism, Postpartum Panhypopituitary Syndrome, Postpartum Panhypopituitarism, Postpartum Pituitary Necrosis, Postural Hypotension, Potassium-Losing Nephritis, Potassium Loss Syndrome, Potter Type I Infantile Polycystic Kidney Diseases, Potter Type III Polycystic Kidney Disease, PPH, PPS, Prader-Willi Syndrome, Prader-Labhart-Willi Fancone Syndrome, Prealbumin Tyr-77 Amyloidosis, Preexcitation Syndrome, Preexcitation Syndrome, Pregnenolone Deficiency, Premature Atrial Contractions, Premature Senility Syndrome, Premature Supraventricular Contractions, Premature Ventricular Complexes, Prenatal or Connatal Neuroaxonal Dystrophy, Presentia, Presenile Macula Lutea Retinae Degeneration, Primary Adrenal Insufficiency, Primary Agammaglobulinemias, Primary Aldosteronism, Primary Alveolar Hypoventilation, Primary Amyloidosis, Primary Anemia, Primary Anemia, Primary Beriberi, Primary Biliary, Primary Biliary Cirrhosis, Primary Brown Syndrome, Primary Carnitine Deficiency, Primary Central Hypoventilation Syndrome, Primary Ciliary Dyskinesia Kartagener Type, Primary Cutaneous Amyloidosis, Primary Dystonia, Primary Failure Adrenocortical Insufficiency, Primary Familial Hypoplasia of the Maxilla, Primary Hemochromatosis, Primary Hyperhidrosis, Primary Hyperoxaluria [Type I], Primary Hyperoxaluria Type 1 (PH1), Primary Hyperoxaluria Type 1, Primary Hyperoxaluria Type II, Primary Hyperoxaluria Type III, Primary Hypogonadism, Primary Intestinal Lymphangiectasia, Primary Lateral Sclerosis, Primary Nonhereditary Amyloidosis, Primary Obliterative Pulmonary Vascular Disease, Primary Progressive Multiple Sclerosis, Primary Pulmonary Hypertension, Primary Reading Disability, Primary Renal Glycosuria, Primary Sclerosing Cholangitis, Primary Thrombocythemia, Primary Thrombocythemia, Primary Tumors of Central Nervous System, Primary Visual Agnosia, Proctocolitis Idiopathic, Proctocolitis Idiopathic, Progeria of Adulthood, Progeria of Childhood, Progeroid Nanism, Progeriod Short Stature with Pigmented Nevi, Progeroid Syndrome of De Barsy, Progressive Autonomic Failure with Multiple System Atrophy, Progressive Bulbar Palsy, Progressive Bulbar Palsy Included, Progressive Cardiomyopathic Lentiginosis, Progressive Cerebellar Ataxia Familial, Progressive Cerebral Poliodystrophy, Progressive Choroidal Atrophy, Progressive Diaphyseal Dysplasia, Progressive Diaphyseal Dysplasia, Progressive Facial Hemiatrophy, Progressive Familial Myoclonic Epilepsy. Progressive Hemifacial Atrophy, Progressive Hypoerythemia, Progressive Infantile Poliodystrophy, Progressive Lenticular Degeneration, Progressive Lipodystrophy, Progressive Muscular Dystrophy of Childhood, Progressive Myoclonic Epilepsy, Progressive Osseous Heteroplasia, Progressive Pallid Degeneration Syndrome, Progressive Pallid Degeneration Syndrome, Progressive Spinobulbar Muscular Atrophy, Progressive Supranuclear Palsy, Progressive Systemic Sclerosis, Progressive Tapetochoroidal Dystrophy, Proline Oxidase Deficiency, Propionic Acidemia, Propionic Acidemia, Propionic Acidemia Type I (PCCA Deficiency), Propionic Acidemia Type II (PCCB Deficiency), Propionyl CoA Carboxylase Deficiency, Propionyl CoA Carboxylase Deficiency, Protanomaly, Protanopia, Protein-Losing Enteropathy Secondary to Congestive Heart Failure, Proteus Syndrome, Proximal Deletion of 4q Included, Proximal Deletion of 4q-Included, PRP, PRS, Prune Belly Syndrome, PS, Pseudo-Hurler Polydystrophy, Pseudo-Polydystrophy, Pseudoacanthosis Nigricans, Pseudoachondroplasia, Pseudocholinesterase Deficiency, Pseudogout Familial, Pseudohemophilia, Pseudohermaphroditism, Pseudohermaphroditism, Pseudohermaphroditism-Nephron Disorder-Wilm's Tumor, Pseudohypertrophic Muscular Dystrophy, Pseudohypoparathyroidism, Pseudohypoparathyroidism, Pseudohypophosphatasia, Pseudopolydystrophy, Pseudothalidomide Syndrome, Pseudoxanthoma Elasticum, Pseudoxanthoma Elasticum, Psoriasis, Psorospermosis Follicularis, PSP, PSS, Psychomotor Convulsion, Psychomotor Epilepsy, Psychomotor Equivalent Epilepsy, PTC Deficiency, Pterygium, Pterygium Colli Syndrome, Pterygium Universale, Pterygolymphangiectasia, Pulmonary Atresia, Pulmonary Lymphangiomyomatosis, Pulmonary Stenosis, Pulmonic Stenosis-Ventricular Septal Defect, Pulp Stones, Pulpal Dysplasia, Pulseless Disease, Pure Alymphocytosis, Pure Cutaneous Histiocytosis, Purine Nucleoside Phosphorylase Deficiency, Hemorrhagica, Purtilo Syndrome, PXE, PXE, PXE Dominant Type, PXE Recessive Type, Pycnodysostosis, Pyknodysostosis, Pyknoepilepsy, **Pyroglutamic** Aciduria, Pyroglutamicaciduria, Pyrroline Carboxylate Dehydrogenase Deficiency, Pyruvate Carboxylase Deficiency, Pyruvate Carboxylase Deficiency Group A, Pyruvate Carboxylase Deficiency Group B, Pyruvate Dehydrogenase Deficiency, Pyruvate Dehydrogenase Deficiency, Pyruvate Dehydrogenase Deficiency, Pyruvate Kinase Deficiency, q25-qter, q26 or q27-qter, q31 or 32-qter, QT Prolongation with Extracellular Hypohypocalcinemia, QT Prolongation without Congenital Deafness, QT Prolonged with Congenital Deafness, Quadriparesis of Cerebral Palsy, Quadriplegia of Cerebral Palsy, Quantal Squander, Quantal Squander, r4, r6, r14, r 18, r21, r22, Rachischisis Posterior, Radial Aplasia-Amegakaryocytic Thrombocytopenia, Radial Aplasia-Thrombocytopenia Syndrome, Radial Nerve Palsy, Radicular Neuropathy Sensory, Radicular Neuropathy Sensory, Radicular Neuropathy Sensory Recessive, Radicular Dentin Dysplasia, Rapidonset Dystonia-parkinsonism, Rapp-Hodgkin Syndrome, Rapp-Hodgkin (hypohidrotic) Ectodermal Dysplasia syndrome, Rapp-Hodgkin Hypohidrotic Ectodermal Dysplasias, Rare hereditary ataxia with polyneuritic changes and deafness caused by a defect in the enzyme phytanic acid hydroxylase, Rautenstrauch-Wiedemann Syndrome, Rautenstrauch-Wiedemann Type Neonatal Progeria, Raynaud's Phenomenon, RDP, Reactive Functional Hypoglycemia, Reactive Hypoglycemia Secondary to Mild Diabetes, Recessive Type Kenny-Caffe Syndrome, Recklin Recessive Type Myotonia Congenita, Recklinghausen Disease, Rectoperineal Fistula, Recurrent Vomiting, Reflex Neurovascular Dystrophy, Reflex Sympathetic Dystrophy Syndrome, Refractive Errors, Refractory Anemia, Refrigeration Palsy, Refsum Disease, Refsum's Disease, Regional Enteritis, Reid-Barlow's syndrome, Reifenstein Syndrome, Reifenstein Syndrome, Reiger Anomaly-Growth Retardation, Reiger Syndrome, Reimann Periodic Disease, Reimann's Syndrome, Reis-Bucklers Corneal Dystrophy, Reiter's Syndrome, Reiter's Syndrome, Relapsing Guillain-Barre Syndrome, Relapsing-Remitting Multiple Sclerosis, Renal Agenesis, Renal Dysplasia-Blindness Hereditary, Renal Dysplasia-Retinal Aplasia Loken-Senior Type, Renal Glycosuria, Renal Glycosuria Type A, Renal Glycosuria Type B, Renal Glycosuria Type O, Renal-Oculocerebrodystrophy, Renal-Retinal Dysplasia with Medullary Cystic Disease, Renal-Retinal Dysplasia with Medullary Cystic Disease, Renal-Retinal Dystrophy Familial, Renal-Retinal Syndrome, Rendu-Osler-Weber Syndrome, Respiratory Acidosis, Respiratory Chain Disorders, Respiratory Myoclonus, Restless Legs Syndrome, Restrictive Cardiomyopathy, Retention Hyperlipemia, Rethore Syndrome (obsolete), Reticular Dysgenesis, Retinal Aplastic-Cystic Kidneys-Joubert Syndrome, Retinal Cone Degeneration, Retinal Cone Dystrophy, Retinal Cone-Rod Dystrophy, Retinitis Pigmentosa, Retinitis Pigmentosa and Congenital Deafness, Retinoblastoma, Retinol Deficiency, Retinoschisis, Retinoschisis Juvenile, Retraction Syndrome, Retrobulbar Neuropathy, Retrolenticular Syndrome, Rett Syndrome, Reverse Coarction, Reye Syndrome, Reye's Syndrome, RGS, Rh Blood Factors, Rh Disease, Rh Factor Incompatibility, Rh Incompatibility, Rhesus Incompatibility, Rheumatic Fever, Rheumatoid Arthritis, Rheumatoid Myositis, Rhinosinusogenic Cerebral Arachnoiditis, Rhizomelic Chondrodysplasia Punctata (RCDP), Acatalasemia, Classical Refsum disease, RHS, Rhythmical Myoclonus, Rib Gap Defects with Micrognathia, Ribbing Disease (obsolete), Ribbing Disease, Richner-Hanhart Syndrome, Rieger Syndrome, Rieter's Syndrome, Right Ventricular Fibrosis, Riley-Day Syndrome, Riley-Smith syndrome, Ring Chromosome 14, Ring Chromosome 18, Ring 4, Ring 4 Chromosome, Ring 6, Ring 6 Chromosome, Ring 9, Ring 9 Chromosome R9, Ring 14, Ring 15, Ring 15 Chromosome (mosaic pattern), Ring 18, Ring Chromosome 18, Ring 21, Ring 21 Chromosome, Ring 22, Ring 22 Chromosome, Ritter Disease, Ritter-Lyell Syndrome, RLS, RMSS, Roberts SC-Phocomelia Syndrome, Roberts Syndrome, Roberts Tetraphocomelia Syndrome, Robertson's Ectodermal Dysplasias, Robin Anomalad, Robin Sequence, Robin Syndrome, Robinow Dwarfism, Robinow Syndrome, Robinow Syndrome Dominant Form, Robinow Syndrome Recessive Form, Rod Myopathy, Roger Disease, Rokitansky's Disease, Romano-Ward Syndrome, Romberg Syndrome, Rootless Teeth, Rosenberg-Chutorian Syndrome, Rosewater Syndrome, Rosewater Syndrome, Rosselli-Gulienatti Syndrome, Rothmund-Thomson Syndrome, Roussy-Levy Syndrome, RP, RS X-Linked, RS, RS, RSDS, RSH Syndrome, RSS, RSTS, RTS, RTS, RTS, Rubella Congenital, Rubinstein Syndrome, Rubinstein-Taybi Syndrome, Rubinstein Taybi Broad Thumb-Hallux syndrome, Rufous Albinism, Ruhr's Syndrome, Russell's Diencephalic Cachexia, Russell's Syndrome, Russell-Silver Dwarfism, Russell-Silver Syndrome,

Russell-Silver Syndrome X-linked, Ruvalcaba-Myhre-Smith syndrome (RMSS), Ruvalcaba Syndrome, Ruvalcaba Type Osseous Dysplasia with Mental Retardation, Sacral Regression, Sacral Agenesis Congenital, SAE, Saethre-Chotzen Syndrome, Sakati, Sakati Syndrome, Sakati-Nyhan Syndrome, Salaam Spasms, Salivosudoriparous Syndrome, Salzman Nodular Corneal Dystrophy, Sandhoff Disease, Sanfilippo Syndrome, Sanfilippo Type A, Sanfilippo Type B, Santavuori Disease, Santavuori-Haltia Disease, Sarcoid of Boeck, Sarcoidosis, Sarcoidosis, Sathre-chotzen, Saturday Night Palsy, SBMA, SC Phocomelia Syndrome, SC Syndrome, SCA 3, SCAD Deficiency, SCAD Deficiency Adult-Onset Localized, SCAD Deficiency Congenital Generalized, SCAD, SCAD, SCAD, SCADH Deficiency, Scalded Skin Syndrome, Scalp Defect Congenital, Scaphocephaly, Scaphocephaly, Scaphocephaly, Scapula Elevata, Scapuloperoneal Scapuloperoneal Muscular Dystrophy, Scapuloperoneal Syndrome Myopathic Type, Scarring Bullosa, Scarring Bullosa, SCHAD, Schaumann's Disease, Scheie Syndrome, Schereshevkii-Turner Syndrome, Schilder Disease, Schilder Encephalitis, Schilder's Disease, Schindler Disease Type I (Infantile Onset), Schindler Disease Infantile Onset, Schindler Disease, Schindler Disease Type II (Adult Onset), Schinzel Syndrome, Schinzel-Giedion Syndrome, Schinzel Acrocallosal Syndrome, Schinzel-Giedion Midface-Retraction Syndrome, Schizencephaly, Schmid Type Metaphyseal Chondrodysplasia, Schmid Metaphyseal Dysostosis, Schmid-Fraccaro Syndrome, Schmidt Syndrome, Schopf-Schultz-Passarge Syndrome, Schueller-Christian Disease, Schut-Haymaker Type, Schwartz-Jampel-Aberfeld Syndrome, Schwartz-Jampel Syndrome Types 1A and 1B, Schwartz-Jampel Syndrome, Schwartz-Jampel Syndrome Type 2, SCI, D SCID, Scleroderma, Sclerosis Familial Progressive Systemic, Sclerosis Diffuse Familial Brain, Scott Craniodigital Syndrome With Mental Retardation, Scrotal Tongue, SCS, SCS, SD, SDS, SDYS, Seasonal Conjunctivitis, Sebaceous Nevus Syndrome, Sebaceous nevus, Seborrheic Keratosis, Seborrheic Warts, Seckel Syndrome, Seckel Type Dwarfism, Second Degree Congenital Heart Block, Secondary Amyloidosis, Secondary Blepharospasm, Secondary Non-tropical Sprue, Secondary Brown Syndrome, Secondary Beriberi, Secondary Generalized Amyloidosis, Secondary Dystonia, Secretory Component Deficiency, Secretory IgA Deficiency, SED Tarda, SED Congenital, SEDC, Segmental linear achromic nevus, Segmental Dystonia, Segmental Myoclonus, Seip Syndrome,

Seitelberger Disease, Seitelberger Disease, Seizures, Selective Deficiency of IgG Subclasses, Selective Mutism, Selective Deficiency of IgG Subclass, Selective IgM Deficiency, Selective Mutism, Selective IgA Deficiency, Self-Healing Histiocytosis, Semilobar Holoprosencephaly, Seminiferous Tubule Dysgenesis, Senile Retinoschisis, Senile Warts, Senior-Loken Syndrome, Sensory Neuropathy Hereditary Type I, Sensory Neuropathy Hereditary Type II, Sensory Neuropathy Hereditary Type I, Sensory Radicular Neuropathy, Sensory Radicular Neuropathy, Sensory Radicular Neuropathy Recessive, Septic Progressive Granulomatosis, Septo-Optic Dysplasia, Serous Circumscribed Meningitis, Serum Protease Inhibitor Deficiency, Serum Carnosinase Deficiency, Setleis Syndrome, Severe Combined Immunodeficiency, Severe Combined Immunodeficiency with Adenosine Deaminase Deficiency, Severe Combined Immunodeficiency (SCID), Sex Reversal, Sexual Infantilism, SGB Syndrome, Sheehan Syndrome, Shields Type Dentinogenesis Imperfecta, Shingles, varicella-zoster virus, Ship Beriberi, SHORT Syndrome, Short Arm 18 Deletion Syndrome, Short Chain Acyl CoA Dehydrogenase Deficiency, Short Chain Acyl-CoA Dehydrogenase (SCAD) Deficiency, Short Stature and Facial Telangiectasis, Short Stature Facial/Skeletal Anomalies-Retardation-Macrodontia, Short Stature-Hyperextensibility-Rieger Anomaly-Teething Delay, Short Stature-Onychodysplasia, Short Stature Telangiectatic Erythema of the Face, SHORT Syndrome, Shoshin Beriberi, Shoulder girdle syndrome, Shprintzen-Goldberg Syndrome, Shulman Syndrome, Shwachman-Diamond Syndrome, Shwachman Syndrome, Shwachman-Diamond-Oski Syndrome, Shwachmann Syndrome, Shy Drager Syndrome, Shy-Magee Syndrome, SI Deficiency, Sialidase Deficiency, Sialidosis Type I Juvenile, Sialidosis Type II Infantile, Sialidosis, Sialolipidosis, Sick Sinus Syndrome, Sickle Cell Anemia, Sickle Cell Disease, Sickle Cell-Hemoglobin C Disease, Sickle Cell-Hemoglobin D Disease, Sickle Cell-Thalassemia Disease, Sickle Cell Trait, Sideroblastic Anemias, Sideroblastic Anemia, Sideroblastosis, Sideroblastosis, SIDS, Siegel-Cattan-Mamou Syndrome, Siemens-Bloch type Pigmented Dermatosis, Siemens Syndrome, Siewerling-Creutzfeldt Disease, Siewert Syndrome, Silver Syndrome, Silver-Russell Dwarfism, Silver-Russell Syndrome, Simmond's Disease, Simons Syndrome, Simplex Epidermolysis Bullosa, Simpson Dysmorphia Syndrome, Simpson-Golabi-Behmel Syndrome, Sinding-Larsen-Johansson Disease, Singleton-Merten Syndrome, Sinus Arrhythmia, Sinus Venosus, Sinus tachycardia, Sirenomelia Sequence, Sirenomelus, Situs Inversus Bronchiectasis and Sinusitis, SJA Syndrome, Sjogren Larsson Syndrome Ichthyosis, Sjogren Syndrome, Sjogren Larsson Syndrome Ichthyosis, Sjögren's Syndrome, SJS, Skeletal dysplasia, Skeletal Dysplasia Weismann Netter Stuhl Type, Skin Peeling Syndrome, Skin Neoplasms, Skull Asymmetry and Mild Retardation, Skull Asymmetry and Mild Syndactyly, SLE, Sleep Epilepsy, Sleep Apnea, SLO, Sly Syndrome, SMA, SMA Infantile Acute Form, SMA I, SMA III, SMA type I, SMA type II, SMA type III, SMA3, SMAX1, SMCR, Smith Lemli Opitz Syndrome, Smith Magenis Syndrome, Smith-Magenis Chromosome Region, Smith-McCort Dwarfism, Smith-Opitz-Inborn Syndrome, Smith Disease, Smoldering Myeloma, SMS, SMS, SNE, Sneezing From Light Exposure, Sodium valproate, Solitary Plasmacytoma of Bone, Sorsby Disease, Sotos Syndrome, Souques-Charcot Syndrome, South African Genetic Porphyria, Spasmodic Dysphonia, Spasmodic Torticollis, Spasmodic Torticollis, Spasmodic Wryneck, Spastic Cerebral Palsy, Spastic Colon, Spastic Dysphonia, Spastic Paraplegia, SPD Calcinosis, Specific Antibody Deficiency with Normal Immunoglobulins, Specific Reading Disability, SPH2, Spherocytic Anemia, Spherocytosis, Spherophakia-Brachymorphia Syndrome, Sphingomyelin Lipidosis, Sphingomyelinase Deficiency, Spider fingers, Spielmever-Vogt Disease, Spielmeyer-Vogt-Batten Syndrome, Spina Bifida, Spina Bifida Aperta, Spinal Arachnoiditis, Spinal Arteriovenous Malformation, Spinal Ataxia Hereditofamilial, Spinal and Bulbar Muscular Atrophy, Spinal Diffuse Idiopathic Skeletal Hyperostosis, Spinal DISH, Spinal Muscular Atrophy, Spinal Muscular Atrophy, Spinal Muscular Atrophy All Types, Spinal Muscular Atrophy Type ALS, Spinal Muscular Atrophy-Hypertrophy of the Calves, Spinal Muscular Atrophy Type I, Spinal Muscular Atrophy Type III, Spinal Muscular Atrophy type 3, Spinal Muscular Atrophy-Hypertrophy of the Calves, Spinal Ossifying Arachnoiditis, Spinal Stenosis, Spino Cerebellar Ataxia. Spinocerebellar Atrophy Type I, Spinocerebellar Ataxia Type I (SCA1), Spinocerebellar Ataxia Type II (SCAII), Spinocerebellar Ataxia Type III (SCAIII), Spinocerebellar Ataxia Type III (SCA 3), Spinocerebellar Ataxia Type IV (SCAIV), Spinocerebellar Ataxia Type V (SCAV), Spinocerebellar Ataxia Type VI (SCAVI), Spinocerebellar Ataxia Type VII (SCAVII), Spirochetal Jaundice, Splenic Agenesis Syndrome, Splenic Ptosis, Splenoptosis, Split Hand Deformity-Mandibulofacial Dysostosis, Split Hand Deformity-Mandibulofacial Dysostosis, Split Hand Deformity, Split-Hand Deformity, Spondyloarthritis, Spondylocostal Dysplasia Type I, Spondyloepiphyseal Dysplasia Tarda, Spondylothoracic Dysplasia, Spondylotic Caudal Radiculopathy, Sponge Kidney, Spongioblastoma Multiforme, Spontaneous Hypoglycemia, Sprengel Deformity, Spring Ophthalmia, SRS, ST, Stale Fish Syndrome, Staphyloccal Scalded Skin Syndrome, Stargardt's Disease, Startle Disease, Status Epilepticus, Steele-Richardson-Olszewski Syndrome, Steely Hair Disease, Stein-Leventhal Syndrome, Steinert Disease, Stengel's Syndrome, Stengel-Batten-Mayou-Spielmeyer-Vogt-Stock Disease, Stenosing Cholangitis, Stenosis of the Lumbar Vertebral Canal, Stenosis, Steroid Sulfatase Deficiency, Stevanovic's Ectodermal Dysplasias, Stevens Johnson Syndrome, Stevens-Johnson Syndrome, STGD, Stickler Syndrome, Stickler Syndrome, Stiff-Man Syndrome, Stiff Man Syndrome, Stiff Person Syndrome, Still's Disease, Stilling-Turk-Duane Syndrome, Stillís Disease, Stimulus-Sensitive Myoclonus, Stone Man Syndrome, Stone Man, Streeter Anomaly, Striatonigral Degeneration Autosomal Dominant Type, Striopallidodentate Calcinosis, Stroma, Descemet's Membrane, Stromal Corneal Dystrophy, Struma Lymphomatosa, Sturge-Kalischer-Weber Syndrome, Sturge Weber Syndrome, Sturge-Weber Phakomatosis, Subacute Necrotizing Encephalomyelopathy, Subacute Necrotizing Encephalomyelopathy, Subacute Spongiform Encephalopathy, Subacute Necrotizing Encephalopathy, Subacute Sarcoidosis, Subacute Neuronopathic, Subacutic Stenosis, Subcortical Arteriosclerotic Encephalopathy, Subendocardial Sclerosis, Succinvictorine Sensitivity, Sucrase-Isomaltase Deficiency Congenital, Sucrose-Isomaltose Malabsorption Congenital, Sucrose Intolerance Congenital, Sudanophilic Leukodystrophy ADL, Sudanophilic Leukodystrophy Pelizaeus-Merzbacher Type, Sudanophilic Leukodystrophy Included, Sudden Infant Death Syndrome, Sudeck's Atrophy, Sugio-Kajii Syndrome, Summerskill Syndrome, Summit Acrocephalosyndactyly, Acrocephalosyndactyly, Summitt Syndrome, Superior Oblique Tendon Sheath Syndrome, Suprarenal glands, Supravalvular Aortic Stenosis, Supraventricular tachycardia, Surdicardiac Syndrome, Surdocardiac Syndrome, SVT, Sweat Gland Abscess, Sweating Gustatory Syndrome, Sweet Syndrome, Swiss Cheese Cartilage Syndrome, SWS, Syndactylic Oxycephaly, Syndactyly Type I with Microcephaly and Mental Retardation, Syndromatic Hepatic Ductular Hypoplasia, Syringomyelia, Systemic Aleukemic Reticuloendotheliosis, Systemic Amyloidosis, Systemic Carnitine Deficiency, Systemic Elastorrhexis, Systemic Lupus Erythematosus, Systemic Mast Cell Disease, Systemic Mastocytosis, Systemic-Onset Juvenile Arthritis, Systemic-Onset Juvenile Arthritis, Systemic Sclerosis, Systopic Spleen, T-Lymphocyte Deficiency, Tachyalimentation Hypoglycemia, Tachycardia, Takahara syndrome, Takayasu Disease, Takayasu Arteritis, Takayasu Arteritis, Talipes Calcaneus, Talipes Equinovarus, Talipes Equinus, Talipes Varus, Talipes Valgus, Tandem Spinal Stenosis, Tangier Disease, Tapetoretinal Degeneration, TAR Syndrome, Tardive Dystonia, Tardive Muscular Dystrophy, Tardive Dyskinesia, Tardive Oral Dyskinesia, Tardive Dyskinesia, Tardive Dystonia, Tardy Ulnar Palsy, Target Cell Anemia, Tarsomegaly, Tarui Disease, TAS Midline Defects Included, TAS Midline Defect, Tay Sachs Disease, Tay Sachs Sphingolipidosis, Tay Sachs Disease, Tay Syndrome Ichthyosis, Tay Sachs Sphingolipidosis, Tay Syndrome Ichthyosis, Taybi Syndrome Type I, Taybi Syndrome, TCD, TCOF1, TCS, TD, TDO Syndrome, TDO-I, TDO-II, TDO-III, Telangiectasis, Telecanthus with Associated Abnormalities, Telecanthus With Associated Abnormalities, Telecanthus-Hypospadias Syndrome, Temporal Lobe Epilepsy, Temporal Arteritis/Giant Cell Arteritis, Temporal Arteritis, TEN, Tendon Sheath Adherence Superior Obliqu, Tension Myalgia, Terminal Deletion of 4q Included, Terminal Deletion of 4q- Included, Terrian Corneal Dystrophy, Teschler-Nicola/Killian Syndrome, Tethered Spinal Cord Syndrome, Tethered Cord Malformation Sequence, Tethered Cord Syndrome, Tethered Cervical Spinal Cord Syndrome, Tetrahydrobiopterin Deficiencies, Tetrahydrobiopterin Deficiencies. Tetralogy of Fallot, Tetralogy of Fallot. Tetraphocomelia-Thrombocytopenia Syndrome, Tetrasomy Short Arm of Chromosome 9, Tetrasomy 9p, Tetrasomy Short Arm of Chromosome 18, Thalamic Syndrome, Thalamic Pain Syndrome, Thalamic Hyperesthetic Anesthesia, Thalassemia Intermedia, Thalassemia Minor, Thalassemia Major, Thiamine Deficiency, Thiamine-Responsive Maple Syrup Urine Disease, Thin-Basement-Membrane Nephropathy, Thiolase deficiency, RCDP, Acyl-CoA dihydroxyacetonephosphate acyltransferase, Third and Fourth Pharyngeal Pouch Syndrome, Third Degree Congenital (Complete) Heart Block, Thomsen Disease, Thoracic-Pelvic-Phalangeal Dystrophy, Thoracic Spinal Canal, Thoracoabdominal Syndrome, Thoracoabdominal Ectopia Cordis Syndrome, Three M Syndrome, Three-M Slender-Boned Nanism, Thrombasthenia of Glanzmann and Naegeli, Thrombocythemia Essential, Thrombocytopenia-Absent Radius Syndrome, Thrombocytopenia-Hemangioma Syndrome, Thrombocytopenia-Absent Radii Syndrome, Thrombophilia Hereditary Due to ΑT III, Thrombotic Thrombocytopenic Purpura, Thromboulcerative Thromboulcerative Colitis, Thymic Dysplasia with Normal Immunoglobulins, Thymic Agenesis, Thymic Aplasia DiGeorge Type, Thymic Hypoplasia Agammaglobulinemias Primary Included, Thymic Hypoplasia DiGeorge Type, Thymus Congenital Aplasia, Tic Douloureux, Tics, Tinel's syndrome, Tolosa Hunt Syndrome, Tonic Spasmodic Torticollis, Tonic Pupil Syndrome, Tooth and Nail Syndrome, Torch Infection, TORCH Syndrome, Torsion Dystonia, Torticollis, Torticollis, Lipodystrophy, Total anomalous pulmonary venous connection, Touraine's Aphthosis, Tourette Syndrome, Tourette's disorder, Townes-Brocks Syndrome, Townes Syndrome, Toxic Paralytic Anemia, Toxic Epidermal Necrolysis, Toxopachyosteose Diaphysaire Tibio-Peroniere, Toxopachyosteose, Toxoplasmosis Other Agents Rubella Cytomegalovirus Herpes Simplex, Tracheoesophageal Fistula with or without Esophageal Atresia, Tracheoesophageal Fistula, Transient neonatal myasthenia gravis, Transitional Atrioventricular Septal Defect, Transposition of the great arteries, Transtelephonic Monitoring, Transthyretin Methionine-30 Amyloidosis (Type I), Trapezoidocephaly-Multiple Synostosis Syndrome, Treacher Collins Syndrome, Treacher Collins-Franceschetti Syndrome 1, Trevor Disease, Triatrial Heart, Tricho-Dento-Osseous Syndrome, Trichodento Osseous Syndrome, Trichopoliodystrophy, Trichorhinophalangeal Syndrome, Trichorhinophalangeal Syndrome, Tricuspid atresia, Trifunctional Protein Deficiency, Trigeminal Neuralgia, Triglyceride Storage Disease Impaired Long-Chain Fatty Acid Oxidation, Trigonitis, Trigonocephaly, Trigonocephaly, Trigonocephaly, Trigonocephaly Syndrome, Trigonocephaly "C" Syndrome, Trimethylaminuria. Triphalangeal Thumbs-Hypoplastic Distal Phalanges-Onychodystrophy, Triphalangeal Thumb Syndrome, Triple Symptom Complex of Behcet, Triple X Syndrome, Triplo X Syndrome, Triploid Syndrome, Triploidy, Triploidy Syndrome, Trismus-Pseudocamptodactyly Syndrome, Trisomy, Trisomy G Syndrome, Trisomy K, Trisomy 6q Partial, Trisomy 6q Syndrome Partial, Trisomy 9 Mosaic, Trisomy 9P Syndrome (Partial) Included, Trisomy 11q Partial, Trisomy 14 Mosaic, Trisomy 14 Mosaicism Syndrome, Trisomy 21 Syndrome, Trisomy 22 Mosaic, Trisomy 22 Mosaicism Syndrome, TRPS,

TRPS1, TRPS2, TRPS3, True Hermaphroditism, True Hermaphroditism, Truncus arteriosus, Tryptophan Malabsorption, Tryptophan Pyrrolase Deficiency, TS, TTP, TTTS, Tuberous Sclerosis, Tubular Ectasia, Turcot Syndrome, Turner Syndrome, Turner-Kieser Syndrome, Turner Phenotype with Normal Chromosomes (Karyotype), Turner-Varny Syndrome, Turricephaly, Twin-Twin Transfusion Syndrome, Twin-to-Twin Transfusion Syndrome, Type A, Type B, Type AB, Type O, Type I Diabetes, Type I Familial Incomplete Male, Type I Familial Incomplete Male Pseudohermaphroditism, Type I Gaucher Disease, Type I (PCCA Deficiency), Type I Tyrosinemia, Type II Gaucher Disease, Type II Histiocytosis, Type II (PCCB Deficiency), Type II Tyrosinnemia, Type IIA Distal Arthrogryposis Multiplex Congenita, Type III Gaucher Disease, Type III Tyrosinemia, Type III Dentinogenesis Imperfecta, Typical Retinoschisis, Tyrosinase Negative Albinism (Type I), Tyrosinase Positive Albinism (Type II), Tyrosinemia type 1 acute form, Tyrosinemia type 1 chronic form, Tyrosinosis, UCE, Ulcerative Colitis, Ulcerative Colitis Chronic Non-Specific, Ulnar-Mammary Syndrome, Ulnar-Mammary Syndrome of Pallister, Ulnar Nerve Palsy, UMS, Unclassified FODs, Unconjugated Benign Bilirubinemiav, Underactivity of Parathyroid, Unilateral Ichthyosiform Erythroderma with Ipsilateral Malformations Limb, Unilateral Chondromatosis, Unilateral Defect of Pectoralis Muscle and Syndactyly of the Hand, Unilateral Hemidysplasia Type, Unilateral Megalencephaly, Unilateral Partial Lipodystrophy, Unilateral Renal Agenesis. Unstable Colon, Unverricht Disease, Unverricht-Lundborg Disease, Unverricht-Lundborg-Laf Disease, Unverricht Syndrome, Upper Limb - Cardiovascular Syndrome (Holt-Oram), Upper Motor Neuron Disease, Upper Airway Apnea, Upper Airway Apnea, Urea Cycle Defects or Disorders, Urea Cycle Disorder Arginase Type, Urea Cycle Disorder Arginino Succinase Type, Urea Cycle Disorders Carbamyl Phosphate Synthetase Type, Urea Cycle Disorder Citrullinemia Type, Urea Cycle Disorders N-Acrtyl Glutamate Synthetase Typ, Urea Cycle Disorder OTC Type, Urethral Syndrome, Urethro-Oculo-Articular Syndrome, Uridine Diphosphate Glucuronosyltransferase Severe Def. Type I, Urinary Tract Defects, Urofacial Syndrome, Uroporphyrinogen III cosynthase, Urticaria pigmentosa, Usher Syndrome, Usher Type I, Usher Type II, Usher Type III, Usher Type IV, Uterine Synechiae, Uoporphyrinogen I-synthase, Uveitis, Uveomeningitis Syndrome, V-CJD, VACTEL Association, VACTERL Association, VACTERL Syndrome, Valgus Calcaneus, Valine Transaminase Deficiency, Valinemia, Valproic Acid, Valproate acid exposure, Valproic acid exposure, Valproic acid, Van Buren's Disease, Van der Hoeve-Habertsma-Waardenburg-Gauldi Syndrome, Variable Onset Immunoglobulin Dysgammaglobulinemia, Variant Creutzfeldt-Jakob Disease (V-CJD), Varicella Embryopathy, Variegate Porphyria, Variegate Porphyria, Vascular Birthmarks, Vascular Dementia Binswanger's Type, Vascular Erectile Tumor, Vascular Hemophilia, Vascular Malformations, Vascular Malformations of the Brain, Vasculitis, Vasomotor Ataxia, Vasopressin-Resistant Diabetes Insipidus, Vasopressin-Sensitive Diabetes Insipidus, VATER Association, Vcf syndrome, Vcfs, Velocardiofacial Syndrome, VeloCardioFacial Syndrome, Venereal Arthritis, Venous Malformations, Ventricular Fibrillation, Ventricular Septal Defects, Congenital Ventricular Defects, Ventricular Septal Defect, Ventricular Tachycardia, Venual Malformations, VEOHD, Vermis Aplasia, Vermis Cerebellar Agenesis, Vernal Keratoconjunctivitis, Verruca, Vertebral Anal Tracheoesophageal Esophageal Radial, Vertebral Ankylosing Hyperostosis, Very Early Onset Huntington's Disease, Very Long Chain Acyl-CoA Dehydrogenase (VLCAD) Deficiency, Vestibular Schwannoma, Vestibular Schwannoma Neurofibromatosis, Vestibulocerebellar, Virchow's Oxycephaly, Visceral Xanthogranulomatosis, Visceral Xantho-Granulomatosis, Visceral Myopathy-External Ophthalmoplegia, Visceromegaly-Umbilical Hernia-Macroglossia Syndrome, Visual Amnesia, Vitamin A Deficiency, Vitamin B-1 Deficiency, Vitelline Macular Dystrophy, Vitiligo, Vitiligo, Vitiligo Capitis, Vitreoretinal Dystrophy, VKC, VKH Syndrome, VLCAD, VLCAD, Vogt Syndrome, Vogt Cephalosyndactyly, Vogt Koyanagi Harada Syndrome, Vogt Koyanagi Harada Syndrome, Vogt Koyanagi Harada Syndrome, Von Bechterew-Strumpell Syndrome, Von Eulenburg Paramyotonia Congenita, Von Frey's Syndrome, Von Gierke Disease, Von Hippel-Lindau Syndrome, Von Mikulicz Syndrome, Von Recklinghausen Disease, Von Willebrandt Disease, VP, Vrolik Disease (Type II), VSD, VSD, Vulgaris Type Disorder of Cornification, Vulgaris Type Ichthyosis, W Syndrome, Waardenburg Syndrome, Waardenburg-Klein Syndrome, Waardenburg Syndrome Type I (WS1), Waardenburg Syndrome Type II (WS2), Waardenburg Syndrome Type IIA (WS2A), Waardenburg Syndrome Type IIB (WS2B), Waardenburg Syndrome Type III (WS3), Waardenburg Syndrome Type IV (WS4), Waelsch's Syndrome, WAGR Complex, WAGR Syndrome,

Syndrome, Waldenstroem's Macroglobulinemia, Waldenstrom's Purpura, WAGR Waldenstrom's Syndrome, Waldmann Disease, Walker-Warburg Syndrome, Wandering Spleen, Warburg Syndrome, Warm Antibody Hemolytic Anemia, Warm Reacting Antibody Disease, Wartenberg Syndrome, WAS, Water on the Brain, Watson Syndrome, Watson-Alagille Syndrome, Waterhouse-Friderichsen syndrome, Waxy Disease, WBS, Weaver Syndrome, Weaver-Smith Syndrome, Weber-Cockayne Disease, Wegener's Granulomatosis, Wegener's Granulomatosis, Weil Disease, Weil Syndrome, Weill-Marchesani, Weill-Marchesani Syndrome, Weill-Reyes Syndrome, Weismann-Netter-Stuhl Syndrome, Weissenbacher-Zweymuller Syndrome, Wells Syndrome, Wenckebach, Werdnig-Hoffman Disease, Werdnig-Hoffmann Disease, Werdnig-Hoffmann disease, Werdnig-Hoffman Disease, Werdnig-Hoffman Paralysis, Werlhof's Disease, Werner Syndrome, Wernicke's (C) I Syndrome, Wernicke's aphasia, Wernicke-Korsakoff Syndrome, West Syndrome, Wet Beriberi, WHCR, Whipple's Disease, Whipple Disease, Whistling face syndrome, Whistling Face-Windmill Vane Hand Syndrome, White-Darier Disease, Whitnall-Norman Syndrome, Whorled nevoid hypermelanosis, WHS, Wieacker Syndrome, Wieacher Syndrome, Wieacker-Wolff Syndrome, Wiedmann-Beckwith Syndrome, Wiedemann-Rautenstrauch Syndrome, Wildervanck Syndrome, Willebrand-Juergens Disease, Willi-Prader Syndrome, Williams Syndrome, Williams Syndrome, Williams-Beuren Syndrome, Wilms' Tumor, Wilms' Tumor-Aniridia-Gonadoblastoma-Mental Retardation Syndrome, Wilms Tumor Aniridia Gonadoblastoma Mental Retardation, Wilms' Tumor-Aniridia-Genitourinary Anomalies-Mental Retardation Syndrome, Wilms Tumor-Pseudohermaphroditism-Nephropathy, Wilms Tumor and Pseudohermaphroditism, Tumor-Pseuodohermaphroditism-Glomerulopathy, Wilms Wilson's Disease, Winchester Syndrome, Winchester-Grossman Syndrome, Wiskott-Aldrich Syndrome, Wiskott-Aldrich Type Immunodeficiency, Witkop Ectodermal Dysplasias, Witkop Tooth-Nail Syndrome, Wittmaack-Ekbom Syndrome, WM Syndrome, WMS, WMS, WNS, Wohlfart-Disease, Wohlfart-Kugelberg-Welander Disease, Wolf Syndrome, Wolf-Hirschhorn Chromosome Region (WHCR), Wolf-Hirschhorn Syndrome, Wolff-Parkinson-White Syndrome, Wolff-Parkinson-White syndrome, Wolff Parkinson White Syndrome, Wolfram Syndrome, Wolman Disease (Lysomal Acid Lypase Deficiency), Woody Guthrie's Disease, WPW Syndrome, WPW Syndrome, Writer's

Cramp, WS, WS, WSS, WWS, Wyburn-Mason Syndrome, Wyburn-Mason Syndrome, X-Linked Addison's Disease, X-linked Adrenoleukodystrophy (X-ALD), Xlinked Adult Onset Spinobulbar Muscular Atrophy, X-linked Adult Spinal Muscular Atrophy, X-Linked Agammaglobulinemia with Growth Hormone Deficiency, X-Linked Agammaglobulinemia, Lymphoproliferate X-Linked Syndrome, X-linked Cardiomyopathy and Neutropenia, X-Linked Centronuclear Myopathy, X-linked Copper Deficiency, Xlinked Copper Malabsorption, X-Linked Dominant Conradi-Hunermann Syndrome, X-Linked Dominant Inheritance Agenesis of Corpus Callosum, X-Linked Dystoniaparkinsonism, X-Linked Ichthyosis, X Linked Ichthyosis, X-Linked Infantile Agammaglobulinemia, X-Linked Infantile Nectrotizing Encephalopathy, X-linked Juvenile Retinoschisis, X-linked Lissencephaly, X-linked Lymphoproliferative Syndrome, X-linked Mental Retardation-Clasped Thumb Syndrome, X-Linked Mental Retardation with Hypotonia, X-linked Mental Retardation and Macroorchidism, X-Linked Progressive Combined Variable Immunodeficiency, X-Linked Recessive Conradi-Hunermann Syndrome, X-Linked Recessive Severe Combined Immunodeficiency, X-Linked Recessive Severe Combined Immunodeficiency, X-Linked Retinoschisis. X-linked Spondyloepiphyseal Dysplasia, Xanthine Oxidase Deficiency (Xanthinuria Deficiency, Hereditary), Xanthinuria Deficiency, Hereditary (Xanthine Oxidase Deficiency), Xanthogranulomatosis Generalized, Xanthoma Tuberosum, Xeroderma Pigmentosum, Xeroderma Pigmentosum Dominant Type, Xeroderma Pigmentosum Type A I XPA Classical Form, Xeroderma Pigmentosum Type B II XPB, Xeroderma Pigmentosum Type E V XPE, Xeroderma Pigmentosum Type C III XPC, Xeroderma Pigmentosum Type D IV XPD, Xeroderma Pigmentosum Type F VI XPF, Xeroderma Pigmentosum Type G VII XPG, Xeroderma Pigmentosum Variant Type XP-V, Xeroderma-Talipes-and Enamel Defect, Xerodermic Idiocy, Xerophthalmia, Xerotic Keratitis, XLP, XO Syndrome, XP, XX Male Syndrome, Sex Reversal, XXXXX Syndrome, XXY Syndrome, XYY Syndrome, XYY Chromosome Pattern, Yellow Mutant Albinism, Yellow Nail Syndrome, YKL, Young Female Arteritis, Yunis-Varon Syndrome, YY Syndrome, Z-E Syndrome, Z- and -Protease Inhibitor Deficiency, Zellweger Syndrome, Zellweger syndrome, Zellweger cerebro-hepato-renal syndrome, ZES, Ziehen-Oppenheim Disease (Torsion Dystonia),

Zimmermann-Laband Syndrome, Zinc Deficiency Congenital, Zinsser-Cole-Engman Syndrome, ZLS and Zollinger-Ellison Syndrome.

- 42. Use of an agent capable of modulating the expression AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or a derivative, homolog or analog thereof in the manufacture of a medicament for the treatment of a condition characterized by inter alia a myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or metabolic energy levels.
- Use of an agent capable of modulating the activity AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or a derivative, homolog, analog, chemical equivalent or mimetic thereof in the manufacture of a medicament for the treatment of a condition characterized by inter alia a myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or metabolic energy levels.
- Use of AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or derivative, homolog or analog thereof AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or derivative, homolog, analog, chemical equivalent or mimetic thereof in the manufacture of a medicament for the treatment of a condition characterized by inter alia a myopathy, obesity, anorexia, weight maintenance, diabetes, disorders associated with mitochondrial dysfunction, genetic disorders and/or metabolic energy levels.

- A composition comprising a modulator of AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 expression AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 activity and one or more pharmaceutically acceptable carriers and/or diluents.
- A method for detecting AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or a derivative or homolog thereof in a biological sample from a subject, said method comprising contacting said biological sample with an antibody specific for AGT-711, AGT-712, AGT-713, AGT-714, AGT-715, AGT-716, AGT-717, AGT-718, AGT-720, AGT-721, AGT-723, AGT-724, AGT-726, AGT-71, AGT-722 and/or AGT-725 or their antigenic derivatives or homologs for a time and under conditions sufficient for a complex to form, and then detecting said complex.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
\square image cut off at top, bottom or sides
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.